


JM  
980/mr



ISSN 1090-7807  
Volume 227, February 2013

# JMR

Journal of Magnetic Resonance




Optimal control derived 2D spatial-selective RF pulses were used in a dissolution DNP and MRI setup to localize  $^{13}\text{C}$  signal in hyperpolarized pyruvate samples.

Editor: Lucio Frydman

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

SciVerse ScienceDirect



Volume 227, February 2013

## CONTENTS

## COVER ARTICLE

57 **Dynamic nuclear polarization and optimal control spatial-selective  $^{13}\text{C}$  MRI and MRS**

Mads S. Vinding, Christoffer Laustsen, Ivan I. Maximov, Lise Vejby Søgaard, Jan H. Ardenkjær-Larsen, Niels Chr. Nielsen

## REGULAR ARTICLES

1 **Molecular dynamics parameter maps by  $^1\text{H}$  Hahn echo and mixed-echo phase-encoding MRI**

Dan E. Demco, Ana-Maria Oros-Peusquens, Lavinia Utiu, Radu Fechete, Bernhard Blümich, Nadim Jon Shah

9 **Design of *in situ* sample rotation mechanism for angle-dependent study of cantilever-detected high-frequency ESR**

E. Ohmichi, S. Hirano, H. Ohta

14 **Dissolution DNP-NMR spectroscopy using galvinoxyl as a polarizing agent**

Lloyd L. Lumata, Matthew E. Merritt, Craig R. Malloy, A. Dean Sherry, Johan van Tol, Likai Song, Zoltan Kovacs

20 **Formalism for hypercomplex multidimensional NMR employing partial-component subsampling**

Adam D. Schuyler, Mark W. Maciejewski, Alan S. Stern, Jeffrey C. Hoch

25 **Gaussian phase distribution approximations for oscillating gradient spin echo diffusion MRI**

Andrada Ianuş, Bernard Siow, Ivana Drobnjak, Hui Zhang, Daniel C. Alexander

39 **Spatially encoded ultrafast high-resolution 2D homonuclear correlation spectroscopy in inhomogeneous fields**

Zhiyong Zhang, Hao Chen, Can Wu, Rui Wu, Shuhui Cai, Zhong Chen

46 **Unusual behaviour of a very narrow electron spin resonance signal**

François Beuneu

51 **Raman electron spin-lattice relaxation with the Debye-type and with real phonon spectra in crystals**

Stanislaw K. Hoffmann, Stefan Lijewski

62 **Spin-Hamiltonian parameters for the tetragonal  $\text{Gd}_M^{3+}-\text{F}_i^-$  centers in  $\text{CaF}_2$  and  $\text{SrF}_2$  crystals**

Wei-Qing Yang, Ying Zhang, Yuan Lin, Wen-Chen Zheng

72 **Achieving high spatial resolution and high SNR in low-field MRI of hyperpolarised gases with Slow Low Angle SHot**

Kajum Safiullin, Cavin Talbot, Pierre-Jean Nacher

87 **Electron spin resonance in presence of a magnetic impurity in graphene**

Angsula Ghosh, J.W.M. Pinto, H.O. Frota

93 **Chemical shift powder spectra enhanced by multiple-contact cross-polarization under slow magic-angle spinning**

Jésus Raya, Barbara Perrone, Jérôme Hirschinger

Continued

**COMMUNICATIONS**

- 35 **Earth's magnetic field enabled scalar coupling relaxation of  $^{13}\text{C}$  nuclei bound to fast-relaxing quadrupolar  $^{14}\text{N}$  in amide groups**

Enrico Chiavazza, Eugen Kubala, Concetta V. Gringeri, Stephan Düwel, Markus Durst, Rolf F. Schulte, Marion I. Menzel

- 66 **W-band orientation selective DEER measurements on a  $\text{Gd}^{3+}$ /nitroxide mixed-labeled protein dimer with a dual mode cavity**

Ilia Kaminker, Igor Tkach, Nurit Manukovsky, Thomas Huber, Hiromasa Yagi, Gottfried Otting, Marina Bennati, Daniella Goldfarb