


NU
J 80/mr



ISSN 1090-7807
Volume 231, June 2013

JMR

Journal of Magnetic Resonance




A new scheme of statistical reconstruction for CW ESR imaging improves the spatial and spectral resolutions, as illustrated by this experimental example where three paramagnetic crystals having different spectral signatures, are resolved with high definition despite acquiring a limited number of projections.

Editor: Lucio Frydman

Available online at www.sciencedirect.com

SciVerse ScienceDirect



Volume 231, June 2013

CONTENTS

COVER ARTICLE

- 100 Statistical reconstruction algorithms for continuous wave electron spin resonance imaging**
Imry Kissos, Michael Levit, Arie Feuer, Aharon Blank

REGULAR ARTICLES

- 1 Long lived NMR signal in bone**
Boyang Zhang, Jae-Seung Lee, Anatoly Khitrin, Alexej Jerschow
- 5 Dynamic nuclear polarization-enhanced ^{13}C NMR spectroscopy of static biological solids**
Alexey Potapov, Wai-Ming Yau, Robert Tycko
- 15 Determination of the principal g -values of Type I or highly-anisotropic low spin (HALS) ferriheme centers in frozen solutions**
Andrei V. Astashkin, F. Ann Walker
- 22 Temporal phase correction of multiple echo T_2 magnetic resonance images**
Thorarin A. Bjarnason, Cornelia Laule, Joel Bluman, Piotr Kozlowski
- 32 Efficient, balanced, transmission line RF circuits by back propagation of common impedance nodes**
Evgeny Markhasin, Jianping Hu, Yongchao Su, Judith Herzfeld, Robert G. Griffin
- 39 Anatomical MRI with an atomic magnetometer**
I. Savukov, T. Karaulanov
- 46 Quantitative analysis of polymer mixtures in solution by pulsed field-gradient spin echo NMR spectroscopy**
Luk Van Lokeren, Haïen Ben Sassi, Guy Van Assche, François Ribot
- 54 Proton dynamics at low and high temperatures in a novel ferroelectric diammonium hypodiphosphate $(\text{NH}_4)_2\text{H}_2\text{P}_2\text{O}_6$ (ADhP) as studied by ^1H spin-lattice relaxation time and second moment of NMR line**
W. Medycki, L. Latanowicz, P. Szklarz, R. Jakubas
- 61 Optic nerve: Separating compartments based on ^{23}Na TQF spectra and TQF-diffusion anisotropy**
Uzi Eliav, Xiang Xu, Alexej Jerschow, Gil Navon
- 66 Selective observation of a spinning-sideband manifold of paramagnetic solids by rotation-synchronized DANTE**
Miwa Murakami, Hajime Arai, Yoshiharu Uchimoto, Zempachi Ogumi
- 72 Faster imaging with a portable unilateral NMR device**
Asaf Liberman, Elad Bergman, Yifat Sarda, Uri Nevo
- 79 Fluorine detected 2D NMR experiments for the practical determination of size and sign of homonuclear F-F and heteronuclear C-F multiple bond J -coupling constants in multiple fluorinated compounds**
Ruud L.E.G. Aspers, Kirsten A.M. Ampt, Peter Dvortsak, Martin Jaeger, Sybren S. Wijmenga

Continued

- 90 Selective measurements of long-range homonuclear J -couplings in solid-state NMR**
Pierre Thureau, Giulia Mollica, Fabio Ziarelli, Stéphane Viel
- 95 Imaging of the B_1 distribution and background signal in a MAS NMR probehead using inhomogeneous B_0 and B_1 fields**
Smita Odedra, Stephen Wimperis
- 17 Skew projection of echo-detected EPR spectra for increased sensitivity and resolution**
Michael K. Bowman, Matthew D. Krzyaniak, Alex A. Cruce, Ralph T. Weber
- 26 Restricted k -space sampling in pure phase encode MRI of rock core plugs**
Dan Xiao, Bruce J. Balcom
- 33 Room temperature strong coupling between a microwave oscillator and an ensemble of electron spins**
G. Boero, G. Gualco, R. Lisowski, J. Anders, D. Suter, J. Brugger