


ПН
780/nm



ELSEVIER

Journal of Nuclear Materials



EDITORS

L.K. MANSUR — Oak Ridge, TN, USA (Chairman)
T. MUROGA — Toki, Japan
R.E. STOLLER — Knoxville, TN, USA
L.O. WERME — Uppsala, Sweden

Abstracted/Indexed in: Aluminium Industry Abstracts/Chemical Abstracts/Current Contents: Engineering, Computing and Technology/Current Contents: Physical, Chemical and Earth Sciences/EI Compendex Plus/Engineered Materials Abstracts/Engineering Index/INSPEC/Metals Abstracts. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®

CONTENTS

<p>Irradiation dose and temperature dependence of fracture toughness in high dose HT9 steel from the fuel duct of FFTF, <i>T.S. Byun, M.B. Toloczko, T.A. Saleh and S.A. Maloy</i></p> <p>Kinetics of dynamic recrystallization in Ti-modified 15Cr–15Ni–2Mo austenitic stainless steel, <i>A. Sarkar, A. Marchattiar, J.K. Chakravarty and B.P. Kashyap</i></p> <p>Vacuum annealing enhances the properties of a tungsten coating deposited on copper by atmospheric plasma spray, <i>H. Jianjun, L. Xinjun, C. Jun, L. Ying, Q. Bing, J. Shishou, W. Xisheng and L. Guangnan</i></p> <p>Creep studies on U–7%Zr, U–7%Nb and U rich U–Nb–Zr alloys, <i>K. Ghoshal, T.R.G. Kutty, S. Mishra and A. Kumar</i></p> <p>Surface cracking on R3, R9 CSL and random grain boundaries in helium implanted 316L austenitic stainless steel, <i>N. Sakaguchi, Y. Ohguchi, T. Shibayama, S. Watanabe and H. Kinoshita</i></p> <p>Deducing the stress–strain response of anisotropic Zr–2.5%Nb pressure tubing by spherical indentation testing, <i>R.O. Oviasuyi and R.J. Klassen</i></p> <p>Corrosion study of a highly durable electrolyzer based on cold crucible technique for pyrochemical reprocessing of spent nuclear oxide fuel, <i>M. Takeuchi, Y. Arai, T. Kase and Y. Nakajima</i></p> <p>The metallurgy, mechanics, modelling and assessment of dissimilar material brazed joints, <i>N.R. Hamilton, J. Wood, A. Galloway, M.B. Olsson Robbie and Y. Zhang</i></p> <p>Sintering of oxide nuclear fuel: Plastic flow mechanism, <i>V.G. Baranov, Yu.N. Devyatko, A.V. Tenishev, A.V. Khunov and O.V. Khomyakov</i></p> <p>Dielectric properties of SiC fiber-reinforced SiC matrix composites in the temperature range from 25 to 700 °C at frequencies between 8.2 and 18 GHz, <i>H. Liu, H. Tian and H. Cheng</i></p> <p>Interatomic potentials for simulation of He bubble formation in W, <i>N. Juslin and B.D. Wirth</i></p> <p>Local strain distribution near grain boundaries under tensile stresses in highly irradiated SUS316 stainless steel, <i>K. Fukuya, H. Nishioka, K. Fujii, T. Miura and Y. Kitsunai</i></p> <p>Formation of diffusion barrier coating on superalloy 690 substrate and its stability in borosilicate melt at elevated temperature, <i>R.S. Dutta, C. Yusufali, B. Paul, S. Majumdar, P. Sengupta, R.K. Mishra, C.P. Kaushik, R.J. Kshirsagar, U.D. Kulkarni and G.K. Dey</i></p> <p>Creep-to-rupture of the steel P92 at 650 °C in oxygen-controlled stagnant lead in comparison to air, <i>M. Yurechko, C. Schroer, A. Skrypnik, O. Wedemeyer and J. Konys</i></p> <p>Influence of hydrogen content on fracture toughness of CWSR Zr–2.5Nb pressure tube alloy, <i>R.N. Singh, A.K. Bind, N.S. Srinivasan and P. Stähle</i></p> <p>Experimental and modeling results of creep–fatigue life of Inconel 617 and Haynes 230 at 850 °C, <i>X. Chen, M.A. Sokolov, S. Sham, D.L. Erdman III, J.T. Busby, K. Mo and J.F. Stubbins</i></p>	<p>1</p> <p>9</p> <p>16</p> <p>20</p> <p>23</p> <p>28</p> <p>35</p> <p>42</p> <p>52</p> <p>57</p> <p>61</p> <p>67</p> <p>72</p> <p>78</p> <p>87</p> <p>94</p>	<p>Residual stresses and tetragonal phase fraction characterisation of corrosion tested Zircaloy-4 using energy dispersive synchrotron X-ray diffraction, <i>E. Polatidis, P. Frankel, J. Wei, M. Klaus, R.J. Comstock, A. Ambard, S. Lyon, R.A. Cottis and M. Preuss</i></p> <p>Studies on disintegrating spherical fuel elements of high temperature gas-cooled reactor by an electrochemical method, <i>L. Tian, M. Wen and J. Chen</i></p> <p>Vacancy-type defect production in CLAM steel after the co-implantation of He and H ion beams studied by positron-annihilation spectroscopy, <i>Y. Xin, X. Ju, J. Qiu, L. Guo, T. Li, F. Luo, P. Zhang, X. Cao and B. Wang</i></p> <p>Microstructure of TRISO coated particles from the AGR-1 experiment: SiC grain size and grain boundary character, <i>R. Kirchofer, J.D. Hunn, P.A. Demkowicz, J.I. Cole and B.P. Gorman</i></p> <p>Influence of superficial oxidation on the pyrophoric behaviour of uranium hydride and uranium powders in air, <i>C. Ablitzer, F. Le Guyadec, J. Raynal, X. Génin and A. Duhart-Barone</i></p> <p>First gaseous boronization during pulsed discharge cleaning, <i>J. Ko, D.J. Den Hartog, J.A. Goetz, P.J. Weix and S.T. Limbach</i></p> <p>Mechanical properties and XRD studies of silicon carbide inert matrix fuel fabricated by a low temperature polymer precursor route, <i>C. Shih, N. Rohbeck, K. Gopalakrishnan, J.S. Tulenko and R.H. Baney</i></p> <p>Cr precipitation in neutron irradiated industrial purity Fe–Cr model alloys, <i>V. Kuksenko, C. Pareige and P. Pareige</i></p> <p>Irradiation creep relaxation of void swelling-driven stresses, <i>M.M. Hall Jr.</i></p> <p>Application of a boron doped diamond (BDD) electrode as an anode for the electrolytic reduction of UO₂ in Li₂O–LiCl–KCl molten salt, <i>W. Park, J.-K. Kim, J.-M. Hur, E.-Y. Choi, H.S. Im and S.-S. Hong</i></p> <p>Preparation, characterisation and dissolution of a CeO₂ analogue for UO₂ nuclear fuel, <i>M.C. Stennett, C.L. Corkhill, L.A. Marshall and N.C. Hyatt</i></p> <p>Environmentally assisted cracking behavior of dissimilar metal weldments in simulated BWR coolant environments, <i>J.Y. Huang, M.F. Chiang, S.L. Jeng, J.S. Huang and R.C. Kuo</i></p> <p>Microstructure and oxidation properties of 16Cr–5Al–ODS steel prepared by sol–gel and spark plasma sintering methods, <i>Y.P. Xia, X.P. Wang, Z. Zhuang, Q.X. Sun, T. Zhang, Q.F. Fang, T. Hao and C.S. Liu</i></p> <p>Understanding the phase equilibrium and irradiation effects in Fe–Zr diffusion couples, <i>C.-C. Wei, A. Aitkaliyeva, Z. Luo, A. Ewh, Y.H. Sohn, J.R. Kennedy, B.H. Sencer, M.T. Myers, M. Martin, J. Wallace, M.J. General and L. Shao</i></p> <p>Boron carbide as a target for the SPES project, <i>S. Corradetti, S. Carturan, L. Biasetto, A. Andrighetto and P. Colombo</i></p> <p>Oxidation behaviour of zirconium alloys and their precipitates – A mechanistic study, <i>C. Proff, S. Abolhassani and C. Lemaignan</i></p>	<p>102</p> <p>113</p> <p>120</p> <p>127</p> <p>135</p> <p>146</p> <p>152</p> <p>160</p> <p>166</p> <p>175</p> <p>182</p> <p>189</p> <p>198</p> <p>205</p> <p>212</p> <p>222</p>
--	---	---	---

(Contents continued on inside back cover)



Effect of oxygen on the corrosion behavior of SS316L in a buoyancy driven Pb-17Li loop, <i>P. Chakraborty, R.K. Fotedar and N. Krishnamurthy</i>	239	Hardening of self ion implanted tungsten and tungsten 5-wt% rhenium, <i>D.E.J. Armstrong, X. Yi, E.A. Marquis and S.G. Roberts</i>	428
On the role of residual strain in controlling sensitisation of twin-boundary engineered type 304 stainless steel, <i>P.M. Ahmedabadi, V. Kain, K. Venkata Muralidhar and I. Samajdar</i>	243	Oxidation of Zircaloy-2 studied using a wedge-shaped specimen, <i>B. Hutchinson and L. Hallstadius</i>	437
The role of Pd in the transport of Ag in SiC, <i>E.J. Olivier and J.H. Neethling</i>	252	Irradiation effect on PET surface using low energy argon ion beam, <i>B.A. Soliman, M.M. Abdelrahman, F.W. Abdelsalam and K.A. Aly</i>	444
Nanostructured rhodium films for advanced mirrors produced by Pulsed Laser Deposition, <i>A. Uccello, D. Dellasega, S. Perissinotto, N. Lecis and M. Passoni</i>	261	Study of microstructure and microtexture of modified 9Cr-1Mo steel subjected to high deformation, <i>P.K. Parida, A. Dasgupta and S. Saibaba</i>	450
Characterizing microstructural changes in ferritic steels by positron annihilation spectroscopy: Studies on modified 9Cr-1Mo steel, <i>S. Hari Babu, K.V. Rajkumar, S. Hussain, G. Amarendra, C.S. Sundar and T. Jayakumar</i>	266	Effect of water adsorption on tritium release from Li_4SiO_4 , <i>C. Kang, C. Xiao, X. Wang, Y. He, J. Liu, X. Chen, S. Peng and H. Wang</i>	455
Microstructure and mechanical properties of friction stir welded oxide dispersion strengthened alloy, <i>J. Wang, W. Yuan, R.S. Mishra and I. Charit</i>	274	Measurement and analysis of SHCCT diagram for CLAM steel, <i>Y. Huang, X. Chen, Z. Shen, B. Madigan, L. Yucheng and J. Zhou</i>	460
Investigation of cascade-induced re-resolution from nanometer sized coherent precipitates in dilute Fe-Cu alloys, <i>A. Certain, H.-J. Lee Voigt, T.R. Allen and B.D. Wirth</i>	281	Effect of yttria addition on the stability of porous chromium oxide ceramics in supercritical water, <i>Z. Dong, W. Chen, W. Zheng and D. Guzonas</i>	466
Variable energy positron beam study of Xe-implanted uranium oxide, <i>N. Djourelou, B. Marchand, H. Marinov, N. Moncoffre, Y. Pison, P. Nédélec, N. Toulhoat and D. Sillou</i>	287	Effect of metal ions in a heated nitric acid solution on the corrosion behavior of a titanium-5% tantalum alloy in the hot nitric acid condensate, <i>Y. Sano, M. Takeuchi, Y. Nakajima, H. Hirano, G. Uchiyama, Y. Nojima, S. Fujine and S. Matsumoto</i>	475
Numerical study of corrosion of ferritic/martensitic steels in the flowing PbLi with and without a magnetic field, <i>S. Smolentsev, S. Saedi, S. Malang and M. Abdou</i>	294	Recent progress in research on tungsten materials for nuclear fusion applications in Europe, <i>M. Rieth, S.L. Dudarev, S.M. Gonzalez de Vicente, J. Aktaa, T. Ahlgren, S. Antusch, D.E.J. Armstrong, M. Balden, N. Baluc, M.-F. Barthe, W.W. Basuki, M. Battabyal, C.S. Becquart, D. Blagoeva, H. Boldyryeva, J. Brinkmann, M. Celino, L. Ciupinski, J.B. Correia, A. De Backer, C. Domain, E. Gaganidze, C. Garcia-Rosales, J. Gibson, M.R. Gilbert, S. Giusepponi, B. Gludovatz, H. Greuner, K. Heinola, T. Höschen, A. Hoffmann, N. Holstein, F. Koch, W. Krauss, H. Li, S. Lindig, J. Linke, Ch. Linsmeier, P. López-Ruiz, H. Maier, J. Matejcek, T.P. Mishra, M. Muhammed, A. Muñoz, M. Muzyk, K. Nordlund, D. Nguyen-Manh, J. Opschoor, N. Ordás, T. Palacios, G. Pintsuk, R. Pippan, J. Reiser, J. Riesch, S.G. Roberts, L. Romaner, M. Rosiński, M. Sanchez, W. Schulmeyer, H. Traxler, A. Ureña, J.G. van der Laan, L. Veleva, S. Wahlberg, M. Walter, T. Weber, T. Weitkamp, S. Wurster, M.A. Yar, J.H. You and A. Zivelonghi</i>	482
Application of the UMACS process to highly dense $\text{U}_{1-x}\text{Am}_x\text{O}_{2\pm\delta}$ MABB fuel fabrication for the DIAMINO irradiation, <i>T. Delahaye, F. Lebreton, D. Horlait, N. Herlet and P. Dehaudt</i>	305	Thermal annealing as a method to predict results of high temperature irradiation embrittlement, <i>A. Kryukov, L. Debarberis, P. Hähner, F. Gillemot and F. Oszvald</i>	501
Fracture toughness prediction for highly irradiated RPV materials: From test results to RPV integrity assessment, <i>B. Margolin, B. Gurovich, V. Fomenko, V. Shvetsova, A. Gulenko, D. Zhurko, M. Korshunov and E. Kuleshova</i>	313	Experimental kinetic study of oxidation of uranium monocarbide powders under controlled oxygen partial pressures below 230 °C, <i>C. Berthinier, C. Rado, O. Dugne, M. Cabie, C. Chatillon, R. Boichot and E. Blanquet</i>	505
Analysis of hardening limits of oxide dispersion strengthened steel, <i>A. Ramar and R. Schäublin</i>	323	A calorimetric study of high temperature phase stability in Fe-U alloys, <i>A.K. Rai, S. Raju and M. Vijayalakshmi</i>	520
Analysis of the anisotropy, stoichiometry and polytypes in pyrolytic carbon and silicon carbide coatings, <i>E. López-Honorato, H. Zhang, R.A. Shatwell, P. Guillermier, D. Manara, P. Xiao and J. Somers</i>	334	The chemical durability of glass and graphite-glass composite doped with cesium oxide, <i>N.H. Hamodi, T.J. Abram, T. Lowe, R.J. Cernik and E. López-Honorato</i>	529
Hydrogen isotope exchange in tungsten: Discussion as removal method for tritium, <i>J. Roth, T. Schwarz-Selinger, V.Kh. Alimov and E. Markina</i>	341	Reducing fuel-cladding chemical interaction: The effect of palladium on the reactivity of neodymium on iron in diffusion couples, <i>G.W. Egeland, R.D. Mariani, T. Hartmann, D.L. Porter, S.L. Hayes and J.R. Kennedy</i>	539
Osmosis-induced water uptake by Eurobitum bituminized radioactive waste and pressure development in constant volume conditions, <i>A. Mariën, N. Mokni, E. Valcke, S. Olivella, S. Smets and X. Li</i>	348	Pyrochlore based glass-ceramics for the immobilization of actinide-rich nuclear wastes: From concept to reality, <i>Y. Zhang, Z. Zhang, G. Thorogood and E.R. Vance</i>	545
Evaluating zirconium-zirconium hydride interfacial strains by nano-beam electron diffraction, <i>A.T.W. Barrow, A. Korinek and M.R. Daymond</i>	366	Corrigendum	
Nondestructive Magnetic Adaptive Testing of nuclear reactor pressure vessel steel degradation, <i>I. Tomáš, G. Vértesy, F. Gillemot and R. Székely</i>	371	Corrigendum to: 'Analytical determination of thermal conductivity of W-UO ₂ and W-UN CERMET nuclear fuels' [J. Nucl. Mater. 427 (2012) 87-94], <i>J.A. Webb and I. Charit</i>	548
Structural studies of the phase separation in the UO ₂ -PuO ₂ -Pu ₂ O ₃ ternary system, <i>T. Truphémus, R.C. Belin, J.-C. Richaud, M. Reynaud, M.-A. Martinez, I. Félines, A. Arredondo, A. Miard, T. Dubois, F. Adenot and J. Rogez</i>	378	Corrigendum to "Characterizations of mortar-degraded spinney waste composite nominated as solidifying agent for radwastes due to immersion processes" J. Nucl. Mater. 430 (2012) 106-113, <i>H.M. Saleh and S.B. Eskander</i>	549
Synergistic effects of hydrogen plasma exposure, pulsed laser heating and temperature on rhodium surfaces, <i>L. Marot, G. De Temmerman, R.P. Doerner, K. Umstadter, R.S. Wagner, D. Mathys, M. Duggelin and E. Meyer</i>	388		
Selection and properties of alternative forming fluids for TRISO fuel kernel production, <i>M.P. Baker, J.C. King, B.P. Gorman and D.W. Marshall</i>	395		
Cerium and neodymium co-precipitation in molten chloride by wet argon sparging, <i>J.F. Vigier, C. Renard, A. Laplace, J. Lacquement and F. Abraham</i>	407		
Continuum modeling of localized deformation in irradiated bcc materials, <i>A. Patra and D.L. McDowell</i>	414		