


NW  
J80/nm

# Journal of Nuclear Materials



## EDITORS

L.K. MANSUR — Oak Ridge, TN, USA (Chairman)  
M. GRIFFITHS — Chalk River, ON, Canada  
T. MUROGA — Toki, Japan  
T. OGAWA — Niigata, Japan  
R.E. STOLLER — Oak Ridge, TN, USA  
L.O. WERME — Uppsala, Sweden

**Special Section on Proceedings of the 2nd IAEA-EC Topical Meeting on Development of  
New Structural Materials for Advanced Fission and Fusion Reactor Systems, 16-20 April  
2012, Joint Research Centre of the European Commission, Ispra (Italy)**

## GUEST EDITORS

P. Hähner (JRC-EC) and A. Zeman (IAEA)



Abstracted/Indexed in: Aluminium Industry Abstracts/Chemical Abstracts/Current Contents: Engineering, Computing and Technology/Current Contents: Physical, Chemical and Earth Sciences/EI Compendex Plus/Engineered Materials Abstracts/Engineering Index/INSPEC/Metals Abstracts. Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®

CONTENTS

Regular Articles

Microstructural evolution and mechanical properties of friction stir welded ODS alloy MA754, <i>J. Wang, W. Yuan, R.S. Mishra and I. Charit</i>		Phase transformations and defect clusters in single crystal SrTiO <sub>3</sub> irradiated at different temperatures, <i>M.J. Zhuo, L. Yan, E.G. Fu, Y.Q. Wang, A. Misra, M. Nastasi, B.P. Uberuaga and Q.X. Jia</i>	143
A systematic study of radiation-induced segregation in ferritic–martensitic alloys, <i>J.P. Wharry and G.S. Was</i>	1	Investigation of cation self-diffusion mechanisms in UO <sub>2±x</sub> using molecular dynamics, <i>A.S. Boyarchenkov, S.I. Potashnikov, K.A. Nekrasov and A.Ya. Kupryazhkin</i>	148
SON68 glass dissolution driven by magnesium silicate precipitation, <i>B. Fleury, N. Godon, A. Ayral and S. Gin</i>	7	Formation of uranium based nanoparticles via gamma-irradiation, <i>T.M. Nenoff, S.R. Ferriera, J. Huang and D.J. Hanson</i>	162
Photo-induced low temperature synthesis of nanocrystalline UO <sub>2</sub> , ThO <sub>2</sub> and mixed UO <sub>2</sub> –ThO <sub>2</sub> oxides, <i>T. Pavelková, V. Čuba and F. Šebesta</i>	17	Analysis of atomic distribution in as-fabricated Zircaloy-2 claddings by atom probe tomography under high-energy pulsed laser, <i>T. Sawabe, T. Sonoda, S. Kitajima and T. Kameyama</i>	168
Formation of alteration products during dissolution of vitrified ILW in a high-pH calcium-rich solution, <i>C.A. Utton, R.J. Hand, N.C. Hyatt, S.W. Swanton and S.J. Williams</i>	29	An optimal method for phosphorylation of rare earth chlorides in LiCl–KCl eutectic based waste salt, <i>H.C. Eun, J.H. Kim, Y.Z. Cho, J.H. Choi, T.K. Lee, H.S. Park and G.I. Park</i>	175
Thermal conductivity of heterogeneous LWR MOX fuels, <i>D. Staicu and M. Barker</i>	33	Interatomic potentials for PuC by Chen–Möbius multiple lattice inversion, <i>H. Huang, D.Q. Meng, X.C. Lai, G. Li and Y. Long</i>	179
Influence of SiC coating thickness on mechanical properties of SiC/SiC composite, <i>H. Yu, X. Zhou, W. Zhang, H. Peng and C. Zhang</i>	46	Opto-structural characterization of gamma irradiated Bayfol polymer track detector, <i>A. Tayel, M.F. Zaki, A.B. El Basaty and T.M. Hegazy</i>	184
Swelling of U(Mo) dispersion fuel under irradiation – Non-destructive analyses of the SELENIUM plates, <i>S. Van den Berghe, Y. Parthoens, G. Cornelis, A. Leenaers, E. Koonen, V. Kuzminov and C. Detavernier</i>	53	Effect of high fluence Au ion irradiation on nanocrystalline tungsten film, <i>H. Wang, Y. Gao, E. Fu, T. Yang, S. Yan, J. Xue, P.K. Chu and Y. Wang</i>	189
Synergistic helium and deuterium blistering in tungsten–tantalum composites, <i>M. Dias, R. Mateus, N. Catarino, N. Franco, D. Nunes, J.B. Correia, P.A. Carvalho, K. Hanada, C. Sârbu and E. Alves</i>	60	Solubility properties of synthetic and natural meta-torbernite, <i>F. Cretaz, S. Szenknect, N. Clavier, P. Vitorge, A. Mesbah, M. Descostes, C. Poinssot and N. Dacheux</i>	195
Comparative analysis of graphite oxidation behaviour based on microstructure, <i>H. Badenhorst and W. Focke</i>	69	Interaction of a screw dislocation with Frank loops in Fe–10Ni–20Cr alloy, <i>D. Terentyev and A. Bakaev</i>	208
Modelling of dissolved H in Ga stabilised δ-Pu, <i>C. Scott, S.D. Kenny, M.T. Storr and A. Willetts</i>	75	Sink strength calculations of dislocations and loops using OKMC, <i>V. Jansson, L. Malerba, A. De Backer, C.S. Becquart and C. Domain</i>	218
Simulation of the irradiation-induced micro-thermo-mechanical behaviors evolution in ADS nuclear fuel pellets, <i>S. Ding, Y. Zhao, J. Wan, X. Gong, C. Wang, L. Yang and Y. Huo</i>	83	A new fabrication route for SFR fuel using (U, Pu)O <sub>2</sub> powder obtained by oxalic co-conversion, <i>S. Vaudez, R.C. Belin, L. Aufore, P. Sornay and S. Grandjean</i>	227
Novel high-strength ternary Zr–Al–Sn alloys with martensite structure for nuclear applications, <i>L. Nie, Y. Zhan, T. Hu, X. Chen and C. Wang</i>	90	GGA + <i>U</i> studies of the early actinide mononitrides and dinitrides, <i>K.O. Obodo and N. Chetty</i>	235
Filiform-mode hydride corrosion of uranium surfaces, <i>M.A. Hill, R.K. Schulze, J.F. Bingert, R.D. Field, R.J. McCabe and P.A. Papin</i>	100	The influence of SiC particle size and volume fraction on the thermal conductivity of spark plasma sintered UO <sub>2</sub> –SiC composites, <i>S. Yeo, R. Baney, G. Subhash and J. Tulenko</i>	245
Variations in nanomechanical properties of back-end Zr–2.5Nb pressure tube material, <i>M. Gallagher, D. Peykov, N. Brodusch, R.R. Chromik, L. Rodrigue, M.L. Trudeau and R. Gauvin</i>	106	Towards a multiscale approach for assessing fission product behaviour in UN, <i>M. Klipfel, V. Di Marcello, A. Schubert, J. van de Laar and P. Van Uffelen</i>	253
Crystallographic study of Si and ZrN coated U–Mo atomised particles and of their interaction with Al under thermal annealing, <i>T. Zweifel, H. Palancher, A. Leenaers, A. Bonnin, V. Honkimaki, R. Tucoulou, S. Van Den Berghe, R. Jungwirth, F. Charollais and W. Petry</i>	116	TEM investigations on the effect of chromium content and of stress relief treatment on precipitation in Alloy 82, <i>M. Sennour, E. Chaumun, J. Crépin, C. Duhamel, F. Gaslain, C. Guerre and I. de Curières</i>	262
Mechanical characteristics of SiC coating layer in TRISO fuel particles, <i>P. Hosemann, J.N. Martos, D. Frazer, G. Vasudevamurthy, T.S. Byun, J.D. Hunn, B.C. Jolly, K. Terrani and M. Okuniewski</i>	124	Atom probe tomography study of alloying element distributions in Zr alloys and their oxides, <i>Y. Dong, A.T. Motta and E.A. Marquis</i>	270
	133	On the thermal stability of late blooming phases in reactor pressure vessel steels: An atomistic study, <i>G. Bonny, D. Terentyev, A. Bakaev, E.E. Zhurkin, M. Hou, D. Van Neck and L. Malerba</i>	282

(Contents continued on inside back cover)



The Zr20Nb–H phase diagram and the characterisation of hydrides in $\beta$ -Zr, <i>L. Barrow, A.T.W. Barrow, J. Almer and M.R. Daymond</i>	292	cladding tubes, <i>L. Toulabi, C. Cayron, P. Olier, R. Logé and Y. de Carlan</i>	410
Aging aspects of DEB getters, <i>L.N. Dinh, G.A. Cairns, R. Krueger, B.P. Mayer and R.S. Maxwell</i>	298	Irradiation behavior evaluation of oxide dispersion strengthened ferritic steel cladding tubes irradiated in JOYO, <i>S. Yamashita, Y. Yano, S. Ohtsuka, T. Yoshitake, T. Kaito, S.-i. Koyama and K. Tanaka</i>	417
Protection of nuclear graphite toward liquid fluoride salt by isotropic pyrolytic carbon coating, <i>X. He, J. Song, L. Xu, J. Tan, H. Xia, B. Zhang, Z. He, L. Gao, X. Zhou, M. Zhao, Z. Zhu and S. Bai</i>	306	Effect of crack length-to-width ratio on crack resistance of high Cr-ODS steels at high temperature for fuel cladding application, <i>R. Chaouadi, M. Ramesh and S. Gavrilov</i>	425
Heterogeneous UO <sub>2</sub> fuel irradiated up to a high burn-up: Investigation of the HBS and of fission product releases, <i>J. Noirot, J. Lamontagne, N. Nakae, T. Kitagawa, Y. Kosaka and T. Tverberg</i>	309	Corrosion behavior of Fe–14Cr–2W and Fe–9Cr–2W ODS steels in stagnant liquid Pb with different oxygen concentration at 550 and 650°C, <i>O. Yeliseyeva, V. Tsisar and Z. Zhou</i>	434
Dissolution rate of alpha-doped UO <sub>2</sub> in natural groundwater, <i>K. Ollila, E. Myllykylä, M. Tanhua-Tyrkkö and T. Lavonen</i>	320	Investigation on different oxides as candidates for nano-sized ODS particles in reduced-activation ferritic (RAF) steels, <i>J. Hoffmann, M. Rieth, R. Lindau, M. Klimenkov, A. Möslang and H.R.Z. Sandim</i>	444
Corrosion inhibition of steam generator tubesheet by Alloy 690 cladding in secondary side environments, <i>D.H. Hur, M.S. Choi, D.H. Lee, J.H. Han and H.S. Shim</i>	326	Radiation stability of the ODS alloys against swift heavy ion impact, <i>V.A. Skuratov, V.V. Uglov, J. O'Connell, A.S. Sohatsky, J.H. Neethling and S.V. Rogozhkin</i>	449
Fission product release and microstructure changes of irradiated MOX fuel at high temperatures, <i>J.-Y. Colle, J.-P. Hiernaut, T. Wiss, O. Beneš, H. Thiele, D. Papaioannou, V.V. Rondinella, A. Sasahara, T. Sonoda and R.J.M. Konings</i>	330	High temperature deformation mechanisms of nano-structured ferritic alloys in the context of internal variable theory of inelastic deformation, <i>J.H. Kim, T.S. Byun and D.T. Hoelzer</i>	458
The nanostructure evolution in Fe–C systems under irradiation at 560 K, <i>V. Jansson, M. Chiapetto and L. Malerba</i>	341	Critical assessment of Cr-rich precipitates in neutron-irradiated Fe–12 at%Cr: Comparison of SANS and APT, <i>F. Bergner, C. Pareige, V. Kuksenko, L. Malerba, P. Pareige, A. Ulbricht and A. Wagner</i>	463
Solution-based approaches for making high-density sodalite waste forms to immobilize spent electrochemical salts, <i>W.C. Lepry, B.J. Riley, J.V. Crum, C.P. Rodriguez and D.A. Pierce</i>	350	Mechanisms of radiation strengthening in Fe–Cr alloys as revealed by atomistic studies, <i>D. Terentyev, G. Bonny, C. Domain, G. Monnet and L. Malerba</i>	470
The effect of stacking fault energy on interactions between an edge dislocation and a spherical void by molecular dynamics simulations, <i>K. Asari, O.S. Hetland, S. Fujita, M. Itakura and T. Okita</i>	360	Microchemical effects in irradiated Fe–Cr alloys as revealed by atomistic simulation, <i>L. Malerba, G. Bonny, D. Terentyev, E.E. Zhurkin, M. Hou, K. Vörtler and K. Nordlund</i>	486
Irradiation effect of nano-bubble dispersion strengthened (N-BDS) alloy, <i>N. Oono, R. Kawano, S. Shi, S. Ukai, S. Hayashi, S. Kondo, O. Hashitomi and A. Kimura</i>	365	Evaluation of the reactor pressure vessel steels by positron annihilation, <i>V. Slugeň, H. Hein, S. Sojak, J. Šimeg, Veterníková, M. Petriska, V. Sabelová, M. Pavúk, R. Hincá and M. Stacho</i>	499
Stability and migration of vacancy in V–4Cr–4Ti alloy: Effects of Al, Si, Y trace elements, <i>C. Zhang, P. Zhang, R. Li, J. Zhao and C. Dong</i>	370	Radiation tolerance of nanostructured ZrN coatings against swift heavy ion irradiation, <i>A. Janse van Vuuren, V.A. Skuratov, V.V. Uglov, J.H. Neethling and S.V. Zlotzki</i>	507
Helium implanted Eurofer97 characterized by positron beam Doppler broadening and Thermal Desorption Spectroscopy, <i>I. Carvalho, H. Schut, A. Fedorov, N. Luzginova, P. Desgardin and J. Sietsma</i>	377	Effect of post-weld heat treatment on the mechanical properties of electron beam welded joints for CLAM steel, <i>Q. Wu, S. Zheng, S. Liu, C. Li and Q. Huang</i>	512
Behavior of W–SiC/SiC dual layer tiles under LHD plasma exposure, <i>W.A. Mohrez, H. Kishimoto, Y. Kohno, S. Hirotaki and A. Kohyama</i>	382	Effect of radiation-induced damage on deuterium retention in tungsten, tungsten coatings and Eurofer, <i>O.V. Ogorodnikova and K. Sugiyama</i>	518
$\gamma'$ -Ni <sub>3</sub> Nb precipitate in Fe–Ni base alloy, <i>K. Sano, N. Oono, S. Ukai, S. Hayashi, T. Inoue, S. Yamashita and T. Yoshitake</i>	389	Effect of Li on mechanical and corrosion properties of electron beam welds of V–4Ti–4Cr alloy (NIFS-HEAT-2), <i>V. Tsisar, T. Nagasaka, T. Muroga, T. Miyazawa and O. Yeliseyeva</i>	528
Oxygen defects of actinide, lanthanide oxides, and their solid solutions, <i>H. Otake</i>	394	Deuterium permeation through erbium oxide coatings on RAFM steels by a dip-coating technique, <i>T. Chikada, S. Naitoh, A. Suzuki, T. Terai, T. Tanaka and T. Muroga</i>	533
Cermet fuel for fast reactor – Fabrication and characterization, <i>S. Mishra, P.S. Kutty, T.R.G. Kutty, S. Das, G.K. Dey and A. Kumar</i>	400	A fail-safe and cost effective fabrication route for blanket First Walls, <i>L. Commin, M. Rieth, B. Dafferner, H. Zimmermann, D. Bolich, S. Baumgärtner, R. Ziegler, S. Dichiser, T. Fabry, S. Fischer, W. Hildebrand, O. Palussek, H. Ritz and A. Sponda</i>	538
<b>Special Section on "New Structural Materials for Advanced Fission and Fusion Reactor Systems"</b>			
Editorial, <i>P. Hähner and A. Zeman</i>	408		
Relationships between mechanical behavior and microstructural evolutions in Fe 9Cr–ODS during the fabrication route of SFR			