


# Journal of Nuclear Materials



## EDITORS

L.K. MANSUR — Oak Ridge, TN, USA (Chairman)  
S. GIN — Bagnols/Ceze, France  
M. GRIFFITHS — Chalk River, ON, Canada  
T. MUROGA — Toki, Japan  
T. OGAWA — Niigata, Japan  
R.E. STOLLER — Oak Ridge, TN, USA

**Special Section on “Accident Tolerant Fuels”**

Abstracted/Indexed in: Aluminium Industry Abstracts/Chemical Abstracts/Current Contents: Engineering, Computing and Technology/Current Contents: Physical, Chemical and Earth Sciences/EI Compendex Plus/Engineered Materials Abstracts/Engineering Index/INSPEC/Metals Abstracts. Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®

CONTENTS

Regular Papers

SiC coating: An alternative for the protection of nuclear graphite from liquid fluoride-salt, <i>X. He, J. Song, J. Tan, B. Zhang, H. Xia, Z. He, X. Zhou, M. Zhao, X. Liu, L. Xu and S. Bai</i>	1	Characterization of <sup>14</sup> C in neutron irradiated NBG-25 nuclear graphite, <i>D. LaBrier and M.L. Dunzik-Gougar</i>	113
Comparison of XRD, XANES and TGA methods to assess the O/M ratio of Th <sub>0.60</sub> Am <sub>0.40</sub> O <sub>2-x</sub> , <i>D. Prieur, J.-F. Vigier, J. Rothe and J. Somers</i>	4	Thermodynamic and kinetic properties of intrinsic defects and Mg transmutants in 3C-SiC determined by density functional theory, <i>S. Hu, W. Setyawan, R.M. Van Ginhoven, W. Jiang, C.H. Henager Jr. and R.J. Kurtz</i>	121
Chemical and mineralogical modifications of simplified radioactive waste calcine during heat treatment, <i>A. Monteiro, S. Schuller, M.J. Toplis, R. Podor, J. Ravaux, N. Clavier, H.P. Brau, T. Charpentier, F. Angeli and N. Leterrier</i>	8	Simulation of the impact of 3-D porosity distribution in metallic U–10Zr fuels, <i>D. Yun, A.M. Yacout, M. Stan, T.H. Bauer and A.E. Wright</i>	129
Derivation of enhanced potentials for plutonium dioxide and the calculation of lattice and intrinsic defect properties, <i>M.S.D. Read, S.R. Walker and R.A. Jackson</i>	20	Tritium permeation in EUROFER97 steel in EXOTIC-9/1 irradiation experiment, <i>A.V. Fedorov, A.J. Magielsen and M.P. Stijkel</i>	139
Sensitivity of ultrasonic nonlinearity to irradiated, annealed, and re-irradiated microstructure changes in RPV steels, <i>K.H. Matlack, J.-Y. Kim, J.J. Wall, J. Qu, L.J. Jacobs and M.A. Sokolov</i>	26	Diffusion and retention of helium in titanium carbide, <i>S. Agarwal, P. Trocellier, S. Vaubailon and S. Miro</i>	144
Long-term microstructural stability of oxide-dispersion strengthened Eurofer steel annealed at 800 °C, <i>K.D. Zilnyk, H.R.Z. Sandim, R.E. Bolmaro, R. Lindau, A. Möslang, A. Kostka and D. Raabe</i>	33	Dynamic recrystallization during hot deformation of GH690 alloy: A study using processing maps, <i>H.T. Zhou, Q.Z. Peng, H.X. Yang, X. Zhou, R.R. Liu, Y. Peng and F.H. Zhong</i>	153
Microstructure evolution and diffusion of ruthenium in silicon carbide, and the implications for structural integrity of SiC layer in TRISO coated fuel particles, <i>K.V. Muthali, C. Theron, F. Danie Auret, S.M.M. Coelho, L. Prinsloo and E. Njoroge</i>	43	Corrosion behavior of austenitic steels in liquid lead bismuth containing 10 <sup>-6</sup> wt% and 10 <sup>-8</sup> wt% oxygen at 400–500 °C, <i>A. Heinzel, A. Weisenburger and G. Müller</i>	163
Interaction between voids and grain boundaries in UO <sub>2</sub> by molecular-dynamics simulation, <i>T.-W. Chiang (蔣祖武), A. Chernatynskiy, S.B. Sinnott and S.R. Phillpot</i>	53	Terminal cool-down temperature-dependent hydride reorientations in Zr–Nb Alloy claddings under dry storage conditions, <i>S.-J. Min, J.-J. Won and K.-T. Kim</i>	172
Thermophysical properties of BaThO <sub>3</sub> , <i>Y. Ohishi, E. Yusnitha, K. Kurosaki, H. Muta and S. Yamanaka</i>	62	Swelling induced by alpha decay in monazite and zirconolite ceramics: A XRD and TEM comparative study, <i>X. Deschanel, A.M. Seydoux-Guillaume, V. Magnin, A. Mesbah, M. Tribet, M.P. Moloney, Y. Serruys and S. Peugot</i>	184
Thermal expansion and self-irradiation damage in curium nitride lattice, <i>M. Takano, H. Hayashi and K. Minato</i>	66	A novel method for computing effective diffusivity: Application to helium implanted α-Fe thin films, <i>A. Dunn, L. Agudo-Merida, I. Martin-Bragado, M. McPhie, M. Cherkaoui and L. Capolungo</i>	195
Rapidly solidified U–6 wt%Nb powders for dispersion-type nuclear fuels, <i>J.T. McKeown, L.L. Hsiung, H.J. Ryu, J.M. Park, P.E.A. Turchi and W.E. King</i>	72	Aqueous alteration of VHTR fuels particles under simulated geological conditions, <i>A. Ait Chaou, A. Abdelouas, G. Karakurt and B. Grambow</i>	206
Fabrication of uranium dioxide ceramic pellets with controlled porosity from oxide microspheres, <i>E. Remy, S. Picart, T. Delahaye, I. Jobelin, O. Dugne, I. Bisel, P. Blanchart and A. Ayral</i>	80	A mathematical model for the release of noble gas and Cs from porous nuclear fuel based on VEGA 1&2 experiments, <i>M.P. Simones, M.L. Reinig Jr. and S.K. Loyalka</i>	217
Hydrogen desorption kinetics from zirconium hydride and zirconium metal in vacuum, <i>X. Hu, K.A. Terrani and B.D. Wirth</i>	87	Novel estimated surface tension data of actinide halide salts in the molten state, <i>F. Agra</i>	230
Application of a three-feature dispersed-barrier hardening model to neutron-irradiated Fe–Cr model alloys, <i>F. Bergner, C. Pareige, M. Hernández-Mayoral, L. Malerba and C. Heintze</i>	96	Self-ordered defect structures in two model F/M steels under in situ irradiation, <i>D. Kaoumi and J. Adamson</i>	233
Interatomic potential for the compound-forming Li–Pb liquid alloy, <i>A. Fraile, S. Cuesta-López, A. Caro, D. Schwen and J. Manuel Perlado</i>	103	Corrosion behavior of cold-worked austenitic stainless steels in liquid lead–bismuth eutectic, <i>Y. Kurata</i>	239
Crystal structure of high-Zr inclusions in an alloy containing U, Pu, Np, Am, Zr and rare-earth elements, <i>D.E. Janney, J. R. Kennedy, J. W. Madden and T.P. O'Holleran</i>	109	Microstructural characteristics of HIP-bonded monolithic nuclear fuels with a diffusion barrier, <i>J.-F. Jue, D.D. Keiser Jr., C.R. Breckenridge, G.A. Moore and M.K. Meyer</i>	250
		High-temperature distillation and consolidation of U–Zr cathode product from molten salt electrorefining of simulated metallic fuel, <i>M. Iizuka, M. Akagi and T. Koyama</i>	259
		Hydrogen induced vacancy formation in tungsten, <i>S.C. Middleburgh, R.E. Voskoboinikov, M.C. Guenette and D.P. Riley</i>	270

(Contents continued on inside back cover)



(Contents continued from outside back cover)

Evaporation of mercury impurity from liquid lead–bismuth eutectic, <i>A. Aerts, S. Danaci, B. Gonzalez Prieto, J. Van den Bosch and J. Neuhausen</i>	276	Preparation of $UC_{0.07-0.10}N_{0.90-0.93}$ spheres for TRISO coated fuel particles, <i>R.D. Hunt, C.M. Silva, T.B. Lindemer, J.A. Johnson and J.L. Collins</i>	399
Thermodynamic modeling and kinetics simulation of precipitate phases in AISI 316 stainless steels, <i>Y. Yang and J.T. Busby</i>	282	Carbothermic synthesis of 820 $\mu m$ uranium nitride kernels: Literature review, thermodynamics, analysis, and related experiments, <i>T.B. Lindemer, S.L. Voit, C.M. Silva, T.M. Besmann and R.D. Hunt</i>	404
Magnetic phase formation in irradiated austenitic alloys, <i>M.N. Gussev, J.T. Busby, L. Tan and F.A. Garner</i>	294	Fission product release and survivability of UN-kernel LWR TRISO fuel, <i>T.M. Besmann, M.K. Ferber, H.-T. Lin and B.P. Collin</i>	412
Effect of helium implantation on mechanical properties of EUROFER97 evaluated by nanoindentation, <i>M. Roldán, P. Fernández, J. Rams, D. Jiménez-Rey, C.J. Ortiz and R. Vila</i>	301	<b>Fuel cladding</b>	
Theoretical confirmation of Ga-stabilized anti-ferromagnetism in plutonium metal, <i>P. Söderlind and A. Landa</i>	310	Advanced oxidation-resistant iron-based alloys for LWR fuel cladding, <i>K.A. Terrani, S.J. Zinkle and L.L. Snead</i>	420
Mechanical behavior of AISI 304SS determined by miniature test methods after neutron irradiation to 28 dpa, <i>E.M. Rabenberg, B.J. Jaques, B.H. Sencer, F.A. Garner, P.D. Freyer, T. Okita and D.P. Butt</i>	315	Post-quench ductility evaluation of Zircaloy-4 and select iron alloys under design basis and extended LOCA conditions, <i>Y. Yan, J.R. Keiser, K.A. Terrani, G.L. Bell and L.L. Snead</i>	436
Leaching behaviour of and Cs disposition in a UMo powellite glass–ceramic, <i>E.R. Vance, J. Davis, K. Olufson, D.J. Gregg, M.G. Blackford, G.R. Griffiths, I. Farnan, J. Sullivan, D. Sprouster, C. Campbell and J. Hughes</i>	325	High temperature oxidation of molybdenum in water vapor environments, <i>A.T. Nelson, E.S. Sooby, Y.-J. Kim, B. Cheng and S.A. Maloy</i>	441
Recent advances in the study of the $UO_2$ – $PuO_2$ phase diagram at high temperatures, <i>R. Böhler, M.J. Welland, D. Prieur, P. Cakir, T. Vitova, T. Pruessmann, I. Pidchenko, C. Hennig, C. Guéneau, R.J.M. Konings and D. Manara</i>	330	Continuous SiC fiber, CVI SiC matrix composites for nuclear applications: Properties and irradiation effects, <i>Y. Katoh, K. Ozawa, C. Shih, T. Nozawa, R.J. Shinavski, A. Hasegawa and L.L. Snead</i>	448
Influence of noble metal fission products and uranium on the microstructure and corrosion behaviour of D9 stainless steel–zirconium metal waste form alloy, <i>L.R. Bairi, C. Mallika and U. Kamachi Mudali</i>	340	Thermo-mechanical analysis of LWR SiC/SiC composite cladding (abstract only), <i>M. Ben-Belgacem, V. Richet, K.A. Terrani, Y. Katoh, L.L. Snead</i>	477
Resumption of nuclear glass alteration: State of the art, <i>M. Fournier, S. Gin and P. Frugier</i>	348	Effects of neutron irradiation on mechanical properties of silicon carbide composites fabricated by nano-infiltration and transient eutectic-phase process, <i>T. Koyanagi, K. Ozawa, T. Hinoki, K. Shimoda and Y. Katoh</i>	478
Prediction of thermal conductivity for irradiated SiC/SiC composites by informing continuum models with molecular dynamics data, <i>B.N. Nguyen, F. Gao, C.H. Henager Jr. and R.J. Kurtz</i>	364	Irradiation creep of 3C–SiC and microstructural understanding of the underlying mechanisms, <i>S. Kondo, T. Koyanagi and T. Hinoki</i>	487
<b>Special Section on “Accident Tolerant Fuels”</b>		Radiation-tolerant joining technologies for silicon carbide ceramics and composites, <i>Y. Katoh, L.L. Snead, T. Cheng, C. Shih, W. D. Lewis, T. Koyanagi, T. Hinoki, C.H. Henager Jr. and M. Ferraris</i>	497
Forward for special JNM issue on accident tolerant fuels for LWRs, <i>J. Carmack and F. Goldner</i>	373	<b>ATF system performance</b>	
<b>Overview</b>		The effect of fuel thermal conductivity on the behavior of LWR cores during loss-of-coolant accidents, <i>K.A. Terrani, D. Wang, L.J. Ott and R.O. Montgomery</i>	512
Accident tolerant fuels for LWRs: A perspective, <i>S.J. Zinkle, K.A. Terrani, J.C. Gehin, L.J. Ott and L.L. Snead</i>	374	Preliminary assessment of accident-tolerant fuels on LWR performance during normal operation and under DB and BDB accident conditions, <i>L.J. Ott, K.R. Robb and D. Wang</i>	520
<b>Fuel properties and behavior</b>		Scoping assessments of ATF impact on late-stage accident progression including molten core–concrete interaction, <i>M.T. Farmer, L. Leibowitz, K.A. Terrani and K.R. Robb</i>	534
Silicon carbide composite for light water reactor fuel assembly applications, <i>K. Yueh and K.A. Terrani</i>	380		
Stability of SiC-matrix microencapsulated fuel constituents at relevant LWR conditions, <i>L.L. Snead, K.A. Terrani, Y. Katoh, C. Silva, K.J. Leonard and A.G. Perez-Bergquist</i>	389		