

NU
J80/p5s



Volume 238, 15 September 2013

ISSN 0378-7753

JOURNAL OF **POWER SOURCES**

The International Journal on the Science and
Technology of Electrochemical Energy Systems

Regional Editors

- C.K. Dyer (N&S America)
Z. Ogumi (Japan & P.R. China)
S. Passerini (Europe, Middle East
and Africa)
D.A.J. Rand (Asia-Pacific)

**Regional and Special
Issues Co-ordinating
Editor**

P.T. Moseley

**Founding
Editor**

D.H. Collins

Available online at www.sciencedirect.com

SciVerse ScienceDirect



Contents

Review

- Metal oxide hollow nanostructures: Fabrication and Li storage performance 376
 W. Wei, Z. Wang, Z. Liu, Y. Liu, L. He, D. Chen, A. Umar, L. Guo, J. Li

Fuel Cells: Science and Technology

- Nafion-based membrane electrode assemblies prepared from catalyst inks containing alcohol/water solvent mixtures 1
 T.T. Ngo, T.L. Yu, H.-L. Lin
- Evaluation of a brownmillerite oxide as cathode for solid oxide fuel cells 11
 Q. Li, L. Sun, X. Zeng, H. Zhao, L. Huo, J.-C. Grenier, J.-M. Bassat, F. Mauvy
- Performance characteristics and internal phenomena of polymer electrolyte membrane fuel cell with porous flow field 21
 Y. Tabe, T. Nasu, S. Morioka, T. Chikahisa
- High-temperature stability of alumina containing nickel-zirconia cermets for solid oxide fuel cell anodes 74
 H. Orui, R. Chiba, K. Nozawa, H. Arai, R. Kanno
- Electro-catalytic performance of 60%NiO/Ce_{0.9}Zr_{0.1}O₂ cermets as anodes of intermediate temperature solid oxide fuel cells 87
 M.G. Zimicz, P. Núñez, J.C. Ruiz-Morales, D.G. Lamas, S.A. Larondo
- Pt-SnO₂/nitrogen-doped CNT hybrid catalysts for proton-exchange membrane fuel cells (PEMFC): Effects of crystalline and amorphous SnO₂ by atomic layer deposition 144
 Y. Chen, J. Wang, X. Meng, Y. Zhong, R. Li, X. Sun, S. Ye, S. Knights
- Highly dispersed Pt nanoparticles supported on manganese oxide–poly(3,4-ethylenedioxothiophene)–carbon nanotubes composite for enhanced methanol electrooxidation 157
 L. Wei, Y.-J. Fan, J.-H. Ma, L.-H. Tao, R.-X. Wang, J.-P. Zhong, H. Wang
- Current generation in membraneless single chamber microbial fuel cells (MFCs) treating urine 190
 C. Santoro, I. Ieropoulos, J. Greenman, P. Cristiani, T. Vadas, A. Mackay, B. Li
- Analysis of the dynamic performance of a microbial fuel cell using a system identification approach 218
 H.C. Boghani, J.R. Kim, R.M. Dinsdale, A.J. Guwy, G.C. Premier
- Novel sulfonated polyimides containing multiple cyano groups for polymer electrolyte membranes 236
 Y. Song, Y. Jin, Q. Liang, K. Li, Y. Zhang, W. Hu, Z. Jiang, B. Liu
- Degradation of Membrane Electrode Assemblies utilizing PtRu Catalysts under High Potential Conditions 251
 K. Matsuoka, S. Sakamoto, A. Fukunaga
- Carbon riveted PtRu/C catalyst from glucose in-situ carbonization through hydrothermal method for direct methanol fuel cell 283
 Z.-B. Wang, C.-Z. Li, D.-M. Gu, G.-P. Yin
- Hydrogen production on TiO₂ nanorod arrays cathode coupling with bio-anode with additional electricity generation 345
 Q.-Y. Chen, J.-S. Liu, Y. Liu, Y.-H. Wang
- Catalyst layer cracks by buckling deformation of membrane electrode assemblies under humidity cycles and mitigation methods 403
 T. Uchiyama, H. Kumei, T. Yoshida
- Influence of configuration and microstructure on performance of La₂NiO_{4+δ} intermediate-temperature solid oxide fuel cells cathodes 442
 N. Hildenbrand, P. Nammensma, D.H.A. Blank, H.J.M. Bouwmeester, B.A. Boukamp
- Polymer electrolyte membranes with high selectivity based on silicon-containing sulfonated polystyrene/acrylate, poly(vinyl alcohol) and poly(2-acrylamido-2-methyl-1-propanesulfonic acid) 485
 S. Zhong, C. Sun, Y. Luo, W. Liu, S. Dou
- Oxidative degradation of acid doped polybenzimidazole membranes and fuel cell durability in the presence of ferrous ions 516
 J. Liao, J. Yang, Q. Li, L.N. Cleemann, J.O. Jensen, N.J. Bjerrum, R. He, W. Xing

Fuel Cells: Engineering

Experimental and numerical comparison of water transport in untreated and treated diffusion layers of proton exchange membrane (PEM) fuel cells	29
M. Shahraeeni, M. Hoofar	
Investigation of anode configurations and fuel mixtures on the performance of direct carbon fuel cells (DCFCs)	227
B. Cantero-Tubilla, C. Xu, J.W. Zondlo, K. Sabolsky, E.M. Sabolsky	
Diaphragm air-liquid micro pump applicable to the direct methanol fuel cell	290
S.-M. Lee, Y.-D. Kuan, M.-F. Sung	
Mechanical properties of Nafion 212 proton exchange membrane subjected to hygrothermal aging	318
S. Shi, G. Chen, Z. Wang, X. Chen	
Optimization study of purge cycle in proton exchange membrane fuel cell system	336
K. Nikiforow, H. Karimäki, T.M. Keränen, J. Ihonen	

Fuel Cells: Fuel Processing

Oxidative steam reforming of ethanol over Rh catalyst supported on $\text{Ce}_{1-x}\text{La}_x\text{O}_y$ ($x = 0.3$) solid solution prepared by urea co-precipitation method	57
X. Han, Y. Yu, H. He, J. Zhao, Y. Wang	
Highly stable and active catalyst for hydrogen production from biogas	81
A. Serrano-Lotina, L. Daza	
Stabilization of $\text{Cu}/\text{ZnO}/\text{ZrO}_2$ catalyst for methanol steam reforming to hydrogen by coprecipitation on zirconia support	109
Y. Matsumura	

Lithium Batteries: Science and Technology

Use of non-conventional electrolyte salt and additives in high-voltage graphite/ $\text{LiNi}_{0.4}\text{Mn}_{1.6}\text{O}_4$ batteries	17
C. Arbizzani, F. De Giorgio, L. Porcarelli, M. Mastragostino, V. Khomenko, V. Barsukov, D. Bresser, S. Passerini	
Structure and transport properties of $\text{Li}_7\text{La}_3\text{Zr}_{2-0.75x}\text{Al}_x\text{O}_{12}$ superionic solid electrolytes	48
A.A. Raskovalov, E.A. Il'ina, B.D. Antonov	
All-solid-state lithium ion battery using garnet-type oxide and Li_3BO_3 solid electrolytes fabricated by screen-printing	53
S. Ohta, S. Komagata, J. Seki, T. Saeki, S. Morishita, T. Asaoka	
Electrochemical lithium ion intercalation into graphite electrode in propylene carbonate-based electrolytes with dimethyl carbonate and calcium salt	65
S. Takeuchi, T. Fukutsuka, K. Miyazaki, T. Abe	
A novel and facile way to synthesize vanadium pentoxide nanospikes as cathode materials for high performance lithium ion batteries	95
X. Zhou, C. Cui, G. Wu, H. Yang, J. Wu, J. Wang, G. Gao	
A high-rate germanium-particle slurry cast Li-ion anode with high Coulombic efficiency and long cycle life	123
K.C. Klavetter, S.M. Wood, Y.-M. Lin, J.L. Snider, N.C. Davy, A.M. Chockla, D.K. Romanovicz, B.A. Korgel, J.-W. Lee, A. Heller, C.B. Mullins	
First-principles thermodynamic study of the electrochemical stability of Pt nanoparticles in fuel cell applications	137
J.K. Seo, A. Khetan, M.H. Seo, H. Kim, B. Han	
Fabrication and electrochemical properties of Si/TiO_2 nanowire array composites as lithium ion battery anodes	165
Z. Wei, R. Li, T. Huang, A. Yu	
Novel synthesis and electrochemical performance of nano-structured composite with Cu_2O embedment in porous carbon as anode material for lithium ion batteries	173
X. Shen, S. Chen, D. Mu, B. Wu, F. Wu	
Preparation and electrochemical lithium storage features of TiO_2 hollow spheres	197
L. Xiao, M. Cao, D. Mei, Y. Guo, L. Yao, D. Qu, B. Deng	
The shape-controlled synthesis and novel lithium storage mechanism of as-prepared $\text{CuC}_2\text{O}_4 \cdot x\text{H}_2\text{O}$ nanostructures	203
W. Kang, Q. Shen	
Reactivity assessment of lithium with the different components of novel $\text{Si}/\text{Ni}_{3.4}\text{Sn}_4/\text{Al}/\text{C}$ composite anode for Li-ion batteries	210
Z. Edfouf, M.T. Sougrati, C. Fariaut-Georges, F. Cuevas, J.-C. Jumas, T. Hézèque, C. Jordy, G. Caillon, M. Latroche	
Tailored synthesis of $\text{Ni}_{0.25}\text{Mn}_{0.75}\text{CO}_3$ spherical precursors for high capacity Li-rich cathode materials via a urea-based precipitation method	245
J. Zhang, X. Guo, S. Yao, W. Zhu, X. Qiu	
Synthesis and characterization of highly conductive plasticized double core organic-inorganic hybrid electrolytes for lithium polymer batteries	265
H.-Y. Wu, D. Saikia, H.-Y. Chao, Y.-C. Pan, J. Fang, L.-D. Tsai, G.T.K. Fey, H.-M. Kao	
Vertically aligned anatase TiO_2 nanowire bundle arrays: Use as Pt support for counter electrodes in dye-sensitized solar cells	350
G. Tian, K. Pan, Y. Chen, J. Zhou, X. Miao, W. Zhou, R. Wang, H. Fu	
$\text{Li}_4\text{Ti}_5\text{O}_{12}$ electrodes operated under hurdle conditions and SiO_2 incorporation effect	356
S. Jiang, B. Zhao, Y. Chen, R. Cai, Z. Shao	
Electrochemical properties of ultrasonically prepared $\text{Ni}(\text{OH})_2$ nanosheets in lithium cells	366
A. Caballero, L. Hernán, J. Morales, S. Cabanas-Polo, B. Ferrari, A.J. Sanchez-Herencia, J. Canales-Vázquez	
Synthesis and electrochemical performance of layered lithium-sodium manganese oxide as a cathode material for lithium ion batteries	372
K. Du, K.-S. Ryu, D. Huang, G. Hu	
State of charge estimation for Lithium Ion cells: Design of experiments, nonlinear identification and fuzzy observer design	413
C. Hametner, S. Jakubek	
Solid polymer electrolyte coating from a bifunctional monomer for three-dimensional microbattery applications	435
B. Sun, I.-Y. Liao, S. Tan, T. Bowden, D. Brandell	

Nature of LiFePO ₄ aging process: Roles of impurity phases	454
J. Wang, Y. Tang, J. Yang, R. Li, G. Liang, X. Sun	
The preparation of double-void-space SnO ₂ /carbon composite as high-capacity anode materials for lithium-ion batteries	464
W. Wang, P. Li, Y. Fu, X. Ma	
<i>In situ</i> X-ray diffraction and electrochemical impedance spectroscopy of a nanoporous Li ₂ FeSiO ₄ /C cathode during the initial charge/discharge cycle of a Li-ion battery	478
H. Zhou, M.-A. Einarsrud, F. Vullum-Bruer	
A comparison among FeF ₃ ·3H ₂ O, FeF ₃ ·0.33H ₂ O and FeF ₃ cathode materials for lithium ion batteries: Structural, electrochemical, and mechanism studies	501
L. Liu, H. Guo, M. Zhou, Q. Wei, Z. Yang, H. Shu, X. Yang, J. Tan, Z. Yan, X. Wang	
Lithium Batteries: Engineering	
A parametric study on thermal management of an air-cooled lithium-ion battery module for plug-in hybrid electric vehicles.....	301
L. Fan, J.M. Khodadadi, A.A. Pesaran	
Thermal management of cylindrical batteries investigated using wind tunnel testing and computational fluid dynamics simulation .	395
X. Li, F. He, L. Ma	
Nanoindentation testing of separators for lithium-ion batteries	469
I.C. Halalay, M.J. Lukitsch, M.P. Balogh, C.A. Wong	
Lead-Acid Batteries: Science and Technology	
The effects of Ag content and dendrite spacing on the electrochemical behavior of Pb–Ag alloys for Pb-acid battery components	324
W.R. Osório, L.C. Peixoto, A. Garcia	
Other Electrochemical Power Sources: Science and Technology	
Electrochemical behaviour of titanium/iridium(IV) oxide: Tantalum pentoxide and graphite for application in vanadium redox flow battery.....	103
S. Chandrabose Raghu, M. Ulaganathan, T.M. Lim, M. Skyllas Kazacos	
Enhanced electrochemical properties of Co/CMK-3 composite as negative material for alkaline secondary battery	117
L. Li, Y. Xu, C. An, Y. Wang, L. Jiao, H. Yuan	
Enhanced electrochemical performance of Mg ₂ Ni alloy prepared by rapid quenching in magnetic field.....	257
C. Jiang, H. Wang, Y. Wang, X. Chen, Y. Tang, Z. Liu, H. Xie	
NaFSA-C ₁ C ₃ pyrFSA ionic liquids for sodium secondary battery operating over a wide temperature range.....	296
C. Ding, T. Nohira, K. Kuroda, R. Hagiwara, A. Fukunaga, S. Sakai, K. Nitta, S. Inazawa	
Improved, high conductivity titanium sub-oxide coated electrodes obtained by Atmospheric Plasma Spray.....	430
M. Gardon, S. Dosta, J.M. Guilemany, M. Kourasi, B. Mellor, R. Wills	
Supercapacitors: Science and Technology	
High-performance poly(3,4-ethylene-dioxythiophene):polystyrenesulfonate conducting-polymer supercapacitor containing hetero-dimensional carbon additives.....	69
Y.-T. Weng, N.-L. Wu	
Morphology controlled high performance supercapacitor behaviour of the Ni–Co binary hydroxide system	150
X. Sun, G. Wang, H. Sun, F. Lu, M. Yu, J. Lian	
Microwave-assisted hydrothermal annealing of binary Ni–Co oxy-hydroxides for asymmetric supercapacitors.....	180
C.-C. Hu, C.-T. Hsu, K.-H. Chang, H.-Y. Hsu	
Self-assembly of stacked layers of Mn ₃ O ₄ nanosheets using a scalable chemical strategy for enhanced, flexible, electrochemical energy storage.....	274
D.P. Dubal, R. Holze	
On the cycling stability of lithium-ion capacitors containing soft carbon as anodic material	388
M. Schroeder, M. Winter, S. Passerini, A. Baldacci	
Strategies to reduce the resistance sources on Electrochemical Double Layer Capacitor electrodes	422
S. Dsoke, X. Tian, C. Täubert, S. Schlüter, M. Wohlfahrt-Mehrens	
Using hydroxylamine as a reducer to prepare N-doped graphene hydrogels used in high-performance energy storage.....	492
Y. Chang, G. Han, J. Yuan, D. Fu, F. Liu, S. Li	
Photo-electrochemical Cells	
Rare-earth doped nano-glass-ceramics for extending spectral response of water-splitting semiconductor electrodes by high intense UV-blue up-conversion: Turning the sun into blue	313
J. Méndez-Ramos, J.C. Ruiz-Morales, P. Acosta-Mora, J. del-Castillo, A.C. Yanes	