

NU
J80/p5s



Volume 240, 15 October 2013

ISSN 0378-7753

JOURNAL OF **POWER SOURCES**

The International Journal on the Science and
Technology of Electrochemical Energy Systems

Regional Editors

- C.K. Dyer (N&S America)
Z. Ogumi (Japan & P.R. China)
S. Passerini (Europe, Middle East
and Africa)
D.A.J. Rand (Asia-Pacific)

**Regional and Special
Issues Co-ordinating
Editor**

P.T. Moseley

**Founding
Editor**

D.H. Collins

Available online at www.sciencedirect.com


SciVerse ScienceDirect



ELSEVIER

Contents lists available at ScienceDirect

Journal of Power Sources

journal homepage: www.elsevier.com/locate/jpowsour

Contents

Reviews

Graphene in lithium ion battery cathode materials: A review	66
G. Kucinskis, G. Bajars, J. Kleperis	
Study of proton exchange membrane fuel cells using electrochemical impedance spectroscopy technique – A review	281
S.M. Rezaei Niya, M. Hoofar	
Review of the micro-tubular solid oxide fuel cell (Part II: Cell design issues and research activities).....	421
V. Lawlor	
Degradation aspects of water formation and transport in Proton Exchange Membrane Fuel Cell: A review	558
T. Ous, C. Arcoumanis	

Fuel Cells: Science and Technology

Structure and properties of layered-perovskite $\text{LaBa}_{1-x}\text{Co}_2\text{O}_{5+\delta}$ ($x = 0\text{--}0.15$) as intermediate-temperature cathode material	54
S.L. Pang, X.N. Jiang, X.N. Li, H.X. Xu, L. Jiang, Q.L. Xu, Y.C. Shi, Q.Y. Zhang	
Enhanced-electrocatalytic activity of Pt nanoparticles supported on nitrogen-doped carbon for the oxygen reduction reaction	60
S. Zhang, S. Chen	
Spontaneous redox synthesis of Prussian blue/graphene nanocomposite as a non-precious metal catalyst for efficient four-electron oxygen reduction in acidic medium	101
L. Xu, G. Zhang, J. Chen, Y. Zhou, G. Yuan, F. Yang	
Carbon corrosion fingerprint development and de-convolution of performance loss according to degradation mechanism in PEM fuel cells	114
S.R. Dhanushkodi, M. Tam, S. Kundu, M.W. Fowler, M.D. Pritzker	
Surface modification of commercial PtRu nanoparticles for methanol electro-oxidation.....	122
C.-W. Kuo, I.-T. Lu, L.-C. Chang, Y.-C. Hsieh, Y.-C. Tseng, P.-W. Wu, J.-F. Lee	
Chemical bulk diffusion coefficient of $\text{Sm}_{0.5}\text{Sr}_{0.5}\text{CoO}_{3-\delta}$ cathode for solid oxide fuel cells	168
Y.-P. Fu, J. Ouyang, C.-H. Li, S.-H. Hu	
Ammonia-mediated suppression of coke formation in direct-methane solid oxide fuel cells with nickel-based anodes	232
W. Wang, R. Ran, C. Su, Y. Guo, D. Farrusseng, Z. Shao	
Enhancing the performance of doped ceria interlayer for tubular solid oxide fuel cells	241
L. Wu, S. Wang, S. Wang, C. Xia	
Enhanced proton conductivity under low humidity of sulfonated poly(ether ether ketone) composite membrane enabled by multifunctional phosphonic acid polymeric submicrocapsules	258
L. Nie, H. Dong, X. Han, G. He, H. Wu, Z. Jiang	
Efficient Pt/carbon electrocatalysts for proton exchange membrane fuel cells: Avoid chloride-based Pt salts!	294
N. Job, M. Chatenet, S. Berthon-Fabry, S. Hermans, F. Maillard	
Fabrication of function-graded proton exchange membranes by electron beam irradiation for polymer electrolyte fuel cells under nonhumidified condition	351
R. Tsuchida, A. Tsukamoto, S. Hiraiwa, A. Oshima, M. Washio	
Cross-linked poly(vinyl alcohol)/poly (diallyldimethylammonium chloride) as anion-exchange membrane for fuel cell applications..	359
J. Zhang, J. Qiao, G. Jiang, L. Liu, Y. Liu	
Novel non-noble metal electrocatalysts synthesized by heat-treatment of iron terpyridine complexes for the oxygen reduction reaction.....	381
J. Wang, S. Li, G. Zhu, W. Zhao, R. Chen, M. Pan	

SciVerse ScienceDirect

Full text of this journal is available, on-line from **SciVerse ScienceDirect**. Visit www.sciencedirect.com for more information.

Methanol generation by CO ₂ reduction at a Pt–Ru/C electrocatalyst using a membrane electrode assembly	404
S. Shironita, K. Karasuda, K. Sato, M. Umeda	
Pd doped Co ₃ O ₄ nanowire array as the H ₂ O ₂ electroreduction catalyst	442
K. Cheng, F. Yang, Y. Xu, L. Cheng, Y. Bao, D. Cao, G. Wang	
Redox dynamics of sulphur with Ni/GDC anode during SOFC operation at mid- and low-range temperatures: An operando S K-edge XANES study	448
G. Nurk, T. Huthwelker, A. Braun, Chr. Ludwig, E. Lust, R.P.W.J. Struis	
Effect of carbon nanotube diameter for the synthesis of Fe/N/multiwall carbon nanotubes and repercussions for the oxygen reduction reaction	494
F.J. Pérez-Alonso, M.A. Salam, T. Herranz, J.L. Gómez de la Fuente, S.A. Al-Thabaiti, S.N. Basahel, M.A. Peña, J.L.G. Fierro, S. Rojas	
A cocrystallized catalyst-coated membrane with high performance for solid polymer electrolyte water electrolysis	525
X. Wang, Z.-G. Shao, G. Li, L. Zhang, Y. Zhao, W. Lu, B. Yi	
Self-assembly of highly dispersed Pt and PtRu nanoparticles on perylene diimide derivatives functionalized carbon nanotubes as enhanced catalysts for methanol electro-oxidation	536
X. Yang, X. Liu, X. Meng, X. Wang, G. Li, C. Shu, L. Jiang, C. Wang	
Transport number measurements and fuel cell testing of undoped and Mo-substituted lanthanum tungstate	583
A. Magrasó	
Synthesis of high dispersed intermetallic Ag ₄ Sn/C and its enhanced oxygen reduction reaction activity	606
Y. Lu, N. Zhang, L. An, X. Li, D. Xia	
Synthesis of platinum nanoclusters and electrochemical investigation of their stability	618
R.A. Hackendorf, A.V. Virkar	
Platinum-based intermetallic nanotubes with a core–shell structure as highly active and durable catalysts for fuel cell applications..	630
C. Du, M. Chen, W. Wang, Q. Tan, K. Xiong, G. Yin	
Study of Pr and Pr and Co doped La ₂ NiO _{4+δ} as cathodes for La _{5.5} WO _{11.25-δ} based protonic conducting fuel cells	691
C. Solís, L. Navarrete, J.M. Serra	
Lattice structure, sintering behavior and electrochemical performance of La _{1.7} Ca _{0.3} Ni _{1-x} Cu _x O _{4+δ} as cathode material for intermediate-temperature solid oxide fuel cell	759
Y. Shen, H. Zhao, K. Świerczek, Z. Du, Z. Xie	

Fuel Cells: Engineering

Micro fuel cell utilizing fuel cell water recovery and pneumatic valve	1
S. Eickhoff, C. Zhang, T. Cui	
Development of a piezoelectric proton exchange membrane fuel cell stack (PZT-Stack).	314
H.K. Ma, H.M. Cheng, W.Y. Cheng, F.M. Fang, W.F. Luo	
BCY-based proton conducting ceramic cell: 1000 h of long term testing in fuel cell application	323
J. Dailly, M. Marrony	
Preparation and characterization of an solid oxide fuel cell tubular cell for direct use with sour gas	411
A.L. Vincent, A.R. Hanifi, M. Zazulak, J.-L. Luo, K.T. Chuang, A.R. Sanger, T. Etsell, P. Sarkar	
Structural and thermal properties of glass composite seals and their chemical compatibility with Crofer 22APU for solid oxide fuel cells applications	458
G. Kaur, K. Singh, O.P. Pandey, D. Homa, B. Scott, G. Pickrell	
Manufacturing all-polymer laminar flow-based fuel cells	486
A.S. Hollinger, P.J.A. Kenis	
Ni-P and Ni–Mo–P modified aluminium alloy 6061 as bipolar plate material for proton exchange membrane fuel cells.....	589
A.E. Fetohi, R.M. Abdel Hameed, K.M. El-Khatib	
Miniature H ₂ /O ₂ fuel cells using TiO ₂ nanotube substrates and sputtered Pt catalyst	612
W.-J. Lee, D.-H. Lim, W.H. Smyrl	
Effect of contact area and depth between cell cathode and interconnect on stack performance for planar solid oxide fuel cells	796
L. Jin, W. Guan, J. Niu, X. Ma, W.G. Wang	

Fuel Cells: Fuel Processing

Co-modification of Ni-based type Raney electrodeposits for hydrogen evolution reaction in alkaline media	698
I. Herrera-Cardona, C. González-Buch, C. Valero-Vidal, E. Ortega, V. Pérez-Herranz	
Electrochemical characterization of Ni–yttria stabilized zirconia electrode for hydrogen production in solid oxide electrolysis cells ..	721
H.P. Dasari, S.-Y. Park, J. Kim, J.-H. Lee, B.-K. Kim, H.-J. Je, H.-W. Lee, K.J. Yoon	

Lithium Batteries: Science and Technology

Evaluation and analysis of Li-air battery using ether-functionalized ionic liquid	14
S. Higashi, Y. Kato, K. Takechi, H. Nakamoto, F. Mizuno, H. Nishikoori, H. Iba, T. Asaoka	
Lithium ion transport properties of high conductive tellurium substituted Li ₇ La ₃ Zr ₂ O ₁₂ cubic lithium garnets.....	18
C. Deviannapoorani, L. Dhivya, S. Ramakumar, R. Murugan	
High Li ⁺ conduction in NASICON-type Li _{1+x} Y _x Zr _{2-x} (PO ₄) ₃ at room temperature	50
Y. Li, M. Liu, K. Liu, C.-A. Wang	
Synthesis and electrochemical properties of LiNi _{0.5-x} Cu _x Mn _{1.5-y} Al _y O ₄ (x = 0, 0.05, y = 0, 0.05) as 5 V spinel materials	95
J. Liu, Z. Sun, J. Xie, H. Chen, N. Wu, B. Wu	
Preparation and characterization of macroporous Li _{1.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ cathode material for lithium-ion batteries via aerogel template	140
S.J. Shi, J.P. Tu, Y.Y. Tang, Y.Q. Zhang, X.L. Wang, C.D. Gu	

SnO ₂ /graphene composite as highly reversible anode materials for lithium ion batteries	149
Q. Guo, Z. Zheng, H. Gao, J. Ma, X. Qin	
Numerical study of grain boundary effect on Li ⁺ effective diffusivity and intercalation-induced stresses in Li-ion battery active materials	155
S. Han, J. Park, W. Lu, A.M. Sastry	
Understanding the effect of synthesis temperature on the structural and electrochemical characteristics of layered-spinel composite cathodes for lithium-ion batteries	193
E.-S. Lee, A. Hug, A. Manthiram	
Heat treatment of electrospun Polyvinylidene fluoride fibrous membrane separators for rechargeable lithium-ion batteries	204
Y. Liang, S. Cheng, J. Zhao, C. Zhang, S. Sun, N. Zhou, Y. Qiu, X. Zhang	
Decoration of graphene with silicon nanoparticles by covalent immobilization for use as anodes in high stability lithium ion batteries	212
G. Zhao, L. Zhang, Y. Meng, N. Zhang, K. Sun	
Electrocogeneration of hydrogen peroxide: Confocal and potentiostatic investigations of hydrogen peroxide formation in a direct methanol fuel cell	219
K. Sombatmankong, K. Yunus, A.C. Fisher	
Correlation of stress and structural evolution in Li ₄ Ti ₅ O ₁₂ -based electrodes for lithium ion batteries	245
Z. Choi, D. Kramer, R. Mönig	
FEM modelling of a coaxial three-electrode test cell for electrochemical impedance spectroscopy in lithium ion batteries	273
S. Klink, D. Höche, F. La Mantia, W. Schuhmann	
High performance LiFePO ₄ /CN cathode material promoted by polyaniline as carbon–nitrogen precursor	328
E. Avci, M. Mazman, D. Uzun, E. Biçer, T. Şener	
Hierarchical Fe ₂ O ₃ @Co ₃ O ₄ nanowire array anode for high-performance lithium-ion batteries	344
Q.Q. Xiong, X.H. Xia, J.P. Tu, J. Chen, Y.Q. Zhang, D. Zhou, C.D. Gu, X.L. Wang	
High speed remote laser cutting of electrodes for lithium-ion batteries: Anode	368
D. Lee, R. Patwa, H. Herfurth, J. Mazumder	
The use of mixed carbon materials with improved oxygen transport in a lithium-air battery	390
Y. Zhang, H. Zhang, J. Li, M. Wang, H. Nie, F. Zhang	
Trimethyl phosphite as an electrolyte additive for high-voltage lithium-ion batteries using lithium-rich layered oxide cathode	471
Z.D. Li, Y.C. Zhang, H.F. Xiang, X.H. Ma, Q.F. Yuan, Q.S. Wang, C.H. Chen	
Electrochemical performances of a novel high-voltage electrolyte based upon sulfolane and γ-butyrolactone	476
X. Cui, H. Zhang, S. Li, Y. Zhao, L. Mao, W. Zhao, Y. Li, X. Ye	
All-solid secondary batteries with sulfide-based thin film electrolytes	510
T. Uemura, K. Goto, M. Ogawa, K. Harada	
Effects of Na ⁺ contents on electrochemical properties of Li _{1.2} Ni _{0.13} Co _{0.13} Mn _{0.54} O ₂ cathode materials	530
B. Qiu, J. Wang, Y. Xia, Y. Liu, L. Qin, X. Yao, Z. Liu	
Methylated silicon: A longer cycle-life material for Li-ion batteries	551
L. Touahir, A. Cheriet, D.A. Dalla Corte, J.-N. Chazalviel, C. Henry de Villeneuve, F. Ozanam, I. Solomon, A. Keffous, N. Gabouze, M. Rosso	
Sulfur/activated-conductive carbon black composites as cathode materials for lithium/sulfur battery	598
G.C. Li, J.J. Hu, G.R. Li, S.H. Ye, X.P. Gao	
Preparation of lithium ion conducting solid electrolyte of NASICON-type Li _{1+x} Al _x Ti _{2-x} (PO ₄) ₃ ($x = 0.3$) obtained by using the mechanochemical method and its application as surface modification materials of LiCoO ₂ cathode for lithium cell	636
H. Morimoto, H. Awano, J. Terashima, Y. Shindo, S. Nakanishi, N. Ito, K. Ishikawa, S.-i. Tobishima	
Rod-like hierarchical nano/micro Li _{1.2} Ni _{0.2} Mn _{0.6} O ₂ as high performance cathode materials for lithium-ion batteries	644
L. Zhang, B. Wu, N. Li, D. Mu, C. Zhang, F. Wu	
Enhanced electrochemical performance of poly(ethylene oxide) based composite polymer electrolyte by incorporation of nano-sized metal-organic framework	653
C. Yuan, J. Li, P. Han, Y. Lai, Z. Zhang, J. Liu	
SiO ₂ /Cu/polyacrylonitrile-C composite as anode material in lithium ion batteries	659
M. Li, J. Li, K. Li, Y. Zhao, Y. Zhang, D. Gosselink, P. Chen	
Electrochemical performance of rechargeable Li/LiFePO ₄ cells with ionic liquid electrolyte: Effects of Li salt at 25 °C and 50 °C	676
N. Wongitharom, T.-C. Lee, C.-H. Hsu, G. Ting-Kuo Fey, K.-P. Huang, J.-K. Chang	
SnO ₂ nanoparticles confined in a graphene framework for advanced anode materials	683
Y.-H. Hwang, E.G. Bae, K.-S. Sohn, S. Shim, X. Song, M.S. Lah, M. Pyo	
Polymeric ionic liquid nanoparticles as binder for composite Li-ion electrodes	745
J. von Zamory, M. Bedu, S. Fantini, S. Passerini, E. Paillard	
In-situ neutron diffraction study of the $x\text{Li}_2\text{MnO}_3(1 - x)\text{LiMO}_2$ ($x = 0, 0.5$; M = Ni, Mn, Co) layered oxide compounds during electrochemical cycling	772
H. Liu, C.R. Fell, K. An, L. Cai, Y.S. Meng	
Lithium Batteries: Engineering	
Design of novel charge balancing networks in battery packs	26
D.D. Quinn, T.T. Hartley	
Research on the heat dissipation performance of battery pack based on forced air cooling	33
X.M. Xu, R. He	
A three-dimensional multi-physics model for a Li-ion battery	80
M. Guo, G.-H. Kim, R.E. White	

Online battery state of health estimation based on Genetic Algorithm for electric and hybrid vehicle applications.....	184
Z. Chen, C.C. Mi, Y. Fu, J. Xu, X. Gong	
Characteristics of wet and dry crushing methods in the recycling process of spent lithium-ion batteries.....	766
T. Zhang, Y. He, L. Ge, R. Fu, X. Zhang, Y. Huang	
Lithium Batteries: Applications	
Evaluation of charging infrastructure requirements and operating costs for plug-in electric vehicles	515
L. Zhang, T. Brown, S. Samuelsen	
Other Electrochemical Power Sources: Science and Technology	
A high performance polytetrafluoroethylene/Nafion composite membrane for vanadium redox flow battery application.....	131
X. Teng, J. Dai, J. Su, Y. Zhu, H. Liu, Z. Song	
Microstructures and electrochemical hydrogen storage characteristics of $\text{La}_{0.7}\text{Ce}_{0.3}\text{Ni}_{4.2}\text{Mn}_{0.9-x}\text{Cu}_{0.37}(\text{Fe}_{0.43}\text{B}_{0.57})_x$ ($x = 0\text{--}0.20$) alloys ..	178
X. Peng, B. Liu, Y. Fan, X. Zhu, Q. Peng, Z. Zhang	
Feasibility study of hydrogen/iron redox flow cell for grid-storage applications.....	417
M. Alon, A. Blum, E. Peled	
Nickel nanowire network coating to alleviate interfacial polarization for Na-beta battery applications	786
Y. Hu, Z. Wen, X. Wu, Y. Lu	
Other Electrochemical Power Sources: Applications	
Influence of plasma treatment on electrochemical activity of Ni (o)-based catalyst for hydrogen production by hydrolysis of NaBH_4 ..	729
Ö. Şahin, C. Saka, O. Baytar, F. Hansu	
Supercapacitors: Science and Technology	
Influence of current collector on capacitive behavior and cycling stability of Tiron doped polypyrrole electrodes.....	42
K. Shi, I. Zhitomirsky	
Efficient preparation of biomass-based mesoporous carbons for supercapacitors with both high energy density and high power density.....	109
X. He, P. Ling, J. Qiu, M. Yu, X. Zhang, C. Yu, M. Zheng	
New insights into the mechanism of pseudocapacitance deterioration in electrodeposited MnO_2 under negative potentials.....	252
S. Sopčić, R. Peter, M. Petravić, Z. Mandić	
Polypyrrole-covered MnO_2 as electrode material for supercapacitor	267
A. Bahloul, B. Nessark, E. Briot, H. Grout, A. Mauger, K. Zaghib, C.M. Julien	
Rapid carbon activation via microwave irradiation of nongraphitic carbon doped with metallic potassium and tetrahydrofuran (THF)	306
S.-E. Chun, J.F. Whitacre	
Preparation and electrochemical performances of nanostructured $\text{Co}_x\text{Ni}_{1-x}(\text{OH})_2$ composites for supercapacitors.....	338
X. Liu, J. Huang, X. Wei, C. Yuan, T. Liu, D. Cao, J. Yin, G. Wang	
Nickel hydroxide electrode with porous nanotube arrays prepared by hydrolysis and cathodic deposition for high-performance supercapacitors.....	397
M.-S. Wu, J.-F. Wu	
Controlled synthesis of hierarchical polyaniline nanowires/ordered bimodal mesoporous carbon nanocomposites with high surface area for supercapacitor electrodes	544
Y. Yan, Q. Cheng, Z. Zhu, V. Pavlinek, P. Saha, C. Li	
Hollow spheres of nanocarbon and their manganese dioxide hybrids derived from soft template for supercapacitor application	713
Z.-C. Yang, C.-H. Tang, H. Gong, X. Li, J. Wang	
Photo-electrochemical Cells	
Efficient electron injection in non-toxic silver sulfide (Ag_2S) sensitized solar cells	8
H. Shen, X. Jiao, D. Oron, J. Li, H. Lin	
Enhancing the performance of free-standing TiO_2 nanotube arrays based dye-sensitized solar cells via ultraprecise control of the nanotube wall thickness.....	503
X. Gao, J. Chen, C. Yuan	
Electrophoretically self-assembled mixed metal oxide- TiO_2 nano-composite film structures for photoelectrochemical energy conversion: Probing of charge recombination and electron transport resistances	667
N. Parsi Benehkohal, G.P. Demopoulos	
Effect of post-heat-treated NiO_x overlayer on performance of nanocrystalline TiO_2 thin films for dye-sensitized solar cells.....	705
Y.-C. Lin, Y.-T. Chen, P.-C. Yao	
Spray-assisted silar deposition of cadmium sulphide quantum dots on metal oxide films for excitonic solar cells	736
I. Concina, N. Memarian, G.S. Selopal, M.M. Natile, G. Sberveglieri, A. Vomiero	
Tri-functional Nb_2O_5 nano-islands coated on an indium tin oxide layer for a highly efficient dye-sensitized plastic photoanode	753
S. Morita, T.-C. Wei, M. Ikegami, T. Miyasaka	
Co-sensitization promoted light harvesting for organic dye-sensitized solar cells using unsymmetrical squaraine dye and novel pyrenoimidazole-based dye	779
J. Chang, C.-P. Lee, D. Kumar, P.-W. Chen, L.-Y. Lin, K.R.J. Thomas, K.-C. Ho	