

77
J80/p53

Volume 241, 1 November 2013 ISSN 0378-7753



JOURNAL OF POWER SOURCES

The International Journal on the Science and
Technology of Electrochemical Energy Systems

Regional Editors

C.K. Dyer (N&S America)
Z. Ogumi (Japan & P.R. China)
S. Passerini (Europe, Middle East
and Africa)
D.A.J. Rand (Asia-Pacific)

**Regional and Special
Issues Co-ordinating
Editor**

P.T. Moseley

**Founding
Editor**

D.H. Collins

Available online at www.sciencedirect.com

SciVerse ScienceDirect



Contents

Review

- A review on lithium-ion battery ageing mechanisms and estimations for automotive applications 680
 A. Barré, B. Deguilhem, S. Grolleau, M. Gérard, F. Suard, D. Riu

Fuel Cells: Science and Technology

- Selective electrodesorption based atomic layer deposition (SEBALD) modifications of silver surfaces for enhancing oxygen reduction reaction activity 80
 M. Innocenti, G. Zangari, C. Zafferoni, I. Bencistà, L. Becucci, A. Lavacchi, F. Di Benedetto, S. Bellandi, F. Vizza, M.L. Foresti
- Prolongation of lifetime of high temperature proton exchange membrane fuel cells 87
 Y. Oono, A. Sounai, M. Hori
- Position dependent analysis of membrane electrode assembly degradation of a direct methanol fuel cell via electrochemical impedance spectroscopy 127
 P. Hartmann, N. Zamel, D. Gerteisen
- The in-plane thermal conductivity and the contact resistance of the components of the membrane electrode assembly in proton exchange membrane fuel cells 136
 N. Alhazmi, M.S. Ismail, D.B. Ingham, K.J. Hughes, L. Ma, M. Pourkashanian
- A triazole-based polymer electrolyte membrane for fuel cells operated in a wide temperature range (25–150 °C) with little humidification 219
 M.-K. Song, X. Zhu, M. Liu
- Pt-Fe catalyst nanoparticles supported on single-wall carbon nanotubes: Direct synthesis and electrochemical performance for methanol oxidation 274
 X. Ma, L. Luo, L. Zhu, L. Yu, L. Sheng, K. An, Y. Ando, X. Zhao
- On the interaction of SSC and LSGM in composite SOFC electrodes 281
 A.T. Duong, D.R. Mumm
- High-performance self-humidifying membrane electrode assembly prepared by simultaneously adding inorganic and organic hygroscopic materials to the anode catalyst layer 367
 H. Liang, D. Dang, W. Xiong, H. Song, S. Liao
- Hydrogenotitanates nanotubes supported platinum anode for direct methanol fuel cell 429
 B. Abida, L. Chirchi, S. Baranton, T.W. Napporn, C. Morais, J.-M. Léger, A. Ghorbel
- Fabrication and characterization of all-ceramic solid oxide fuel cells based on composite oxide anode 440
 J. Kim, D. Shin, J.-W. Son, J.-H. Lee, B.-K. Kim, H.-J. Je, H.-W. Lee, K.J. Yoon
- High-performance, ceria-based solid oxide fuel cells fabricated at low temperatures 454
 Z. Liu, D. Ding, M. Liu, X. Ding, D. Chen, X. Li, C. Xia, M. Liu
- Recent results in Jülich solid oxide fuel cell technology development 477
 L. Blum, L.G.J. (Bert) de Haart, J. Malzbender, N.H. Menzler, J. Rimmel, R. Steinberger-Wilckens
- H₂ oxidation on doped yttrium chromites/yttrium stabilized zirconia anode of solid oxide fuel cell 494
 W. Li, M. Gong, X. Liu
- Cross-linked high conductive membranes based on water soluble ionomer for high performance proton exchange membrane fuel cells 529
 H. Jiang, X. Guo, G. Zhang, J. Ni, C. Zhao, Z. Liu, L. Zhang, M. Li, S. Xu, H. Na
- Effects of local gas diffusion layer gas permeability variations on spatial proton exchange membrane fuel cells performance 597
 T.V. Reshetenko, J. St-Pierre, R. Rocheleau

SciVerse ScienceDirect

Full text of this journal is available, on-line from **SciVerse ScienceDirect**. Visit www.sciencedirect.com for more information.

Ti-doped molybdenum-based perovskites as anodes for solid oxide fuel cells	627
B. He, Z. Wang, L. Zhao, X. Pan, X. Wu, C. Xia	
Nanoparticle adhesion in proton exchange membrane fuel cell electrodes.....	634
Q. He, D.C. Joy, D.J. Keffer	
A highly active anode functional layer for solid oxide fuel cells based on proton-conducting electrolyte $\text{BaZr}_{0.1}\text{Ce}_{0.7}\text{Y}_{0.2}\text{O}_{3-\delta}$	654
X. Zhang, Y. Qiu, F. Jin, F. Guo, Y. Song, B. Zhu	
Rapid synthesis of porous Pd and PdNi catalysts using hydrogen bubble dynamic template and their enhanced catalytic performance for methanol electrooxidation	660
R. Li, H. Mao, J. Zhang, T. Huang, A. Yu	
PdRu/C catalysts for ethanol oxidation in anion-exchange membrane direct ethanol fuel cells	696
L. Ma, H. He, A. Hsu, R. Chen	
A single sediment-microbial fuel cell powering a wireless telecommunication system	703
Y.R.J. Thomas, M. Picot, A. Carer, O. Berder, O. Sentieys, F. Barrière	
Structure and electrochemical activity of WO_x -supported PtRu catalyst using three-dimensionally ordered macroporous WO_3 as the template	728
Q. Wang, G. Wang, K. Sasaki, T. Takeguchi, T. Yamanaka, M. Sadakane, W. Ueda	
A new kind of highly active hollow flower-like NiPdPt nanoparticles supported by multiwalled-carbon nanotubes toward ethanol electrooxidation	751
W. Hong, Y. Liu, J. Wang, E. Wang	
LNF SOFC cathodes with active layer using Pr_6O_{11} or Pr-doped CeO_2	768
H. Taguchi, R. Chiba, T. Komatsu, H. Orui, K. Watanabe, K. Hayashi	
Performance studies of copper-iron/ceria-yttria stabilized zirconia anode for electro-oxidation of butane in solid oxide fuel cells	783
G. Kaur, S. Basu	

Fuel Cells: Engineering

Aging effects on high-temperature creep properties of a solid oxide fuel cell glass-ceramic sealant	12
C.-K. Lin, K.-L. Lin, J.-H. Yeh, W.-H. Shiu, C.-K. Liu, R.-Y. Lee	
Insertion-induced expansion of a thin film on a rigid substrate.....	146
F. Yang	
$\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$ -coated SS444 alloy by dip-coating process for metallic interconnect supported Solid Oxide Fuel Cells.....	159
L. da Conceição, L. Dessemond, E. Djurado, M.M.V.M. Souza	
Control of proton exchange membrane fuel cell system breathing based on maximum net power control strategy	212
Q. Li, W. Chen, Z. Liu, A. Guo, S. Liu	
A neural network estimator of Solid Oxide Fuel Cell performance for on-field diagnostics and prognostics applications.....	320
D. Marra, M. Sorrentino, C. Pianese, B. Iwanschitz	
Deterministic contact mechanics model applied to electrode interfaces in polymer electrolyte fuel cells and interfacial water accumulation.....	379
I.V. Zenyuk, E.C. Kumbur, S. Litster	
Tailoring the sealing properties of TiO_2 - CaO - SrO - B_2O_3 - SiO_2 glass-ceramic seals: Thermal properties, chemical compatibility and electrical property	578
J. Chen, Q. Zou, F. Zeng, S. Wang, D. Tang, H. Yang, T. Zhang	
Comparison of focused ion beam versus nano-scale X-ray computed tomography for resolving 3-D microstructures of porous fuel cell materials.....	608
E.A. Wargo, T. Kotaka, Y. Tabuchi, E.C. Kumbur	
Analysis of the design and economics of molten carbonate fuel cell tri-generation systems providing heat and power for commercial buildings and H_2 for FC vehicles.....	668
X. Li, J. Ogden, C. Yang	
Multi-physicochemical modeling of direct methane fueled solid oxide fuel cells.....	718
Y. Xie, H. Ding, X. Xue	
Effects of alloy heat treatment on oxidation kinetics and scale morphology for Crofer 22 APU	756
N.J. Magdefrau, L. Chen, E.Y. Sun, M. Aindow	

Fuel Cells: Applications

Modeling the cathode pressure dynamics in the Buckeye Bullet II 540 kW hydrogen PEM fuel cell system	33
E.T. Hillstrom, M. Canova, Y. Guezennec, G. Rizzoni	

Fuel Cells: Fuel Processing

The dynamic-state effects of sodium ion contamination on the solid polymer electrolyte water electrolysis	341
L. Zhang, X. Jie, Z.-G. Shao, X. Wang, B. Yi	
Phase structures and electrochemical properties of $\text{La}_{0.8-x}\text{Gd}_{0.2}\text{Mg}_x\text{Ni}_{3.1}\text{Co}_{0.3}\text{Al}_{0.1}$ hydrogen storage alloys.....	509
Z. Gao, Y. Luo, R. Li, Z. Lin, L. Kang	

Lithium Batteries: Science and Technology

Thermodynamic analysis using first-principles calculations of phases and structures of $\text{Li}_x\text{Ni}_{0.5}\text{Mn}_{1.5}\text{O}_4$ ($0 \leq x \leq 1$).....	1
I. Kishida, K. Orita, A. Nakamura, Y. Yokogawa	
Binding mechanism of sulfur and dehydrogenated polyacrylonitrile in sulfur/polymer composite cathode.....	61
T.N.L. Doan, M. Ghaznavi, Y. Zhao, Y. Zhang, A. Konarov, M. Sadhu, R. Tangirala, P. Chen	

Crystal structure analysis and first principle investigation of F doping in LiFePO_4	70
M. Milović, D. Jugović, N. Cvjetičanin, D. Uskoković, A.S. Milošević, Z.S. Popović, F.R. Vukajlović	
A composite film of reduced graphene oxide modified vanadium oxide nanoribbons as a free standing cathode material for rechargeable lithium batteries.	168
Y. Sun, S.-B. Yang, L.-P. Lv, I. Lieberwirth, L.-C. Zhang, C.-X. Ding, C.-H. Chen	
Analysis of composite electrolytes with sintered reinforcement structure for energy storage applications	178
S. Kalnaus, W.E. Tenhaeff, J. Sakamoto, A.S. Sabau, C. Daniel, N.J. Dudney	
Morphology and electrochemical performance of $\text{Li}[\text{Li}_{0.2}\text{Mn}_{0.54}\text{Ni}_{0.13}\text{Co}_{0.13}]\text{O}_2$ cathode materials treated in molten salts	186
S.J. Shi, J.P. Tu, Y.Y. Tang, X.Y. Liu, X.Y. Zhao, X.L. Wang, C.D. Gu	
Structural changes of a Li/S rechargeable cell in Lithium Metal Polymer technology	249
M. Lécuyer, J. Gaubicher, M. Deschamps, B. Lestriez, T. Brousse, D. Guyomard	
A new extension of physics-based single particle model for higher charge-discharge rates	295
W. Luo, C. Lyu, L. Wang, L. Zhang	
$\alpha\text{-Fe}_2\text{O}_3$ /single-walled carbon nanotube hybrid films as high-performance anodes for rechargeable lithium-ion batteries	330
Z. Cao, B. Wei	
Highly textured $\text{Li}(\text{Ni}_{0.5}\text{Mn}_{0.3}\text{Co}_{0.2})\text{O}_2$ thin films on stainless steel as cathode for lithium-ion battery	410
C. Jacob, T. Lynch, A. Chen, J. Jian, H. Wang	
Size controlled CuO nanoparticles for Li-ion batteries	415
O. Waser, M. Hess, A. Güntner, P. Novák, S.E. Pratsinis	
Fe_3O_4 /carbon core-shell nanotubes as promising anode materials for lithium-ion batteries	486
H. Xia, Y. Wan, G. Yuan, Y. Fu, X. Wang	
Influence of B_2O_3 addition on the ionic conductivity of $\text{Li}_{1.5}\text{Al}_{0.5}\text{Ge}_{1.5}(\text{PO}_4)_3$ glass ceramics	502
H.S. Jadhav, M.-S. Cho, R.S. Kalubarme, J.-S. Lee, K.-N. Jung, K.-H. Shin, C.-J. Park	
A novel nano-sulfur/polypyrrole/graphene nanocomposite cathode with a dual-layered structure for lithium rechargeable batteries	517
Y. Zhang, Y. Zhao, A. Konarov, D. Gosselink, H.G. Soboleski, P. Chen	
Synthesis and characterization of $x\text{Li}_2\text{MnO}_3\text{-(1-x)LiMn}_{1/3}\text{Ni}_{1/3}\text{Co}_{1/3}\text{O}_2$ composite cathode materials for rechargeable lithium-ion batteries	522
O. Toprakci, H.A.K. Toprakci, Y. Li, L. Ji, L. Xue, H. Lee, S. Zhang, X. Zhang	
Importance of open pore structures with mechanical integrity in designing the cathode electrode for lithium-sulfur batteries.	554
C.-S. Kim, A. Guerfi, P. Hovington, J. Trottier, C. Gagnon, F. Barray, A. Vijn, M. Armand, K. Zaghib	
On the growth of nanostructured iron hydroxy-fluorides for Li-ion batteries	567
B. Guitián, S. Lascaud, X.R. Nóvoa, L. Ribeaucourt, E. Vidal	
Electrochemical properties of an all-solid-state lithium-ion battery with an in-situ formed electrode material grown from a lithium conductive glass ceramics sheet	583
Y. Amiki, F. Sagane, K. Yamamoto, T. Hirayama, M. Sudoh, M. Motoyama, Y. Iriyama	
Graphite/graphene oxide composite as high capacity and binder-free anode material for lithium ion batteries	619
J. Zhang, H. Cao, X. Tang, W. Fan, G. Peng, M. Qu	
Effects of vanadium substitution on the cycling performance of olivine cathode materials.	690
M.-S. Chen, S.-h. Wu, W.K. Pang	
Discharge characteristics of multicell lithium-ion battery with nonuniform cells	736
S. Miyatake, Y. Susuki, T. Hikihara, S. Itoh, K. Tanaka	
Carbon paper substrate for silicon-carbon composite anodes in lithium-ion batteries.	744
Q. Si, M. Matsui, T. Horiba, O. Yamamoto, Y. Takeda, N. Seki, N. Imanishi	
Lithium Batteries: Engineering	
Three dimensional thermal-, electrical-, and electrochemical-coupled model for cylindrical wound large format lithium-ion batteries	20
K.-J. Lee, K. Smith, A. Pesaran, G.-H. Kim	
Theoretical and experimental analysis of heat generations of a pouch type LiMn_2O_4 /carbon high power Li-polymer battery	46
M. Xiao, S.-Y. Choe	
Expanded polytetrafluoroethylene reinforced polyvinylidene fluoride-hexafluoropropylene separator with high thermal stability for lithium-ion batteries.	203
M. Xiong, H. Tang, Y. Wang, Y. Lin, M. Sun, Z. Yin, M. Pan	
Thermal and electrochemical stability of organosilicon electrolytes for lithium-ion batteries	311
X. Chen, M. Usrey, A. Peña-Hueso, R. West, R.J. Hamers	
Gelation or dispersion of LiFePO_4 in water-based slurry?	400
J.-C. Tsai, F.-Y. Tsai, C.-A. Tung, H.-W. Hsieh, C.-C. Li	
Homogenized mechanical properties for the jellyroll of cylindrical Lithium-ion cells.	467
T. Wierzbicki, E. Sahraei	
Examining temporal and spatial variations of internal temperature in large-format laminated battery with embedded thermocouples	536
Z. Li, J. Zhang, B. Wu, J. Huang, Z. Nie, Y. Sun, F. An, N. Wu	
Empirical analysis of contributing factors to heating in lithium-ion cells: Anode entropy versus internal resistance	560
R. Srinivasan, B.G. Carkhuff	
Lithium Batteries: Applications	
Optimal contracts for providing load-side frequency regulation service using fleets of electric vehicles.	94
H. Zarkoob, S. Keshav, C. Rosenberg	

Lead-Acid Batteries: Science and Technology

- Beneficial effects of activated carbon additives on the performance of negative lead-acid battery electrode for high-rate partial-state-of-charge operation. 150
J. Xiang, P. Ding, H. Zhang, X. Wu, J. Chen, Y. Yang

Lead-Acid Batteries: Engineering

- Modeling and experimental validation of a Hybridized Energy Storage System for automotive applications. 112
S. Fiorenti, J. Guanetti, Y. Guezennec, S. Onori

Other Electrochemical Power Sources: Science and Technology

- Electrochemical performance of mixed valence $\text{Na}_3\text{V}_2\text{O}_{2x}(\text{PO}_4)_{2-x}\text{F}_{3-2x}/\text{C}$ as cathode for sodium-ion batteries. 56
P. Serras, V. Palomares, A. Goñi, P. Kubiak, T. Rojo
- Application of electrochemical impedance spectroscopy to monitoring discharging process of nickel/metal hydride battery 121
P. Slepski, K. Darowicki, E. Janicka, A. Sierczynska
- Elucidating the higher stability of vanadium(V) cations in mixed acid based redox flow battery electrolytes 173
M. Vijayakumar, W. Wang, Z. Nie, V. Sprenkle, J. Hu
- A high power density single flow zinc–nickel battery with three-dimensional porous negative electrode 196
Y. Cheng, H. Zhang, Q. Lai, X. Li, D. Shi, L. Zhang
- Preparation and electrochemical properties of urchin-like $\text{La}_{0.8}\text{Sr}_{0.2}\text{MnO}_3$ perovskite oxide as a bifunctional catalyst for oxygen reduction and oxygen evolution reaction 225
C. Jin, X. Cao, L. Zhang, C. Zhang, R. Yang
- Calcium–bismuth electrodes for large-scale energy storage (liquid metal batteries). 239
H. Kim, D.A. Boysen, T. Ouchi, D.R. Sadoway
- Nb-doped grain boundary induced thermoelectric power factor enhancement in La-doped SrTiO_3 nanoceramics 255
Y. Wang, X. Zhang, L. Shen, N. Bao, C. Wan, N.-H. Park, K. Koumoto, A. Gupta
- Tuning pore structure of the poly(vinylidene difluoride hexafluoropropylene) membrane for improvement in rate performance of Li–oxygen battery. 288
Y. Li, Y. Yin, K. Guo, X. Xue, Z. Zou, X. Li, T. He, H. Yang
- Graphite oxide-based graphene materials as positive electrodes in vanadium redox flow batteries. 349
Z. González, C. Botas, C. Blanco, R. Santamaría, M. Granda, P. Álvarez, R. Menéndez
- In situ* neutron-diffraction study of the $\text{Ti}_{38}\text{V}_{30}\text{Cr}_{14}\text{Mn}_{18}$ structure during hydrogenation 355
Y. Fei, X. Kong, Z. Wu, H. Li, V.K. Peterson
- Research on the characteristics of the vanadium redox-flow battery in power systems applications 396
C. Jizhong, X. Ziqiang, L. Bei
- The electrochemical behaviors of Zn–Al–La-hydroxalite in Zn–Ni secondary cells 404
X. Fan, Z. Yang, X. Xie, W. Long, R. Wang, Z. Hou
- A single flow zinc//polyaniline suspension rechargeable battery. 449
Y. Zhao, S. Si, C. Liao
- Electrospun carbon nanofibres as electrode materials toward $\text{VO}^{2+}/\text{VO}_2^+$ redox couple for vanadium flow battery. 709
G. Wei, J. Liu, H. Zhao, C. Yan

Supercapacitors: Science and Technology

- Phenol–formaldehyde carbon with ordered/disordered bimodal mesoporous structure as high-performance electrode materials for supercapacitors. 6
T. Cai, M. Zhou, G. Han, S. Guan
- Synthesis of hierarchical sulfonated graphene/ MnO_2 /polyaniline ternary composite and its improved electrochemical performance 231
G. Wang, Q. Tang, H. Bao, X. Li, G. Wang
- Impedance-based study of capacitive porous carbon electrodes with hierarchical and bimodal porosity. 266
M.E. Suss, T.F. Baumann, M.A. Worsley, K.A. Rose, T.F. Jaramillo, M. Stadermann, J.G. Santiago
- Synthesis and property of novel MnO_2 @polypyrrole coaxial nanotubes as electrode material for supercapacitors 359
W. Yao, H. Zhou, Y. Lu
- Fabrication of graphene oxide/polypyrrole nanowire composite for high performance supercapacitor electrodes 388
J. Li, H. Xie, Y. Li
- Polyaniline modified graphene and carbon nanotube composite electrode for asymmetric supercapacitors of high energy density 423
Q. Cheng, J. Tang, N. Shinya, L.-C. Qin
- Facile chemical synthesis of nitrogen-doped graphene sheets and their electrochemical capacitance. 460
X. Du, C. Zhou, H.-Y. Liu, Y.-W. Mai, G. Wang
- Development of a 4.2 V aqueous hybrid electrochemical capacitor based on MnO_2 positive and protected Li negative electrodes 572
W. Shimizu, S. Makino, K. Takahashi, N. Imanishi, W. Sugimoto
- Application of poly (p-phenylene oxide) as blocking layer to reduce self-discharge in supercapacitors. 589
T. Tevi, H. Yaghoubi, J. Wang, A. Takshi
- Optimizing the electrochemical performance of aqueous symmetric supercapacitors based on an activated carbon xerogel. 776
E.G. Calvo, F. Lufitano, P. Staiti, A. Brigandì, A. Arenillas, J.A. Menéndez

Photo-electrochemical Cells

- Directly electrospinning growth of single crystal $\text{Cu}_2\text{ZnSnS}_4$ nanowires film for high performance thin film solar cell 259
L.-J. Chen, Y.-J. Chuang
- A dual function of high performance counter-electrode for stable quasi-solid-state dye-sensitized solar cells 373
Y. Xiao, J. Wu, J.-Y. Lin, G. Yue, J. Lin, M. Huang, Z. Lan, L. Fan
- LiF-doped mesoporous TiO_2 as the photoanode of highly efficient dye-sensitized solar cells 647
C.Y. Neo, J. Ouyang