

774
780/p55



ELSEVIER

Volume 245, 1 January 2014

ISSN 0378-7753

JOURNAL OF POWER SOURCES

The International Journal on the Science and
Technology of Electrochemical Energy Systems

Regional Editors

C.K. Dyer (N&S America)
Z. Ogumi (Japan & P.R. China)
S. Passerini (Europe, Middle East
and Africa)
D.A.J. Rand (Asia-Pacific)

**Regional and Special
Issues Co-ordinating
Editor**

P.T. Moseley

**Founding
Editor**

D.H. Collins

Available online at www.sciencedirect.com

ScienceDirect



Contents

Review

- Modeling a 5 kW_e planar solid oxide fuel cell based system operating on JP-8 fuel and a comparison with tubular cell based system for auxiliary and mobile power applications 986
T. Tanim, D.J. Bayless, J.P. Trembly

Fuel Cells: Science and Technology

- The effect of bias in gas temperature measurements on the control of a Solid Oxide Fuel Cells system 19
L. Tsikonis, J. Albrektsson, J. Van herle, D. Favrat
- Nickel and cobalt electrodeposited on carbon fiber cloth as the anode of direct hydrogen peroxide fuel cell 89
F. Yang, K. Cheng, X. Xiao, J. Yin, G. Wang, D. Cao
- Influence of the microstructure on the bulk and grain boundary conductivity in apatite-type electrolytes 107
D. Marrero-López, L. dos Santos-Gómez, L. León-Reina, J. Canales-Vázquez, E.R. Losilla
- Effect and mechanism of Cr deposition in cathode current collecting layer on cell performance inside stack for planar solid oxide fuel cells 119
W. Guan, L. Jin, W. Wu, Y. Zheng, G. Wang, W.G. Wang
- Optimization of dry reforming of methane over Ni/YSZ anodes for solid oxide fuel cells 154
C. Guerra, A. Lanzini, P. Leone, M. Santarelli, N.P. Brandon
- Polarization characteristics of liquid antimony anode with smooth single-crystal solid oxide electrolyte 164
H. Wang, Y. Shi, N. Cai
- Oxygen permeability of cast ionomer films from chronoamperometry on microelectrodes 203
J. Chlistunoff
- Effect of the PTFE content in the gas diffusion layer on water transport in polymer electrolyte fuel cells (PEFCs) 236
M. Mortazavi, K. Tajiri
- Composite cathode La_{0.4}Sr_{0.4}TiO_{3-δ}-Ce_{0.8}Sm_{0.2}O_{2-δ} impregnated with Ni for high-temperature steam electrolysis 245
Y. Gan, Q. Qin, S. Chen, Y. Wang, D. Dong, K. Xie, Y. Wu
- Development of a direct ammonia-fueled molten hydroxide fuel cell 277
J. Yang, H. Muroyama, T. Matsui, K. Eguchi
- Comparative study of CoFeN_x/C catalyst obtained by pyrolysis of hemin and cobalt porphyrin for catalytic oxygen reduction in alkaline and acidic electrolytes 352
R. Jiang, D. Chu
- A bottom-up building process of nanostructured La_{0.75}Sr_{0.25}Cr_{0.5}Mn_{0.5}O_{3-δ} electrodes for symmetrical-solid oxide fuel cell: Synthesis, characterization and electrocatalytic testing 377
C.M. Chanquía, A. Montenegro-Hernández, H.E. Troiani, A. Caneiro
- Design of experiments and principal component analysis as approaches for enhancing performance of gas-diffusional air-breathing bilirubin oxidase cathode 389
S. Babanova, K. Artyushkova, Y. Ulyanova, S. Singhal, P. Atanassov
- Effect of low temperature in-situ sintering on the impedance and the performance of intermediate temperature solid oxide fuel cell cathodes 418
J. Nielsen, P. Hjalmarsson, M.H. Hansen, P. Blennow
- Transport-number determination of a protonic ceramic electrolyte membrane via electrode-polarisation correction with the Gorelov method 445
D. Pérez-Coll, G. Heras-Juaristi, D.P. Fagg, G.C. Mather
- Sulfonated silica-based fuel cell electrode structures for low humidity applications 487
J.I. Eastcott, E.B. Easton

ScienceDirect

Full text of this journal is available, on-line from ScienceDirect. Visit www.sciencedirect.com for more information.

Thermochemical behavior and transport properties of Pr-substituted SrTiO ₃ as potential solid oxide fuel cell anode.....	A.A. Yaremchenko, S.G. Patricio, J.R. Frade
Synthesis of three-dimensionally ordered macro-/mesoporous Pt with high electrocatalytic activity by a dual-templating approach .	C. Zhang, H. Yang, T. Sun, N. Shan, J. Chen, L. Xu, Y. Yan
Manganese-doped lanthanum calcium titanate as an interconnect for flat-tubular solid oxide fuel cells	N. Raeis Hosseini, N.M. Sammes, J.S. Chung
Effect of multiwalled carbon nanotubes with different specific surface areas on the stability of supported Pt catalysts.....	L. Zhao, Z.-B. Wang, X.-L. Sui, G.-P. Yin
Exceptional methanol electro-oxidation activity by bimetallic concave and dendritic Pt-Cu nanocrystals catalysts	Y.-X. Wang, H.-J. Zhou, P.-C. Sun, T.-H. Chen
Fabrication and characterization of inert-substrate-supported tubular single cells by dip-coating process	K. Zhao, B.-H. Kim, Q. Xu, B.-G. Ahn
Metal free nitrogen doped hollow mesoporous graphene-analogous spheres as effective electrocatalyst for oxygen reduction reaction	J. Yan, H. Meng, F. Xie, X. Yuan, W. Yu, W. Lin, W. Ouyang, D. Yuan
Implications of polymer electrolyte fuel cell exposure to synchrotron radiation on gas diffusion layer water distribution	J. Eller, J. Roth, F. Marone, M. Stampanoni, A. Wokaun, F.N. Büchi
Nitrogen-doped graphene prepared by a transfer doping approach for the oxygen reduction reaction application.....	Z. Mo, R. Zheng, H. Peng, H. Liang, S. Liao
A novel nitrogen-containing electrocatalyst for oxygen reduction reaction from blood protein pyrolysis	C.-Z. Guo, C.-G. Chen, Z.-L. Luo
Performance of nano-nickel core wrapped with Pt crystalline thin film for methanol electro-oxidation.....	Q. Yuan, D. Duan, Y. Ma, G. Wei, Z. Zhang, X. Hao, S. Liu
Free-standing Pt@RuO ₂ ·xH ₂ O nanorod arrays on Si wafers as electrodes for methanol electro-oxidation	G. Zhao, L. Zhang, K. Sun, H. Li
Investigating the activity enhancement on Pt _x Co _{1-x} alloys induced by a combined strain and ligand effect.....	I. Spanos, J.J.K. Kirkensgaard, K. Mortensen, M. Arenz
Preparation and characterization of polybenzimidazole/diethylamine hydrogen sulphate for medium temperature proton exchange membrane fuel cells	M. Mamlouk, P. Ocon, K. Scott
Synthesis and characterization of BaZr _{0.3} Ce _{0.5} Y _{0.2-x} Yb _x O _{3-δ} proton conductor for solid oxide fuel cells.....	Z. Shi, W. Sun, W. Liu
Oxygen reduction reaction over silver particles with various morphologies and surface chemical states	J. Ohyama, Y. Okata, N. Watabe, M. Katagiri, A. Nakamura, H. Arikawa, K.-i. Shimizu, T. Takeguchi, W. Ueda, A. Satsuma
Synthesis of novel cardo poly(arylene ether sulfone)s with bulky and rigid side chains for direct methanol fuel cells.....	J. Zheng, J. Wang, S. Zhang, T. Yuan, H. Yang
An electrochemical treatment to improve corrosion and contact resistance of stainless steel bipolar plates used in polymer electrolyte fuel cells	E.M. Gabreab, G. Hinds, S. Fearn, D. Hodgson, J. Millichamp, P.R. Shearing, D.J.L. Brett
Fuel Cells: Engineering	
Improvement in direct methanol fuel cell performance by treating the anode at high anodic potential	P. Joghee, S. Pylypenko, K. Wood, A. Corpuz, G. Bender, H.N. Dinh, R. O'Hayre
A data-driven approach to establishing microstructure-property relationships in porous transport layers of polymer electrolyte fuel cells	A. Çeçen, T. Fast, E.C. Kumbur, S.R. Kalidindi
Use of galvanostatic charge method as a membrane electrode assembly diagnostic tool in a fuel cell stack.....	P. Pei, H. Xu, X. Zeng, H. Zha, M. Song
Using decomposed Nafion ionomers to anchor Pt nanoparticles and improve their durability during methanol electro-oxidation	Y.-C. Hsieh, L.-C. Chang, Y.-M. Chen, P.-W. Wu, J.-F. Lee
Electrochemical performance of solid oxide fuel cells having electrolytes made by suspension and solution precursor plasma spraying.	M. Marr, J. Kuhn, C. Metcalfe, J. Harris, O. Kesler
Stainless steel fiber felt as cathode diffusion backing and current collector for a micro direct methanol fuel cell with low methanol crossover.....	Y. Li, X. Zhang, L. Nie, Y. Zhang, X. Liu
Time-dependent mechanical behavior of proton exchange membrane fuel cell electrodes	Z. Lu, M.H. Santare, A.M. Karlsson, F.C. Busby, P. Walsh
Study of an intermediate temperature solid oxide fuel cell sealing glass system	K. Lu, W. Li
Creep rupture of the joint of a solid oxide fuel cell glass-ceramic sealant with metallic interconnect	C.-K. Lin, K.-L. Lin, J.-H. Yeh, S.-H. Wu, R.-Y. Lee
Rational design of mixed ionic and electronic conducting perovskite oxides for solid oxide fuel cell anode materials: A case study for doped SrTiO ₃	S. Suthirakun, G. Xiao, S.C. Ammal, F. Chen, H.-C. zur Loye, A. Heyden
Mechanical and thermal characterization of a ceramic/glass composite seal for solid oxide fuel cells	B. Dev, M.E. Walter, G.B. Arkenberg, S.L. Swartz
Study of the effect of temperature on Pt dissolution in polymer electrolyte membrane fuel cells via accelerated stress tests	S.R. Dhanushkodi, S. Kundu, M.W. Fowler, M.D. Pritzker

Fuel Cells: Applications

- Microstructure and tailoring hydrogenation performance of Y-doped Mg₂Ni alloys 808
W. Song, J. Li, T. Zhang, H. Kou, X. Xue

Fuel Cells: Fuel Processing

- Nickel catalysts for hydrogen evolution from CsH₂PO₄ 171
A.B. Papandrew, T.A. Zawodzinski Jr.
- High performance fluorine doped (Sn,Ru)O₂ oxygen evolution reaction electro-catalysts for proton exchange membrane based water electrolysis 362
K. Kadakia, M.K. Datta, O.I. Velikokhatnyi, P. Jampani, S.K. Park, S.J. Chung, P.N. Kumta
- Enhancement of electrocatalytic performance of hydrogen storage alloys by multi-walled carbon nanotubes for sodium borohydride oxidation 482
D. Zhang, G. Wang, K. Cheng, J. Huang, P. Yan, D. Cao
- Effect of trace species in water on the reaction of Al with water 721
W.-Z. Gai, Z.-Y. Deng
- Clean hydrogen generation through the electrocatalytic oxidation of ethanol in a Proton Exchange Membrane Electrolysis Cell (PEMEC): Effect of the nature and structure of the catalytic anode 927
C. Lamy, T. Jaubert, S. Baranton, C. Coutanceau
- Structurally controlled ZnO/TiO₂ heterostructures as efficient photocatalysts for hydrogen generation from water without noble metals: The role of microporous amorphous/crystalline composite structure 979
S. Guo, S. Han, H. Mao, S. Dong, C. Wu, L. Jia, B. Chi, J. Pu, J. Li

Lithium Batteries: Science and Technology

- A method of separating the capacities of layer and spinel compounds in blended cathode 1
T. Kobayashi, N. Kawasaki, Y. Kobayashi, K. Shono, Y. Mita, H. Miyashiro
- In-situ* X-ray diffraction study on the structural evolutions of LiNi_{0.5}Co_{0.3}Mn_{0.2}O₂ in different working potential windows 7
J. Shu, R. Ma, L. Shao, M. Shui, K. Wu, M. Lao, D. Wang, N. Long, Y. Ren
- Reinvestigation of the electrochemical lithium intercalation in 2H- and 3R-NbS₂ 27
Y. Liao, K.-S. Park, P. Singh, W. Li, J.B. Goodenough
- Lithium iron phosphate spheres as cathode materials for high power lithium ion batteries 48
A. Vu, A. Stein
- Electrochemical properties of high rate bias sputtered LiCoO₂ thin films in liquid electrolyte 76
S. Tintignac, R. Baddour-Hadjean, J.P. Pereira-Ramos, R. Salot
- Polyvinyl formal based gel polymer electrolyte prepared using initiator free *in-situ* thermal polymerization method 95
H.-y. Guan, F. Lian, K. Xi, Y. Ren, J.-l. Sun, R.V. Kumar
- Role of V₂O₅ coating on LiNiO₂-based materials for lithium ion battery 183
X. Xiong, Z. Wang, G. Yan, H. Guo, X. Li
- Physical characterization of the charging process of a Li-ion battery and prediction of Li plating by electrochemical modelling 208
N. Legrand, B. Knosp, P. Desprez, F. Lapique, S. Raël
- In-situ* gelled electrolyte for lithium battery: Electrochemical and Raman characterization 232
L. Lombardo, M.A. Navarra, S. Panero, L.A. Medina, A. Matic, J. Hassoun
- Ni/amorphous CuO core-shell nanocapsules with enhanced electrochemical performances 256
X. Liu, Y. Sun, C. Feng, C. Jin, F. Xiao
- Effect of poly(ethylene oxide) on ionic conductivity and electrochemical properties of poly(vinylidene fluoride) based polymer gel electrolytes prepared by electrospinning for lithium ion batteries 283
R. Prasanth, N. Shubha, H.H. Hng, M. Srinivasan
- Structural evolution of α -Fe₂O₃ nanowires during lithiation and delithiation 308
B. Huang, K. Tai, S.J. Dillon
- The influence of temperature on a nutty-cake structural material: LiMn_{1-x}Fe_xPO₄ composite with LiFePO₄ core and carbon outer layer for lithium-ion battery 331
Z.-Q. Huo, Y.-T. Cui, D. Wang, Y. Dong, L. Chen
- Nanotin alloys supported by multiwall carbon nanotubes as high-capacity and safer anode materials for EV lithium batteries 345
S. Menkin, Z. Barkay, D. Golodnitsky, E. Peled
- Electrochemical performance of LiCoO₂/SrLi₂Ti₆O₁₄ batteries for high-power applications 371
J. Liu, X. Sun, Y. Li, X. Wang, Y. Gao, K. Wu, N. Wu, B. Wu
- A comparative study of lithium-storage performances of hematite: Nanotubes vs. nanorods 429
L. Chen, H. Xu, L. Li, F. Wu, J. Yang, Y. Qian
- Faceted *shape-drive* cathode particles using mixed hydroxy-carbonate precursor for mesocarbon microbeads versus LiNi_{1/3}Mn_{1/3}Co_{1/3}O₂ Li-ion pouch cell 501
P. Manikandan, P. Periasamy, R. Jagannathan
- Reduced graphene oxide with ultrahigh conductivity as carbon coating layer for high performance sulfur@reduced graphene oxide cathode 529
H. Zhao, Z. Peng, W. Wang, X. Chen, J. Fang, J. Xu
- A new thermal battery for powering borehole equipment: The discharge performance of Li-Mg-B alloy/LiNO₃-KNO₃/MnO₂ cells at high temperatures 537
Y. Niu, Z. Wu, J. Du, W. Duan
- Bipolar porous polymeric frameworks for low-cost, high-power, long-life all-organic energy storage devices 553
K. Sakaushi, E. Hosono, G. Nickerl, H. Zhou, S. Kaskel, J. Eckert

Toward high capacity and stable manganese-spinel electrode materials: A case study of Ti-substituted system	570
S. Wang, J. Yang, X. Wu, Y. Li, Z. Gong, W. Wen, M. Lin, J. Yang, Y. Yang	
Battery parameterisation based on differential evolution via a boundary evolution strategy	583
G. Yang	
A facile nitridation method to improve the rate capability of TiO ₂ for lithium-ion batteries	594
M. Samiee, J. Luo	
Gold coating for a high performance Li ₄ Ti ₅ O ₁₂ nanorod aggregates anode in lithium-ion batteries	624
W. Wang, Y. Guo, L. Liu, S. Wang, X. Yang, H. Guo	
Stabilizing lithium/sulfur batteries by a composite polymer electrolyte containing mesoporous silica particles	656
K. Jeddi, K. Sarikhani, N.T. Qazvini, P. Chen	
Spatially resolved in operando neutron scattering studies on Li-ion batteries	678
A. Senyshyn, M.J. Mühlbauer, O. Dolotko, M. Hofmann, T. Pirling, H. Ehrenberg	
Stability of spinel Li ₄ Ti ₅ O ₁₂ in air	684
Y. Gao, Z. Wang, L. Chen	
Enhanced electrochemical properties of Al ₂ O ₃ -coated LiV ₃ O ₈ cathode materials for high-power lithium-ion batteries	698
S. Huang, J.P. Tu, X.M. Jian, Y. Lu, S.J. Shi, X.Y. Zhao, T.Q. Wang, X.L. Wang, C.D. Gu	
Investigation of a novel ternary electrolyte based on dimethyl sulfite and lithium difluoromono(oxalato)borate for lithium ion batteries	730
R. Chen, L. Zhu, F. Wu, L. Li, R. Zhang, S. Chen	
Electrochemical activity of carbon blacks in LiPF ₆ -based organic electrolytes	739
J. Syzdek, M. Marcinek, R. Kostecki	
Li ₄ Ti ₅ O ₁₂ modified with Ag nanoparticles as an advanced anode material in lithium-ion batteries	764
M. Krajewski, M. Michalska, B. Hamankiewicz, D. Ziolkowska, K.P. Korona, J.B. Jasinski, M. Kaminska, L. Lipinska, A. Czerwinski	
Poly(vinylidene fluoride)-based, co-polymer separator electrolyte membranes for lithium-ion battery systems	779
C.M. Costa, J.L. Gomez Ribelles, S. Lanceros-Méndez, G.B. Appetecchi, B. Scrosati	
High potential durability of LiNi _{0.5} Mn _{1.5} O ₄ electrodes studied by surface sensitive X-ray absorption spectroscopy	816
H. Kawaura, D. Takamatsu, S. Mori, Y. Orikasa, H. Sugaya, H. Murayama, K. Nakanishi, H. Tanida, Y. Koyama, H. Arai, Y. Uchimoto, Z. Ogumi	
Structure and properties of Li-ion conducting polymer gel electrolytes based on ionic liquids of the pyrrolidinium cation and the bis(trifluoromethanesulfonyl)imide anion	830
J. Pitawala, M.A. Navarra, B. Scrosati, P. Jacobsson, A. Matic	
Development of gas chromatographic methods for the analyses of organic carbonate-based electrolytes	836
L. Terborg, S. Weber, S. Passerini, M. Winter, U. Karst, S. Nowak	
The effect of chromium substitution on improving electrochemical performance of low-cost Fe-Mn based Li-rich layered oxide as cathode material for lithium-ion batteries	898
T. Zhao, L. Li, S. Chen, R. Chen, X. Zhang, J. Lu, F. Wu, K. Amine	
Stability of carbon electrodes for aqueous lithium-air secondary batteries	947
H. Ohkuma, I. Uechi, M. Matsui, Y. Takeda, O. Yamamoto, N. Imanishi	
Towards more sustainable negative electrodes in Na-ion batteries via nanostructured iron oxide	967
M. Valvo, F. Lindgren, U. Lafont, F. Björefors, K. Edström	
Lithium Batteries: Engineering	
Simulation of effect of interfacial lithium flux on miscibility gap in non-equilibrium phase transformation of LiFePO ₄ particles	83
N.A. Siddique, A.M. Allen, P.P. Mukherjee, F. Liu	
A novel on-board state-of-charge estimation method for aged Li-ion batteries based on model adaptive extended Kalman filter	337
S. Sepasi, R. Ghorbani, B.Y. Liaw	
A novel design including cooling media for Lithium-ion batteries pack used in hybrid and electric vehicles	495
H. Fathabadi	
Mechanical behavior of representative volume elements of lithium-ion battery cells under compressive loading conditions	609
W.-J. Lai, M.Y. Ali, J. Pan	
Influence of operating conditions on the optimum design of electric vehicle battery cooling plates	644
A. Jarrett, I.Y. Kim	
Stress evolution and capacity fade in constrained lithium-ion pouch cells	745
J. Cannarella, C.B. Arnold	
Statistical analysis for understanding and predicting battery degradations in real-life electric vehicle use	846
A. Barré, F. Suard, M. Gérard, M. Montaru, D. Riu	
Lithium Batteries: Applications	
Active-charging based powertrain control in series hybrid electric vehicles for efficiency improvement and battery lifetime extension	292
X. Zhang, C.C. Mi, C. Yin	
Other Electrochemical Power Sources: Science and Technology	
Electrical, mechanical and morphological properties of compressed carbon felt electrodes in vanadium redox flow battery	66
T.-C. Chang, J.-P. Zhang, Y.-K. Fuh	
Ionic liquid based electrolytes for sodium-ion batteries: Na ⁺ solvation and ionic conductivity	630
D. Monti, E. Jónsson, M.R. Palacín, P. Johansson	
Optimization of the iron-ion/hydrogen redox flow cell with iron chloride catholyte salt	691
M.C. Tucker, K.T. Cho, A.Z. Weber	
Chloride ion battery: A new member in the rechargeable battery family	706
X. Zhao, S. Ren, M. Bruns, M. Fichtner	

Other Electrochemical Power Sources: Engineering

- Characterising the in-vehicle vibration inputs to the high voltage battery of an electric vehicle 510
 J.M. Hooper, J. Marco
- Analytical assessment of the thermal behavior of nickel–metal hydride batteries during fast charging 712
 P. Taheri, M. Yazdanpour, M. Bahrami

Other Electrochemical Power Sources: Applications

- Alternative power sources for remote sensors: A review 129
 A. Dewan, S.U. Ay, M.N. Karim, H. Beyenal
- Dynamic response characteristics of thermoelectric generator predicted by a three-dimensional heat-electricity coupled model. 262
 J.-H. Meng, X.-X. Zhang, X.-D. Wang

Supercapacitors: Science and Technology

- Graphene oxide films as separators of polyaniline-based supercapacitors 33
 Y.M. Shulga, S.A. Baskakov, V.A. Smirnov, N.Y. Shulga, K.G. Belay, G.L. Gutsev
- Fe₃O₄ nanoparticles grown on graphene as advanced electrode materials for supercapacitors 101
 Q. Wang, L. Jiao, H. Du, Y. Wang, H. Yuan
- Rapid synthesis of graphene/cobalt hydroxide composite with enhanced electrochemical performance for supercapacitors 224
 Z. Li, J. Wang, L. Niu, J. Sun, P. Gong, W. Hong, L. Ma, S. Yang
- X-ray absorption spectroscopic study of sodium iodide and iodine mediators in a solid-state supercapacitor 270
 A.N. Mansour, J. Zhou, X. Zhou
- Fabrication of carbon nanotube/NiO_x(OH)_y nanocomposite by pulsed electrodeposition for supercapacitor applications 324
 M. Hakamada, A. Moriguchi, M. Mabuchi
- Irradiation preparation of reduced graphene oxide/carbon nanotube composites for high-performance supercapacitors. 436
 M. Sun, G. Wang, X. Li, C. Li
- Ni₃S₂ coated ZnO array for high-performance supercapacitors. 463
 Z. Xing, Q. Chu, X. Ren, C. Ge, A.H. Qusti, A.M. Asiri, A.O. Al-Youbi, X. Sun
- Synthesis and characterization of polyaniline and polyaniline – Carbon nanotubes nanostructures for electrochemical supercapacitors 475
 M.A. Bavio, G.G. Acosta, T. Kessler
- All solid-state electrochemical capacitors using *N,N*-dimethylpyrrolidinium fluorohydrogenate as ionic plastic crystal electrolyte. 758
 R. Taniki, K. Matsumoto, T. Nohira, R. Hagiwara
- Charge redistribution and ionic mobility in the micropores of supercapacitors 822
 J.W. Graydon, M. Panjehshahi, D.W. Kirk
- All-solid-state supercapacitors with poly(3,4-ethylenedioxythiophene)-coated carbon fiber paper electrodes and ionic liquid gel polymer electrolyte 857
 G.P. Pandey, A.C. Rastogi, C.R. Westgate
- Reactable ionic liquid assisted solvothermal synthesis of graphite-like C₃N₄ hybridized α-Fe₂O₃ hollow microspheres with enhanced supercapacitive performance 866
 L. Xu, J. Xia, H. Xu, S. Yin, K. Wang, L. Huang, L. Wang, H. Li
- Design and synthesis of ternary cobalt ferrite/graphene/polyaniline hierarchical nanocomposites for high-performance supercapacitors 937
 P. Xiong, H. Huang, X. Wang
- Electrodeposition of manganese oxide nanosheets on a continuous three-dimensional nickel porous scaffold for high performance electrochemical capacitors 1027
 J. Xiao, S. Yang, L. Wan, F. Xiao, S. Wang

Supercapacitors: Applications

- Capacitive behavior of mesoporous Co(OH)₂ nanowires 194
 T. Xue, J.-M. Lee

Photo-electrochemical Cells

- In-situ synthesis of TiO₂ network nanoporous structure on Ti wire substrate and its application in fiber dye sensitized solar cells 59
 H. Tao, G.-j. Fang, W.-j. Ke, W. Zeng, J. Wang
- Molecular design of donor–acceptor conjugated copolymers based on C-, Si- and N-bridged dithiophene and thienopyrroledione derivatives units for organic solar cells 217
 X. Liu, R. He, W. Shen, M. Li
- Surface electrochemical properties of niobium-doped titanium dioxide nanorods and their effect on carrier collection efficiency of dye sensitized solar cells 301
 M. Yang, B. Ding, J.-K. Lee
- Efficient iron sulfide counter electrode for quantum dots-sensitized solar cells 406
 H. Chen, L. Zhu, H. Liu, W. Li
- Highly efficient plastic-based quasi-solid-state dye-sensitized solar cells with light-harvesting mesoporous silica nanoparticles gel-electrolyte 411
 H.-W. Chen, Y.-D. Chiang, C.-W. Kung, N. Sakai, M. Ikegami, Y. Yamauchi, K.C.-W. Wu, T. Miyasaka, K.-C. Ho
- In situ* synthesis of binded, thick and porous carbon nanoparticle dye sensitized solar cell counter electrode with nickel gel as catalytic source 456
 W. Zeng, G. Fang, T. Han, B. Li, N. Liu, D. Zhao, Z. Liu, D. Wang, X. Zhao, D. Zou
- A simple approach of enhancing photovoltaic performances of quasi-solid-state dye-sensitized solar cells by integrating conducting polyaniline into electrical insulating gel electrolyte 468
 Q. Li, Q. Tang, L. Lin, X. Chen, H. Chen, L. Chu, H. Xu, M. Li, Y. Qin, B. He