

ПН
J80/p55



ELSEVIER

Volume 246, 15 January 2014 ISSN 0378-7753

JOURNAL OF POWER SOURCES

The International Journal on the Science and
Technology of Electrochemical Energy Systems

Regional Editors

C.K. Dyer (N&S America)
Z. Ogumi (Japan & P.R. China)
S. Passerini (Europe, Middle East
and Africa)
D.A.J. Rand (Asia-Pacific)

**Regional and Special
Issues Co-ordinating
Editor**


P.T. Moseley

**Founding
Editor**

D.H. Collins

Available online at www.sciencedirect.com

ScienceDirect



Contents

Reviews

| | |
|---|-----|
| Si/C hybrid nanostructures for Li-ion anodes: An overview..... | 167 |
| M.L. Terranova, S. Orlanducci, E. Tamburri, V. Guglielmotti, M. Rossi | |
| Polypyrrole/hexadecylpyridinium chloride-modified graphite oxide composites: Fabrication, characterization, and application in supercapacitors..... | 621 |
| H. Feng, B. Wang, L. Tan, N. Chen, N. Wang, B. Chen | |
| Free air breathing proton exchange membrane fuel cell: Thermal behavior characterization near freezing temperature..... | 650 |
| M. Higueta Cano, S. Kelouwani, K. Agbossou, Y. Dubé | |
| Battery equalization active methods..... | 934 |
| J. Gallardo-Lozano, E. Romero-Cadaval, M.I. Milanés-Montero, M.A. Guerrero-Martinez | |

Fuel Cells: Science and Technology

| | |
|--|-----|
| Lattice contracted Pd-hollow nanocrystals: Synthesis, structure and electrocatalysis for formic acid oxidation..... | 32 |
| M. Ren, J. Chen, Y. Li, H. Zhang, Z. Zou, X. Li, H. Yang | |
| Thermally stable polybenzimidazole/carbon nano-tube composites for alkaline direct methanol fuel cell applications..... | 39 |
| J.-F. Wu, C.-F. Lo, L.-Y. Li, H.-Y. Li, C.-M. Chang, K.-S. Liao, C.-C. Hu, Y.-L. Liu, S.J. Lue | |
| Interfacial reaction phenomenon between $\text{La}_{0.25}\text{Sr}_{0.75}\text{TiO}_3$ and ScSZ..... | 49 |
| G. Chen, H. Kishimoto, K. Yamaji, K. Kuramoto, T. Horita | |
| Changes in the mechanical properties of support materials for segmented-in-series type solid oxide fuel cells as a function of time.. | 141 |
| T. Somekawa, Y. Matsuzaki | |
| Electrocatalytic oxidation of formic acid on nano/micro fibers of poly(<i>p</i> -anisidine) modified platinum electrode..... | 178 |
| R.H. Tammam, M.M. Saleh | |
| Characteristics of liquid stannum anode fuel cell operated in battery mode and CO/H ₂ /carbon fuel mode..... | 204 |
| H. Wang, Y. Shi, N. Cai | |
| Modeling of the anode of a liquid-feed DMFC: Inhomogeneous compression effects and two-phase transport phenomena..... | 239 |
| P.A. García-Salaberri, M. Vera, I. Iglesias | |
| Synchrotron X-ray radioscopic in situ study of high-temperature polymer electrolyte fuel cells – Effect of operation conditions on structure of membrane..... | 290 |
| A. Tobias, M. Wiebke, C. Tötze, C. Wannek, H. Markötter, F. Wieder, J. Banhart, W. Lehnert, I. Manke | |
| Oleylamine-functionalized palladium nanoparticles with enhanced electrocatalytic activity for the oxygen reduction reaction..... | 356 |
| Y. Shi, S. Yin, Y. Ma, D. Lu, Y. Chen, Y. Tang, T. Lu | |
| Nanostructuring of $\text{SmBa}_{0.5}\text{Sr}_{0.5}\text{Co}_2\text{O}_{5+\delta}$ cathodes for reduced-temperature solid oxide fuel cells..... | 409 |
| D. Han, H. Wu, J. Li, S. Wang, Z. Zhan | |
| Long-term room-temperature hydrazine/air fuel cells based on low-cost nanotextured Cu–Ni catalysts..... | 423 |
| B. Filanovsky, E. Granot, I. Presman, I. Kuras, F. Patolsky | |
| Method for <i>in situ</i> carbon deposition measurement for solid oxide fuel cells..... | 430 |
| J. Kuhn, O. Kesler | |
| Ruthenium based electrocatalysts for hydrogen oxidation, prepared by a microwave assisted method..... | 438 |
| E. Borja-Arco, O. Jiménez-Sandoval, L. Magallón-Cacho, P.J. Sebastian | |
| Sc-substituted $\text{La}_{0.6}\text{Sr}_{0.4}\text{FeO}_{3-\delta}$ mixed conducting oxides as promising electrodes for symmetrical solid oxide fuel cells..... | 457 |
| X. Liu, D. Han, Y. Zhou, X. Meng, H. Wu, J. Li, F. Zeng, Z. Zhan | |

ScienceDirect

Full text of this journal is available, on-line from ScienceDirect. Visit www.sciencedirect.com for more information.

| | |
|---|-----|
| Improving proton conductivity of sulfonated poly (ether ether ketone) proton exchange membranes at low humidity by semi-interpenetrating polymer networks preparation | 482 |
| X. Wu, G. He, X. Li, F. Nie, X. Yan, L. Yu, J. Benziger | |
| Fabrication of phosphotungstic acid functionalized mesoporous silica composite membrane by alternative tape-casting incorporating phase inversion technique..... | 522 |
| L. Bai, L. Zhang, H.Q. He, R.K.S.A. Rasheed, C.Z. Zhang, O.L. Ding, S.H. Chan | |
| Improved performance of ceria-based solid oxide fuel cell using doped LaGaO ₃ films deposited by pulsed laser deposition | 556 |
| J. Qian, Z. Zhu, G. Jiang, W. Liu | |
| Fracture and creep of glass-ceramic solid oxide fuel cell sealant materials | 574 |
| J. Malzbender, Y. Zhao, T. Beck | |
| Microbial fuel cell as a biocapacitor by using pseudo-capacitive anode materials | 642 |
| Z. Lv, D. Xie, F. Li, Y. Hu, C. Wei, C. Feng | |
| Pulse electrodeposition to prepare core-shell structured AuPt@Pd/C catalyst for formic acid fuel cell application | 659 |
| X. Lu, F. Luo, H. Song, S. Liao, H. Li | |
| Numerical simulations of water droplet dynamics in hydrogen fuel cell gas channel | 679 |
| H.-Y. Kim, S. Jeon, M. Song, K. Kim | |
| Evaluation of performance and operation viability of non-uniform potential solid oxide fuel cell fueled by reformed methane | 719 |
| P. Piroonlerkgul, W. Kiatkittipong, S. Wongsakulphasatch, F. Aiouache, S. Assabumrungrat | |
| Positron annihilation lifetime study of Nafion/titanium dioxide nano-composite membranes..... | 762 |
| M. Lei, Y.J. Wang, C. Liang, K. Huang, C.X. Ye, W.J. Wang, S.F. Jin, R. Zhang, D.Y. Fan, H.J. Yang, Y.G. Wang | |
| Quantification of double-layer Ni/YSZ fuel cell anodes from focused ion beam tomography data..... | 819 |
| J. Joos, M. Ender, I. Rotscholl, N.H. Menzler, E. Ivers-Tiffée | |
| The investigation of resin degradation in catalyst layer of proton exchange membrane fuel cell | 858 |
| S. Xiao, H. Zhang | |
| Synthesis of yolk/shell Fe ₃ O ₄ -polydopamine-graphene-Pt nanocomposite with high electrocatalytic activity for fuel cells | 868 |
| Y. Huang, Y. Liu, Z. Yang, J. Jia, X. Li, Y. Luo, Y. Fang | |
| Characterization of SrFe _{0.75} Mo _{0.25} O _{3-δ} -La _{0.9} Sr _{0.1} Ga _{0.8} Mg _{0.2} O _{3-δ} composite cathodes prepared by infiltration..... | 906 |
| X. Meng, D. Han, H. Wu, J. Li, Z. Zhan | |
| Correlation between electrical and mechanical properties in La _{1-x} Sr _x Ga _{1-y} Mg _y O _{3-δ} ceramics used as electrolytes for solid oxide fuel cells | 918 |
| M. Morales, J.J. Roa, J.M. Perez-Falcón, A. Moure, J. Tartaj, F. Espiell, M. Segarra | |
| Nafion®/ODF-silica composite membranes for medium temperature proton exchange membrane fuel cells..... | 950 |
| Y. Treekamol, M. Schieda, L. Robitaille, S.M. MacKinnon, A. Mokri, Z. Shi, S. Holdcroft, K. Schulte, S.P. Nunes | |

Fuel Cells: Engineering

| | |
|---|-----|
| A novel dual catalyst layer structured gas diffusion electrode for enhanced performance of high temperature proton exchange membrane fuel cell | 63 |
| H. Su, T.-C. Jao, S. Pasupathi, B.J. Bladergroen, V. Linkov, B.G. Pollet | |
| Analysis of the behavior and degradation in proton exchange membrane fuel cells with a dead-ended anode..... | 90 |
| J. Yu, Z. Jiang, M. Hou, D. Liang, Y. Xiao, M. Dou, Z. Shao, B. Yi | |
| Detecting proton exchange membrane fuel cell hydrogen leak using electrochemical impedance spectroscopy method..... | 110 |
| G. Mousa, F. Golnaraghi, J. DeVaal, A. Young | |
| A rapid analytical assessment tool for three dimensional electrode microstructural networks with geometric sensitivity | 322 |
| G.J. Nelson, A. Nakajo, B.N. Cassenti, M.B. DeGostin, K.R. Bagshaw, A.A. Peracchio, G. Xiao, S. Wang, F. Chen, W.K.S. Chiu | |
| Assessment of the ethanol oxidation activity and durability of Pt catalysts with or without a carbon support using Electrochemical Impedance Spectroscopy | 392 |
| F.S. Saleh, E.B. Easton | |
| Artificial neural network model of a short stack solid oxide fuel cell based on experimental data | 581 |
| O. Razbani, M. Assadi | |
| Electrochemical behaviour and surface conductivity of niobium carbide-modified austenitic stainless steel bipolar plate..... | 775 |
| L. Wang, J. Sun, B. Kang, S. Li, S. Ji, Z. Wen, X. Wang | |
| Effect of manufacturing process sequence on the corrosion resistance characteristics of coated metallic bipolar plates | 788 |
| E. Dur, Ö.N. Cora, M. Koç | |
| Separate measurement of current density under land and channel in Direct Methanol Fuel Cells..... | 899 |
| S. Almheiri, H. Liu | |

Fuel Cells: Applications

| | |
|--|-----|
| Effect of battery state of charge on fuel use and pollutant emissions of a full hybrid electric light duty vehicle | 377 |
| G.O. Duarte, R.A. Varella, G.A. Gonçalves, T.L. Farias | |
| Modeling and energy management control design for a fuel cell hybrid passenger bus | 736 |
| K. Simmons, Y. Guezennec, S. Onori | |

Fuel Cells: Fuel Processing

| | |
|---|----|
| The use of poly(vinyl phosphonic acid) microgels for the preparation of inherently magnetic Co metal catalyst particles in hydrogen production | 55 |
| N. Sahiner, S. Sagbas | |
| A new alkali-resistant Ni/Al ₂ O ₃ -MSU-1 core-shell catalyst for methane steam reforming in a direct internal reforming molten carbonate fuel cell | 74 |
| J. Zhang, X. Zhang, W. Liu, H. Liu, J. Qiu, K.L. Yeung | |

| | |
|---|-----|
| A reversible water electrolyser with porous PTFE based OH ⁻ conductive membrane as energy storage cells..... | 225 |
| X. Wu, K. Scott, F. Xie, N. Alford | |
| Synthesis and hydrogen storage properties of Mg–10.6La–3.5Ni nanoparticles..... | 277 |
| T. Liu, Y. Cao, C. Qin, W. Chou, X. Li | |
| Perovskite chromates cathode with resolved and anchored nickel nano-particles for direct high-temperature steam electrolysis..... | 346 |
| S. Xu, D. Dong, Y. Wang, W. Doherty, K. Xie, Y. Wu | |
| Partial oxidation of methane in an adiabatic-type catalytic reactor..... | 473 |
| A. Al-Musa, S. Shabunya, V. Martynenko, S. Al-Mayman, V. Kalinin, M. Al-Juhani, K. Al-Enazy | |
| Molybdenum carbide catalysed hydrogen production from formic acid – A density functional theory study..... | 548 |
| Q. Luo, T. Wang, G. Walther, M. Beller, H. Jiao | |
| Study of reactions of activated Mg-based powders in heated steam..... | 955 |
| H.-t. Huang, M.-s. Zou, X.-y. Guo, R.-j. Yang, Y.-k. Li | |
| Lithium Batteries: Science and Technology | |
| Modeling dendrite growth during lithium electrodeposition at sub-ambient temperature..... | 84 |
| R. Akolkar | |
| Enhanced electrochemical properties of TiO ₂ (B) nanoribbons using the styrene butadiene rubber and sodium carboxyl methyl cellulose water binder..... | 95 |
| X. Yan, Y. Zhang, K. Zhu, Y. Gao, D. Zhang, G. Chen, C. Wang, Y. Wei | |
| Capacitive contribution to Li-storage in TiO ₂ (B) and TiO ₂ (anatase)..... | 103 |
| B. Laskova, M. Zikalova, A. Zukal, M. Bousa, L. Kavan | |
| Influence of catalyst layer thickness on the growth of nickel silicide nanowires and its application for Li-ion batteries..... | 117 |
| I.N. Lund, J.H. Lee, H. Efstathiadis, P. Haldar, R.E. Geer | |
| Three-dimensional-network Li ₃ V ₂ (PO ₄) ₃ /C composite as high rate lithium ion battery cathode material and its compatibility with ionic liquid electrolytes..... | 124 |
| J. Xu, S.-L. Chou, C. Zhou, Q.-F. Gu, H.-K. Liu, S.-X. Dou | |
| Perfluoroalkyl-substituted ethylene carbonates: Novel electrolyte additives for high-voltage lithium-ion batteries..... | 184 |
| Y. Zhu, M.D. Casselman, Y. Li, A. Wei, D.P. Abraham | |
| Solid-state synthesis of uniform Li ₂ MnSiO ₄ /C/graphene composites and their performance in lithium-ion batteries..... | 192 |
| H. Gong, Y. Zhu, L. Wang, D. Wei, J. Liang, Y. Qian | |
| Three-dimensionally porous Fe ₃ O ₄ as high-performance anode materials for lithium-ion batteries..... | 198 |
| H. Wu, N. Du, J. Wang, H. Zhang, D. Yang | |
| Microemulsion-assisted synthesis of ultrafine Li ₄ Ti ₅ O ₁₂ /C nanocomposite with oleic acid as carbon precursor and particle size controller..... | 213 |
| Y. Wang, H. Rong, B. Li, L. Xing, X. Li, W. Li | |
| A novel synthesis and characterization of LiFePO ₄ and LiFePO ₄ /C as a cathode material for lithium-ion battery..... | 232 |
| C. Miao, P. Bai, Q. Jiang, S. Sun, X. Wang | |
| Nafion coated sulfur-carbon electrode for high performance lithium-sulfur batteries..... | 253 |
| Q. Tang, Z. Shan, L. Wang, X. Qin, K. Zhu, J. Tian, X. Liu | |
| Poly(ethylene glycol) grafted multi-walled carbon nanotubes/LiFePO ₄ composite cathodes for lithium ion batteries..... | 260 |
| C. Gong, Z. Xue, X. Wang, X.-P. Zhou, X.-L. Xie, Y.-W. Mai | |
| A non-conventional fluorinated separator in high-voltage graphite/LiNi _{0.4} Mn _{1.6} O ₄ cells..... | 299 |
| C. Arbizzani, F. Colò, F. De Giorgio, M. Guidotti, M. Mastragostino, F. Alloin, M. Bolloli, Y. Molmèret, J.-Y. Sanchez | |
| Controllable synthesis of MoO ₃ -deposited TiO ₂ nanotubes with enhanced lithium-ion intercalation performance..... | 305 |
| D. Guan, J. Li, X. Gao, C. Yuan | |
| Effects of graphene and carbon coating modifications on electrochemical performance of silicon nanoparticle/graphene composite anode..... | 335 |
| R.C. de Guzman, J. Yang, M.M.-C. Cheng, S.O. Salley, K.Y. Simon Ng | |
| Structure and electrochemical properties of LiNi _{0.5} Mn _{1.5} O ₄ epitaxial thin film electrodes..... | 365 |
| H. Konishi, K. Suzuki, S. Taminato, K. Kim, S. Kim, J. Lim, M. Hirayama, R. Kanno | |
| Oxalic acid-assisted combustion synthesized LiVO ₃ cathode material for lithium ion batteries..... | 417 |
| X.M. Jian, H.Q. Wenren, S. Huang, S.J. Shi, X.L. Wang, C.D. Gu, J.P. Tu | |
| In-situ neutron diffraction study of the simultaneous structural evolution of a LiNi _{0.5} Mn _{1.5} O ₄ cathode and a Li ₄ Ti ₅ O ₁₂ anode in a LiNi _{0.5} Mn _{1.5} O ₄ Li ₄ Ti ₅ O ₁₂ full cell..... | 464 |
| W.K. Pang, N. Sharma, V.K. Peterson, J.-J. Shiu, S.-h. Wu | |
| Structure and electrochemical properties of composite polymer electrolyte based on poly vinylidene fluoride-hexafluoropropylene/titania-poly(methyl methacrylate) for lithium-ion batteries..... | 499 |
| J. Cao, L. Wang, M. Fang, X. He, J. Li, J. Gao, L. Deng, J. Wang, H. Chen | |
| Sub-micrometric Li _{4-x} Na _x Ti ₅ O ₁₂ (0 ≤ x ≤ 0.2) spinel as anode material exhibiting high rate capability..... | 505 |
| T.-F. Yi, S.-Y. Yang, X.-Y. Li, J.-H. Yao, Y.-R. Zhu, R.-S. Zhu | |
| High-resolution chemical analysis on cycled LiFePO ₄ battery electrodes using energy-filtered transmission electron microscopy..... | 512 |
| J.D. Sugar, F. El Gabaly, W.C. Chueh, K.R. Fenton, T. Tyliszczak, P.G. Kotula, N.C. Bartelt | |
| Effective enhancement of electrochemical performance for low-cost cathode material Li _{1.231} Mn _{0.615} Ni _{0.154} O ₂ via a novel facile hydrothermal modification..... | 569 |
| S.-X. Liao, Y.-J. Zhong, B.-H. Zhong, H. Liu, X. Guo | |
| Carbon nanowires@ultrathin SnO ₂ nanosheets@carbon composite and its lithium storage properties..... | 587 |
| Q. Tian, Z. Zhang, J. Chen, L. Yang, S.-i. Hirano | |
| Monodispersed LiFePO ₄ @C core-shell nanostructures for a high power Li-ion battery cathode..... | 696 |
| G. Xu, F. Li, Z. Tao, X. Wei, Y. Liu, X. Li, Z. Ren, G. Shen, G. Han | |

| | |
|---|-----|
| Si ₇ Ti ₄ Ni ₄ as a buffer material for Si and its electrochemical study for lithium ion batteries | 729 |
| K.J. Lee, S.-H. Yu, J.-J. Kim, D.-H. Lee, J. Park, S.S. Suh, J.S. Cho, Y.-E. Sung | |
| Characterization of the solid electrolyte interphase on lithium anode for preventing the shuttle mechanism in lithium-sulfur batteries | 840 |
| S. Xiong, K. Xie, Y. Diao, X. Hong | |
| Thermal and electrochemical properties of PEO-LiTFSI-Pyr ₁₄ TFSI-based composite cathodes, incorporating 4 V-class cathode active materials. | 846 |
| M. Wetjen, G.-T. Kim, M. Joost, G.B. Appetecchi, M. Winter, S. Passerini | |
| In situ synthesis of SnO ₂ -Fe ₂ O ₃ @polyaniline and their conversion to SnO ₂ -Fe ₂ O ₃ @C composite as fully reversible anode material for lithium-ion batteries. | 862 |
| J. Guo, L. Chen, G. Wang, X. Zhang, F. Li | |
| Preparation and electrochemical properties of high-capacity LiFePO ₄ -Li ₃ V ₂ (PO ₄) ₃ /C composite for lithium-ion batteries | 912 |
| Y. Guo, Y. Huang, D. Jia, X. Wang, N. Sharma, Z. Guo, X. Tang | |
| Lithium Batteries: Engineering | |
| Modeling the delamination of amorphous-silicon thin film anode for lithium-ion battery | 149 |
| S. Pal, S.S. Damle, S.H. Patel, M.K. Datta, P.N. Kumta, S. Maiti | |
| Nanomechanical characterization and mechanical integrity of unaged and aged Li-ion battery cathodes | 219 |
| S. Ramdon, B. Bhushan | |
| A new open computational framework for highly-resolved coupled three-dimensional multiphysics simulations of Li-ion cells | 876 |
| S. Allu, S. Kalnaus, W. Elwasif, S. Simunovic, J.A. Turner, S. Pannala | |
| Lithium Batteries: Applications | |
| A novel approach for state of charge estimation based on adaptive switching gain sliding mode observer in electric vehicles | 667 |
| X. Chen, W. Shen, Z. Cao, A. Kapoor | |
| Effect of ultracapacitor-modified PHEV protocol on performance degradation in lithium-ion cells | 960 |
| C.G. Hochgraf, J.K. Basco, T.P. Bohn, I. Bloom | |
| Lead-Acid Batteries: Engineering | |
| A numerical model for a soluble lead-acid flow battery comprising a three-dimensional honeycomb-shaped positive electrode. | 703 |
| A. Oury, A. Kirchev, Y. Bultel | |
| Other Electrochemical Power Sources: Science and Technology | |
| A novel alcohol-thermal synthesis method of calcium zincates negative electrode materials for Ni-Zn secondary batteries | 313 |
| R. Wang, Z. Yang, B. Yang, X. Fan, T. Wang | |
| A safe and high-rate negative electrode for sodium-ion batteries: Hard carbon in NaFSA-C ₁ C ₃ pyrFSA ionic liquid at 363 K | 387 |
| A. Fukunaga, T. Nohira, R. Hagiwara, K. Numata, E. Itani, S. Sakai, K. Nitta, S. Inazawa | |
| Reducing capacity fade in vanadium redox flow batteries by altering charging and discharging currents. | 767 |
| E. Agar, A. Benjamin, C.R. Dennison, D. Chen, M.A. Hickner, E.C. Kumbur | |
| Pyrophosphate Na ₂ FeP ₂ O ₇ as a low-cost and high-performance positive electrode material for sodium secondary batteries utilizing an inorganic ionic liquid | 783 |
| C.-Y. Chen, K. Matsumoto, T. Nohira, R. Hagiwara, Y. Orikasa, Y. Uchimoto | |
| Other Electrochemical Power Sources: Engineering | |
| Generic dynamic model of rechargeable batteries | 609 |
| R.H. Milocco, J.E. Thomas, B.E. Castro | |
| An online framework for state of charge determination of battery systems using combined system identification approach. | 629 |
| M.R. Khan, G. Mulder, J. Van Mierlo | |
| Other Electrochemical Power Sources: Applications | |
| Thermal and energy battery management optimization in electric vehicles using Pontryagin's maximum principle | 808 |
| S. Bauer, A. Suchanek, F. Puente León | |
| Supercapacitors: Science and Technology | |
| Spinel LiMn ₂ O ₄ nanohybrid as high capacitance positive electrode material for supercapacitors | 19 |
| F.X. Wang, S.Y. Xiao, Y.S. Zhu, Z. Chang, C.L. Hu, Y.P. Wu, R. Holze | |
| Controllable preparation of multishelled NiO hollow nanospheres via layer-by-layer self-assembly for supercapacitor application ... | 24 |
| Z. Yang, F. Xu, W. Zhang, Z. Mei, B. Pei, X. Zhu | |
| Synthesis of MnO ₂ -chitosan nanocomposite by one-step electrodeposition for electrochemical energy storage application. | 68 |
| S. Hassan, M. Suzuki, A.A. El-Moneim | |
| Effects of adding ethanol to KOH electrolyte on electrochemical performance of titanium carbide-derived carbon | 132 |
| J. Xu, R. Zhang, P. Chen, S. Ge | |
| Thermal conductivity and temperature profiles in carbon electrodes for supercapacitors. | 160 |
| O.S. Burheim, M. Aslan, J.S. Atchison, V. Presser | |
| Pseudocapacitive behavior of manganese oxide in lithium-ion-doped butylmethylpyrrolidinium-dicyanamide ionic liquid investigated using in situ X-ray absorption spectroscopy. | 269 |
| M.-T. Lee, Y.-S. Li, I.-W. Sun, J.-K. Chang | |
| Solid-state flexible polyaniline/silver cellulose nanofibrils aerogel supercapacitors | 283 |
| X. Zhang, Z. Lin, B. Chen, W. Zhang, S. Sharma, W. Gu, Y. Deng | |

| | |
|--|-----|
| Asymmetric supercapacitors based on β -Ni(OH) ₂ nanosheets and activated carbon with high energy density..... | 371 |
| J. Huang, P. Xu, D. Cao, X. Zhou, S. Yang, Y. Li, G. Wang | |
| A three-dimensional ordered mesoporous carbon/carbon nanotubes nanocomposites for supercapacitors..... | 402 |
| Z. Zhu, Y. Hu, H. Jiang, C. Li | |
| One-pot synthesis of hierarchical MnO ₂ -modified diatomites for electrochemical capacitor electrodes..... | 449 |
| Y.X. Zhang, M. Huang, F. Li, X.L. Wang, Z.Q. Wen | |
| Tetraphenylborate-derived hierarchically porous carbons as efficient electrode materials for supercapacitors..... | 531 |
| X.Y. Chen, D.H. Xie, Z.J. Zhang, C. Chen | |
| High-performance supercapacitors based on freestanding carbon-based composite paper electrodes..... | 540 |
| Y.S. Yun, M.E. Lee, M.J. Joo, H.-J. Jin | |
| Flexible supercapacitor fabrication by room temperature rapid laser processing of roll-to-roll printed metal nanoparticle ink for wearable electronics application..... | 562 |
| J. Yeo, G. Kim, S. Hong, M.S. Kim, D. Kim, J. Lee, H.B. Lee, J. Kwon, Y.D. Suh, H.W. Kang, H.J. Sung, J.-H. Choi, W.-H. Hong, J.M. Ko, S.-H. Lee, S.-H. Choa, S.H. Ko | |
| Two steps in situ structure fabrication of Ni–Al layered double hydroxide on Ni foam and its electrochemical performance for supercapacitors..... | 747 |
| B. Wang, Q. Liu, Z. Qian, X. Zhang, J. Wang, Z. Li, H. Yan, Z. Gao, F. Zhao, L. Liu | |
| Ultrathin MnO ₂ nanosheets supported on cellulose based carbon papers for high-power supercapacitors..... | 754 |
| S. He, C. Hu, H. Hou, W. Chen | |
| Enhanced capacitance and stability of <i>p</i> -toluenesulfonate doped polypyrrole/carbon composite for electrode application in electrochemical capacitors..... | 800 |
| A. Kumar, R.K. Singh, H.K. Singh, P. Srivastava, R. Singh | |
| Electrolyte and composition effects on the performances of asymmetric supercapacitors constructed with Mn ₃ O ₄ nanoparticles–graphene nanocomposites..... | 926 |
| Y. Xiao, Y. Cao, Y. Gong, A. Zhang, J. Zhao, S. Fang, D. Jia, F. Li | |
| Supercapacitors: Engineering | |
| Review of characterization methods for supercapacitor modelling..... | 596 |
| N. Devillers, S. Jemei, M.-C. Péra, D. Bienaimé, F. Gustin | |
| First-principles thermal modeling of electric double layer capacitors under constant-current cycling..... | 887 |
| A. d'Entremont, L. Pilon | |
| Photo-electrochemical Cells | |
| Zinc oxide-based dye-sensitized solar cells with a ruthenium dye containing an alkyl bithiophene group..... | 1 |
| C.-P. Lee, C.-Y. Chou, C.-Y. Chen, M.-H. Yeh, L.-Y. Lin, R. Vittal, C.-G. Wu, K.-C. Ho | |
| Periodic density functional theory study on the interaction mode and mechanism of typical additives with TiO ₂ substrates for dye-sensitized solar cell applications..... | 10 |
| X.-L. Wang, M. Wu, J. Ding, Z.-S. Li, K.-N. Sun | |
| Solid state dye solar cell modules..... | 361 |
| F. Matteocci, S. Casaluci, S. Razza, A. Guidobaldi, T.M. Brown, A. Reale, A. Di Carlo | |
| Characterizations of chemical bath-deposited zinc oxysulfide films and the effects of their annealing on copper–indium–gallium–selenide solar cell efficiency..... | 443 |
| T.-M. Hsieh, S.J. Lue, J. Ao, Y. Sun, W.-S. Feng, L.-B. Chang | |
| Influence of doping anions on structure and properties of electro-polymerized polypyrrole counter electrodes for use in dye-sensitized solar cells..... | 491 |
| X. Zhang, S. Wang, S. Lu, J. Su, T. He | |
| Effects of the acceptors in triphenylamine-based D–A'– π –A dyes on photophysical, electrochemical, and photovoltaic properties.... | 831 |
| L. Wang, P. Shen, Z. Cao, X. Liu, Y. Huang, C. Liu, P. Chen, B. Zhao, S. Tan | |