

771
780/p55



ELSEVIER

Volume 247, 1 February 2014

ISSN 0378-7753

JOURNAL OF POWER SOURCES

The International Journal on the Science and
Technology of Electrochemical Energy Systems

Regional Editors

C.K. Dyer (N&S America)

Z. Ogumi (Japan & P.R. China)

S. Passerini (Europe, Middle East
and Africa)

D.A.J. Rand (Asia-Pacific)

**Regional and Special
Issues Co-ordinating
Editor**

P.T. Moseley

**Founding
Editor**

D.H. Collins

Available online at www.sciencedirect.com

ScienceDirect



ELSEVIER

Contents lists available at ScienceDirect

Journal of Power Sources

journal homepage: www.elsevier.com/locate/jpowsour

Contents

Reviews

- Boron-based anion receptors in lithium-ion and metal-air batteries 813
 V. Prakash Reddy, M. Blanco, R. Bugga
- Spark plasma sintered/synthesized dense and nanostructured materials for solid-state Li-ion batteries: Overview and perspective .. 920
 R. Kali, A. Mukhopadhyay

Fuel Cells: Science and Technology

- Pd and PdCo alloy nanoparticles supported on polypropylenimine dendrimer-grafted graphene: A highly efficient anodic catalyst for direct formic acid fuel cells 70
 H. Hosseini, M. Mahyari, A. Bagheri, A. Shaabani
- The potential and challenges of thin-film electrolyte and nanostructured electrode for yttria-stabilized zirconia-base anode-supported solid oxide fuel cells 105
 H.-S. Noh, K.J. Yoon, B.-K. Kim, H.-J. Je, H.-W. Lee, J.-H. Lee, J.-W. Son
- PtSn/C catalysts for ethanol oxidation: The effect of stabilizers on the morphology and particle distribution 142
 Y. Ma, H. Wang, S. Ji, V. Linkov, R. Wang
- Improved microstructure and performance of Ni-based anode for intermediate temperature solid oxide fuel cells 170
 B. Hua, W. Zhang, M. Li, X. Wang, B. Chi, J. Pu, J. Li
- Facile synthesis of porous Pt–Pd nanospheres supported on reduced graphene oxide nanosheets for enhanced methanol electrooxidation 213
 S.-S. Li, J.-J. Lv, Y.-Y. Hu, J.-N. Zheng, J.-R. Chen, A.-J. Wang, J.-J. Feng
- Effects of carbon brush anode size and loading on microbial fuel cell performance in batch and continuous mode 228
 V. Lanas, Y. Ahn, B.E. Logan
- High figure of merit for electrokinetic energy conversion in Nafion membranes 235
 B.S. Kilsgaard, S. Haldrup, J. Catalano, A. Bienten
- Stabilization of the cubic perovskite in the system $\text{La}_{1-x}\text{Ba}_x\text{Co}_{1-y}\text{Fe}_y\text{O}_{3-\delta}$ ($0.7 \leq x \leq 0.9$) and its electrochemical performance as cathode materials for intermediate-temperature solid oxide fuel cells 264
 C. Setevich, F. Prado, D.Z. de Florio, A. Caneiro
- Highly proton-conductive thermally rearranged polybenzoxazole for medium-temperature and low-humidity polymer electrolyte fuel cells 286
 C.H. Lee, Y.M. Lee
- Characterization of pore network structure in catalyst layers of polymer electrolyte fuel cells 322
 M. El Hannach, T. Soboleva, K. Malek, A.A. Franco, M. Prat, J. Pauchet, S. Holdcroft
- Influence of air contaminants on planar, self-breathing hydrogen PEM fuel cells in an outdoor environment 339
 J. Biesdorf, N. Zamel, T. Kurz
- Air-breathing direct formic acid microfluidic fuel cell with an array of cylinder anodes 346
 X. Zhu, B. Zhang, D.-D. Ye, J. Li, Q. Liao
- A CO-tolerant PtRu catalyst supported on thiol-functionalized carbon nanotubes for the methanol oxidation reaction 360
 L. Guo, S. Chen, L. Li, Z. Wei
- Ni–B amorphous alloy nanoparticles modified nanoporous Cu toward ethanol oxidation in alkaline medium 428
 S.-J. Zhang, Y.-X. Zheng, L.-S. Yuan, L.-H. Zhao
- Computationally-efficient hybrid strategy for mechanistic modeling of fuel cell stacks 481
 A.K. Sharma, E. Birgersson, S.H. Khor

ScienceDirect

Full text of this journal is available, on-line from ScienceDirect. Visit www.sciencedirect.com for more information.

Mosaic-shaped cathode for highly durable solid oxide fuel cell under thermal stress	534
J.H. Joo, J. Jeong, S.Y. Kim, C.-Y. Yoo, D.W. Jung, H.J. Park, C. Kwak, J.H. Yu	
Hydrometallurgical process for the recovery of high value metals from spent lithium nickel cobalt aluminum oxide based lithium-ion batteries	551
M. Joulié, R. Laucournet, E. Billy	
Metal-supported solid oxide fuel cells with impregnated $\text{SrFe}_{0.75}\text{Mo}_{0.25}\text{O}_3$ cathodes	556
Y. Zhou, X. Meng, X. Ye, J. Li, S. Wang, Z. Zhan	
First-principles study on surface structure, thickness and composition dependence of the stability of Pt-skin/ Pt_3Co oxygen-reduction-reaction catalysts	562
M.C.S. Escaño, H. Kasai	
Performance of non-compartmentalized enzymatic biofuel cell based on buckypaper cathode and ferrocene-containing redox polymer anode	579
C. Bunte, L. Hussein, G.A. Urban	
Effect of the co-spun anode functional layer on the performance of the direct-methane microtubular solid oxide fuel cells	587
X. Meng, X. Gong, Y. Yin, N. Yang, X. Tan, Z.-F. Ma	
Combinatorial discovery of Ni-based binary and ternary catalysts for hydrazine electrooxidation for use in anion exchange membrane fuel cells	605
T. Sakamoto, K. Asazawa, J. Sanabria-Chinchilla, U. Martinez, B. Halevi, P. Atanassov, P. Strasser, H. Tanaka	
Microbial fuel cell energy harvesting using synchronous flyback converter	636
M. Alaraj, Z.J. Ren, J.-D. Park	
Air humidity and water pressure effects on the performance of air-cathode microbial fuel cell cathodes	655
Y. Ahn, F. Zhang, B.E. Logan	
Effect of heat treatment on the activity and stability of carbon supported PtMo alloy electrocatalysts for hydrogen oxidation in proton exchange membrane fuel cells	712
A. Hassan, A. Carreras, J. Trincavelli, E.A. Ticianelli	
Membrane divided soluble lead battery utilising a bismuth electrolyte additive	799
L.P.J. Wallis, R.G.A. Wills	
Characterization of Ni-YSZ anodes for solid oxide fuel cells fabricated by solution precursor plasma spraying with axial feedstock injection	831
C. Metcalfe, E. Lay-Grindler, O. Kesler	
Improved electrochemical performance by doping cathode materials $\text{Sr}_2\text{Fe}_{1.5}\text{Mo}_{0.5-x}\text{Ta}_x\text{O}_{6-8}$ ($0.0 \leq x \leq 0.15$) for Solid State Fuel Cell ..	845
J. Meng, X. Liu, L. Han, Y. Bai, C. Yao, X. Deng, X. Niu, X. Wu, J. Meng	
Optimising heat treatment environment and atmosphere of electrolytic manganese dioxide for primary Li/ MnO_2 batteries	852
W.M. Dose, S.W. Donne	
Compositionally continuously graded cathode layers of $(\text{Ba}_{0.5}\text{Sr}_{0.5})(\text{Fe}_{0.91}\text{Al}_{0.09})\text{O}_{3-\delta}-\text{Gd}_{0.1}\text{Ce}_{0.9}\text{O}_2$ by wet powder spraying technique for solid oxide fuel cells	858
T. Jiang, Z. Wang, B. Ren, J. Qiao, W. Sun, K. Sun	
Crystal and magnetic structure of the $\text{Bi}_2\text{RuMnO}_7$ pyrochlore: A potential new cathode for solid oxide fuel cells	876
R. Martínez-Coronado, J.A. Alonso, V. Cascos, M.T. Fernández-Díaz	
Photo-enhanced activity of Pt and Pt-Ru catalysts towards the electro-oxidation of methanol	890
D.V. Arulmani, J.I. Eastcott, S.G. Mavilla, E.B. Easton	
Polymer electrolyte fuel cell performance of poly(arylene ether ketone)-graft-crosslinked-poly(sulfonated arylene ether sulfone) ...	932
R. Hara, N. Endo, M. Higa, K.-i. Okamoto, X. Zhang, H. Bi, S. Chen, Z. Hu, S. Chen	
Sulphonated polyether ether ketone diaphragms used in commercial scale alkaline water electrolysis	967
J. Otero, J. Sese, I. Michaus, M. Santa Maria, E. Guelbenzu, S. Irusta, I. Carrilero, M. Arruebo	
Fuel Cells: Engineering	
Liquid water quantification in the cathode side gas channels of a proton exchange membrane fuel cell through two-phase flow visualization	9
R. Banerjee, S.G. Kandlikar	
Influence of cell temperature on sulfur dioxide contamination in proton exchange membrane fuel cells	40
Y. Zhai, G. Bender, K. Bethune, R. Rocheleau	
Effect of pre-oxidation on the oxidation resistance of spinel-coated Fe-Cr ferritic alloy for solid oxide fuel cell applications	84
D.R. Ou, M. Cheng	
Glass coated compressible solid oxide fuel cell seals	243
M. Rautanen, O. Thomann, O. Himanen, J. Tallgren, J. Kiviahio	
Passive hydrogen recovery schemes using a vacuum ejector in a proton exchange membrane fuel cell system	256
J.-J. Hwang	
4E analysis and multi objective optimization of a micro gas turbine and solid oxide fuel cell hybrid combined heat and power system	294
S. Sanaye, A. Katebi	
Impedance spectroscopy of the oxide films formed during high temperature oxidation of a cobalt-plated ferritic alloy	314
S. Velraj, J.H. Zhu, A.S. Painter, S.W. Du, Y.T. Li	
Performance degradation studies on an poly 2,5-benzimidazole high-temperature proton exchange membrane fuel cell using an accelerated degradation technique	354
G.-B. Jung, H.-H. Chen, W.-M. Yan	
Repetitive hot-press approach for performance enhancement of hydrogen fuel cells	384
M. Glassman, A. Omosebi, R.S. Besser	

Extraction of battery parameters of the equivalent circuit model using a multi-objective genetic algorithm.	729
J. Brand, Z. Zhang, R.K. Agarwal	
Modeling of cold start processes and performance optimization for proton exchange membrane fuel cell stacks	738
Y. Zhou, Y. Luo, S. Yu, K. Jiao	
Modeling the performance of an ideal $\text{NaBH}_4\text{-H}_2\text{O}_2$ direct borohydride fuel cell	756
R.O. Stroman, G.S. Jackson	
A study of gadolinia-doped ceria electrolyte by electrochemical impedance spectroscopy	947
L. Zhang, F. Liu, K. Brinkman, K.L. Reifsnider, A.V. Virkar	
Maximum power point tracking control of direct methanol fuel cells	1005
M. Zhang, T. Yan, J. Gu	
Fuel Cells: Fuel Processing	
Single-stage temperature-controllable water gas shift reactor with catalytic nickel plates	280
J.-W. Park, S.-W. Lee, C.-B. Lee, J.-S. Park, D.-W. Lee, S.-H. Kim, S.-S. Kim, S.-K. Ryi	
Facile synthesis of large-area CeO_2/ZnO nanotube arrays for enhanced photocatalytic hydrogen evolution	545
C.-h. Zeng, S. Xie, M. Yu, Y. Yang, X. Lu, Y. Tong	
Lithium Batteries: Science and Technology	
A comparative study of different binders and their effects on electrochemical properties of LiMn_2O_4 cathode in lithium ion batteries	1
Z. Zhang, T. Zeng, Y. Lai, M. Jia, J. Li	
$\text{Li}[\text{Li}_{0.2}\text{Mn}_{0.54}\text{Ni}_{0.13}\text{Co}_{0.13}]\text{O}_2\text{-MoO}_3$ composite cathodes with low irreversible capacity loss for lithium ion batteries	20
F. Wu, Z. Wang, Y. Su, N. Yan, L. Bao, S. Chen	
Electrochemistry of lithium-oxygen batteries using microelectrode voltammetry	26
E.J. Nemanick	
High lithium storage capacity and rate capability achieved by mesoporous Co_3O_4 hierarchical nanobundles	49
Y. Xiao, C. Hu, M. Cao	
Significant impact on cathode performance of lithium-ion batteries by precisely controlled metal oxide nanocoatings via atomic layer deposition	57
X. Li, J. Liu, X. Meng, Y. Tang, M.N. Baniş, J. Yang, Y. Hu, R. Li, M. Cai, X. Sun	
Magnetic sputtered amorphous Si/C multilayer thin films as anode materials for lithium ion batteries	78
Y. Tong, Z. Xu, C. Liu, G. Zhang, J. Wang, Z.G. Wu	
Carbon nanotube-wired and oxygen-deficient MoO_3 nanobelts with enhanced lithium-storage capability	90
J. Ni, G. Wang, J. Yang, D. Gao, J. Chen, L. Gao, Y. Li	
Hierarchical functional layers on high-capacity lithium-excess cathodes for superior lithium ion batteries	95
J. Zhao, S. Aziz, Y. Wang	
Compatibility of poly(bisAEEA4)-LiTFSI-MPPipTFSI ionic liquid gel polymer electrolyte with $\text{Li}_4\text{Ti}_5\text{O}_{12}$ lithium ion battery anode	112
I. Stepniak	
Synthesis and electrochemical performance of $\text{LiV}_3\text{O}_8/\text{polythiophene}$ composite as cathode materials for lithium ion batteries	117
H. Guo, L. Liu, H. Shu, X. Yang, Z. Yang, M. Zhou, J. Tan, Z. Yan, H. Hu, X. Wang	
Syntheses and electrochemical properties of layered $\text{Li}_{0.95}\text{Na}_{0.05}\text{Ni}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ and $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$	151
C. Gong, W. Lv, L. Qu, O.E. Bankole, G. Li, R. Zhang, M. Hu, L. Lei	
A general approach for MFe_2O_4 (M = Zn, Co, Ni) nanorods and their high performance as anode materials for lithium ion batteries ...	163
N. Wang, H. Xu, L. Chen, X. Gu, J. Yang, Y. Qian	
Highly loaded $\text{SnO}_2/\text{mesoporous carbon}$ nanohybrid with well-improved lithium storage capability	178
L. Chen, P. Wu, H. Wang, Y. Ye, B. Xu, G. Cao, Y. Zhou, T. Lu, Y. Yang	
Activation of electrochemical lithium and sodium storage of nanocrystalline antimony by anchoring on graphene via a facile in situ solvothermal route.	204
Y. Zhang, J. Xie, T. Zhu, G. Cao, X. Zhao, S. Zhang	
Optimal microwave-assisted hydrothermal synthesis of nanosized $x\text{Li}_2\text{MnO}_3\text{-(1-x)LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ cathode materials for lithium ion battery	219
X. Miao, Y. Yan, C. Wang, L. Cui, J. Fang, G. Yang	
Increasing the high rate performance of mixed metal phospho-olivine cathodes through collective and cooperative strategies	273
B. Ding, G. Ji, Y. Ma, P. Xiao, L. Lu, J.Y. Lee	
A new approach to surface properties of solid electrolyte interphase on a graphite negative electrode	307
S.-H. Lee, H.-G. You, K.-S. Han, J. Kim, I.-H. Jung, J.-H. Song	
Carboxymethyl chitosan: A new water soluble binder for Si anode of Li-ion batteries	327
L. Yue, L. Zhang, H. Zhong	
In operando X-ray diffraction study of Li_7MnN_4 upon electrochemical Li extraction-insertion: A reversible three-phase mechanism .	402
N. Emery, E. Panabière, O. Crosnier, S. Bach, T. Brousse, P. Willmann, J.-P. Pereira-Ramos	
Capacity fade of $\text{LiNi}_{1-x-y}\text{Co}_x\text{Al}_y\text{O}_2$ cathode for lithium-ion batteries during accelerated calendar and cycle life test. I. Comparison analysis between $\text{LiNi}_{(1-x-y)}\text{Co}_x\text{Al}_y\text{O}_2$ and LiCoO_2 cathodes in cylindrical lithium-ion cells during long term storage test	412
S. Watanabe, M. Kinoshita, K. Nakura	
Two-step oxalate approach for the preparation of high performance $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ cathode material with high voltage	437
Z. Liu, Y. Jiang, X. Zeng, G. Xiao, H. Song, S. Liao	
Controlled Li^+ conduction pathway to achieve enhanced ionic conductivity in polymer electrolytes	452
Y. Wang, B. Li, J. Ji, W.-H. Zhong	
Lithium deficient mesoporous $\text{Li}_{2-x}\text{MnSiO}_4$ with significantly improved electrochemical performance	497
H. Wang, T. Hou, D. Sun, X. Huang, H. He, Y. Tang, Y. Liu	

A study of lithium ion batteries cycle aging by thermodynamics techniques	527
K. Maher, R. Yazami	
Sensorless battery temperature measurements based on electrochemical impedance spectroscopy	539
L.H.J. Raijmakers, D.L. Danilov, J.P.M. van Lammeren, M.J.G. Lammers, P.H.L. Notten	
Crystal orientation of epitaxial LiCoO ₂ films grown on SrTiO ₃ substrates	687
K. Nishio, T. Ohnishi, K. Akatsuka, K. Takada	
Electrochemical energy storage behavior of Sn/SnO ₂ double phase nanocomposite anodes produced on the multiwalled carbon nanotube buckypapers for lithium-ion batteries	692
M. Alaf, H. Akbulut	
Copper sulfides for rechargeable lithium batteries: Linking cycling stability to electrolyte composition	703
B. Jache, B. Mogwitz, F. Klein, P. Adelhelm	
Improved electrochemical performance of spinel LiMn ₂ O ₄ in situ coated with graphene-like membrane	721
H. Zhuo, S. Wan, C. He, Q. Zhang, C. Li, D. Gui, C. Zhu, H. Niu, J. Liu	
Performance and stability of a liquid anode high-temperature metal-air battery	749
L. Otaegui, L.M. Rodriguez-Martinez, L. Wang, A. Laresgoiti, H. Tsukamoto, M.H. Han, C.-L. Tsai, I. Laresgoiti, C.M. López, T. Rojo	
Enhanced rate performance of molybdenum-doped spinel LiNi _{0.5} Mn _{1.5} O ₄ cathode materials for lithium ion battery	778
T.-F. Yi, B. Chen, Y.-R. Zhu, X.-Y. Li, R.-S. Zhu	
Sequential effect and enhanced conductivity of star-shaped diblock liquid-crystalline copolymers for solid electrolytes	786
Y. Tong, L. Chen, X. He, Y. Chen	
Porous hollow LiCoMnO ₄ microspheres as cathode materials for 5 V lithium ion batteries	794
M. Hu, Y. Tian, J. Wei, D. Wang, Z. Zhou	
A study of tetrabromobisphenol A (TBBA) as a flame retardant additive for Li-ion battery electrolytes	865
D.G. Belov, D.T. Shieh	
Composite anodes based on nanotube titanium oxide from electro-oxidation of Ti metal substrate	883
A. Pozio, M. Carewska, F. Mura, R. D'Amato, M. Falconieri, M. De Francesco, G.B. Appetecchi	
Analysis of solid electrolyte interface formation reaction and surface deposit of natural graphite negative electrode employing polyacrylic acid as a binder	981
K. Ui, D. Fujii, Y. Niwata, T. Karouji, Y. Shibata, Y. Kadoma, K. Shimada, N. Kumagai	
Improved anode materials for lithium-ion batteries comprise non-covalently bonded graphene and silicon nanoparticles	991
Y.-S. Ye, X.-L. Xie, J. Rick, F.-C. Chang, B.-J. Hwang	
The effect of thermal gradients on the performance of lithium-ion batteries	1018
Y. Troxler, B. Wu, M. Marinescu, V. Yufit, Y. Patel, A.J. Marquis, N.P. Brandon, G.J. Offer	
Proposal of simple and novel method of capacity fading analysis using pseudo-reference electrode in lithium ion cells: Application to solvent-free lithium ion polymer batteries	1026
K. Shono, T. Kobayashi, M. Tabuchi, Y. Ohno, H. Miyashiro, Y. Kobayashi	
Image based modelling of microstructural heterogeneity in LiFePO ₄ electrodes for Li-ion batteries	1033
S.J. Cooper, D.S. Eastwood, J. Gelb, G. Damblanc, D.J.L. Brett, R.S. Bradley, P.J. Withers, P.D. Lee, A.J. Marquis, N.P. Brandon, P.R. Shearing	
Lithium Batteries: Engineering	
Sequential Monte Carlo filter for state estimation of LiFePO ₄ batteries based on an online updated model	156
J. Li, J. Klee Barillas, C. Guenther, M.A. Danzer	
Evaluation of mechanical abuse techniques in lithium ion batteries	189
J. Lamb, C.J. Orendorff	
Production caused variation in capacity aging trend and correlation to initial cell performance	332
T. Baumhöfer, M. Brühl, S. Rothgang, D.U. Sauer	
Simulation and analysis of stress in a Li-ion battery with a blended LiMn ₂ O ₄ and LiNi _{0.8} Co _{0.15} Al _{0.05} O ₂ cathode	365
Y. Dai, L. Cai, R.E. White	
On-line equalization for lithium-ion battery packs based on charging cell voltages: Part 2. Fuzzy logic equalization	460
Y. Zheng, M. Ouyang, L. Lu, J. Li, X. Han, L. Xu	
Characterizing and modeling mechanical properties and onset of short circuit for three types of lithium-ion pouch cells	503
E. Sahraei, J. Meier, T. Wierzbicki	
Temperature-dependent electrochemical heat generation in a commercial lithium-ion battery	618
T.M. Bandhauer, S. Garimella, T.F. Fuller	
Analysis and optimization of hybrid electric vehicle thermal management systems	643
H.S. Hamut, I. Dincer, G.F. Naterer	
Analytical modeling and simulation of electrochemical charge/discharge behavior of Si thin film negative electrodes in Li-ion cells ..	667
M. Jagannathan, K.S.R. Chandran	
On-line equalization for lithium-ion battery packs based on charging cell voltages: Part 1. Equalization based on remaining charging capacity estimation	676
Y. Zheng, M. Ouyang, L. Lu, J. Li, X. Han, L. Xu	
Building a "smart nail" for penetration tests on Li-ion cells	821
T.D. Hatchard, S. Trussler, J.R. Dahn	
Accurate determination of battery discharge characteristics – A comparison between two battery temperature control methods	961
K. Chen, X. Li	
Thermal and overcharge abuse analysis of a redox shuttle for overcharge protection of LiFePO ₄	1011
J. Lamb, C.J. Orendorff, K. Amine, G. Krumdick, Z. Zhang, L. Zhang, A.S. Gozdz	

Other Electrochemical Power Sources: Science and Technology

Selective separation of nickel and cadmium from sulfate solutions of spent nickel–cadmium batteries using mixtures of D2EHPA and Cyanex 302.	127
A. Babakhani, F. Rashchi, A. Zakeri, E. Vahidi	
Fast sodiation/desodiation reactions of electrochemically delithiated olivine LiFePO ₄ in aerated aqueous NaNO ₃ solution.	184
M. Vujković, S. Mentus	
Unexpected performance of layered sodium-ion cathode material in ionic liquid-based electrolyte.	377
L.G. Chagas, D. Buchholz, L. Wu, B. Vortmann, S. Passerini	
Discharge/charge reaction mechanism of a pyrite-type FeS ₂ cathode for sodium secondary batteries.	391
A. Kitajou, J. Yamaguchi, S. Hara, S. Okada	
Electrochemical synthesis of a three-dimensional porous Sb/Cu ₂ Sb anode for Na-ion batteries.	423
D.-H. Nam, K.-S. Hong, S.-J. Lim, H.-S. Kwon	
X-ray absorption measurements on nickel cathode of sodium-beta alumina batteries: Fe–Ni–Cl chemical associations.	517
M.E. Bowden, K.J. Alvine, J.L. Fulton, J.P. Lemmon, X. Lu, B.-J. Webb-Robertson, S.M. Heald, M. Balasubramanian, Devon.R. Mortensen, G.T. Seidler, N.J. Hess	
Durability of nickel–metal hydride (Ni–MH) battery cathode using nickel–aluminum layered double hydroxide/carbon (Ni–Al LDH/C) composite.	572
A.B. Béléké, E. Higuchi, H. Inoue, M. Mizuhata	
Sulfonated poly(ether ether ketone) membranes containing pendent carboxylic acid groups and their application in vanadium flow battery.	629
D. Chen, X. Li	
Preparation and characterization of carbon-coated NaVPO ₄ F as cathode material for rechargeable sodium-ion batteries.	770
Y. Lu, S. Zhang, Y. Li, L. Xue, G. Xu, X. Zhang	
Double liquid electrolyte for primary Mg batteries.	840
J. Du, Z. Wang, Y. Niu, W. Duan, Z. Wu	
An all-solid state NASICON sodium battery operating at 200 °C.	975
F. Lalère, J.B. Leriche, M. Courty, S. Boulineau, V. Viallet, C. Masquelier, V. Seznec	

Other Electrochemical Power Sources: Engineering

A model of the effects of automatic generation control signal characteristics on energy storage system reliability.	594
T. Campbell, T.H. Bradley	
Cost and performance model for redox flow batteries.	1040
V. Viswanathan, A. Crawford, D. Stephenson, S. Kim, W. Wang, B. Li, G. Coffey, E. Thomsen, G. Graff, P. Balducci, M. Kintner-Meyer, V. Sprenkle	

Other Electrochemical Power Sources: Applications

Recovery of zinc and manganese from spent batteries by reductive leaching in acidic media.	612
M. Buzatu, S. Săceanu, M.I. Petrescu, G.V. Ghica, T. Buzatu	

Supercapacitors: Science and Technology

MnO ₂ -modified hierarchical graphene fiber electrochemical supercapacitor.	32
Q. Chen, Y. Meng, C. Hu, Y. Zhao, H. Shao, N. Chen, L. Qu	
Free-standing and mechanically flexible mats consisting of electrospun carbon nanofibers made from a natural product of alkali lignin as binder-free electrodes for high-performance supercapacitors.	134
C. Lai, Z. Zhou, L. Zhang, X. Wang, Q. Zhou, Y. Zhao, Y. Wang, X.-F. Wu, Z. Zhu, H. Fong	
Mesoporous polyaniline film on ultra-thin graphene sheets for high performance supercapacitors.	197
Q. Wang, J. Yan, Z. Fan, T. Wei, M. Zhang, X. Jing	
Multilayer super-short carbon nanotube/reduced graphene oxide architecture for enhanced supercapacitor properties.	396
F. Zeng, Y. Kuang, N. Zhang, Z. Huang, Y. Pan, Z. Hou, H. Zhou, C. Yan, O.G. Schmidt	
Effects of flow cell design on charge percolation and storage in the carbon slurry electrodes of electrochemical flow capacitors.	489
C.R. Dennison, M. Beidaghi, K.B. Hatzell, J.W. Campos, Y. Gogotsi, E.C. Kumbur	
N- and O-doped carbonaceous nanotubes from polypyrrole for potential application in high-performance capacitance.	660
C. Guo, N. Li, L. Ji, Y. Li, X. Yang, Y. Lu, Y. Tu	
Flexible α-MnO ₂ paper formed by millimeter-long nanowires for supercapacitor electrodes.	824
W. Yao, J. Wang, H. Li, Y. Lu	
Fabrication of large-scale nanoporous nickel with a tunable pore size for energy storage.	896
H.-J. Qiu, J.L. Kang, P. Liu, A. Hirata, T. Fujita, M.W. Chen	

Photo-electrochemical Cells

Facial synthesis of SnO ₂ nanoparticle film for efficient fiber-shaped dye-sensitized solar cells.	249
M. Peng, X. Cai, Y. Fu, X. Yu, S. Liu, B. Deng, K. Hany, D. Zou	
High performance solid-state dye-sensitized solar cells based on poly(acrylonitrile-co-vinyl acetate)/TiO ₂ nanoparticles redox electrolytes.	406
C.-L. Chen, T.-W. Chang, S.-C. Su, H. Teng, Y.-L. Lee	
Clean and time-effective synthesis of anatase TiO ₂ nanocrystalline by microwave-assisted solvothermal method for dye-sensitized solar cells.	444
P.-S. Shen, Y.-C. Tai, P. Chen, Y.-C. Wu	

On the analytical approach for modeling photovoltaic systems behavior	467
J. Cubas, S. Pindado, M. Victoria	
Analysis of dye-sensitized solar cells with current collecting electrodes using electrochemical impedance spectroscopy, with a finite element method	475
I. Shitanda, K. Inoue, Y. Hoshi, M. Itagaki	
Transfer and assembly of large area TiO ₂ nanotube arrays onto conductive glass for dye sensitized solar cells	807
J. Zhang, S. Li, H. Ding, Q. Li, B. Wang, X. Wang, H. Wang	
Insights into the co-sensitizer adsorption kinetics for complementary organic dye-sensitized solar cells	906
L.-Y. Lin, M.-H. Yeh, C.-P. Lee, J. Chang, A. Baheti, R. Vittal, K.R. Justin Thomas, K.-C. Ho	
Fabrication of In ₂ O ₃ @In ₂ S ₃ core-shell nanocubes for enhanced photoelectrochemical performance	915
H. Li, C. Chen, X. Huang, Y. Leng, M. Hou, X. Xiao, J. Bao, J. You, W. Zhang, Y. Wang, J. Song, Y. Wang, Q. Liu, G.A. Hope	
New fabrication process of long-life dye-sensitized solar cells by in situ gelation of quasi-solid polymer electrolytes	939
K.-F. Chen, C.-H. Liu, C.-K. Hsieh, C.-L. Lin, H.-K. Huang, C.-H. Tsai, F.-R. Chen	
Surfactant-free synthesis of graphene-functionalized carbon nanotube film as a catalytic counter electrode in dye-sensitized solar cells	999
J. Ma, L. Zhou, C. Li, J. Yang, T. Meng, H. Zhou, M. Yang, F. Yu, J. Chen	

Errata

Corrigendum to "Fabrication of highly porous platinum electrodes for micro-scale applications by pulsed electrodeposition and dealloying" [J. Power Sources 242 (2013) 255–263]	1052
C. Köhler, A. Klope, A. Drzyzga, R. Zengerle, S. Kerzenmacher	
Corrigendum to "Examining temporal and spatial variations of internal temperature in large-format laminated battery with embedded thermocouples" [J. Power Sources 241 (2013) 536–553]	1053
Z. Li, J. Zhang, B. Wu, J. Huang, Z. Nie, Y. Sun, F. An, N. Wu	
Corrigendum to "Ultrahigh methanol electro-oxidation activity of PtRu nanoparticles prepared on TiO ₂ -embedded carbon nanofiber support" [J. Power Sources 242 (2013) 280–288]	1054
Y. Ito, T. Takeuchi, T. Tsujiguchi, M.A. Abdelkareem, N. Nakagawa	
Erratum to "Design of experiments and principal component analysis as approaches for enhancing performance of gas-diffusional air-breathing bilirubin oxidase cathode" [J. Power Sources (2013) 389–397]	1055
S. Babanova, K. Artyushkova, Y. Ulyanova, S. Singhal, P. Atanassov	