


RU
J80/p53

Volume 248, 15 February 2014

ISSN 0378-7753



JOURNAL OF POWER SOURCES

The International Journal on the Science and
Technology of Electrochemical Energy Systems

Regional Editors

C.K. Dyer (N&S America)
Z. Ogumi (Japan & P.R. China)
S. Passerini (Europe, Middle East
and Africa)
D.A.J. Rand (Asia-Pacific)

**Regional and Special
Issues Co-ordinating
Editor**

P.T. Moseley

**Founding
Editor**

D.H. Collins

Available online at www.sciencedirect.com

ScienceDirect



Contents

Review

- A review of blended cathode materials for use in Li-ion batteries 91
S.B. Chikkannanavar, D.M. Bernardi, L. Liu

Fuel Cells: Science and Technology

- Iron-contamination-induced performance degradation of an iron-fed fuel cell 6
M. Sun, W. Song, L.-F. Zhai, Z.-H. Tong
- 2-D numerical modeling and experimental investigation of electrochemical mechanisms coupled with heat and mass transfer in a planar direct carbon fuel cell 44
A. Elleuch, M. Sahraoui, A. Boussetta, K. Halouani, Y. Li
- An improved direct current sintering technique for proton conductor – $\text{BaZr}_{0.1}\text{Ce}_{0.7}\text{Y}_{0.1}\text{Yb}_{0.1}\text{O}_3$: The effect of direct current on sintering process 70
T. Jiang, Y. Liu, Z. Wang, W. Sun, J. Qiao, K. Sun
- Effect of porosity heterogeneity on the permeability and tortuosity of gas diffusion layers in polymer electrolyte membrane fuel cells 83
A. Nabovati, J. Hinebaugh, A. Bazylak, C.H. Amon
- Enhanced electrocatalytic properties of Pt–chitosan nanocomposite for direct methanol fuel cell by LaFeO_3 and carbon nanotube. ... 130
M. Noroozifar, M. Khorasani-Motlagh, M.-S. Ekrami-Kakhki, R. Khaleghian-Moghadam
- Properties of A-site nonstoichiometry $(\text{Pr}_{0.4})_x\text{Sr}_{0.6}\text{Co}_{0.2}\text{Fe}_{0.7}\text{Nb}_{0.1}\text{O}_{3-x}$ ($0.9 \leq x \leq 1.1$) as symmetrical electrode material for solid oxide fuel cells 163
P. Zhang, G. Guan, D.S. Khaerudini, X. Hao, M. Han, Y. Kasai, K. Sasagawa, A. Abudula
- Improvement of the redox durability of Ni-gadolinia doped ceria anodes due to the use of the composite particles prepared by spray pyrolysis method 190
S. Hashigami, H. Yoshida, D. Ueno, M. Kawano, T. Inagaki
- Stability of strontium-doped lanthanum manganite cathode in humidified air 196
B. Hu, M. Keane, M.K. Mahapatra, P. Singh
- Evaluation of Ni/SDC as anode material for dry CH_4 fueled Solid Oxide Fuel Cells 239
Z. Wang, Y. Li, J.W. Schwank
- Direct methanol fuel cells with streamline graded structure under ultra-low fuel stoichiometry condition. 253
S. Jung, C.-Y. Wang
- Formic acid electro-oxidation at PtAu alloyed nanoparticles synthesized by pulsed laser ablation in liquids 273
D.N. Oko, J. Zhang, S. Garbarino, M. Chaker, D. Ma, A.C. Tavares, D. Guay
- Effect of nitrogen post-doping on a commercial platinum–ruthenium/carbon anode catalyst 296
A.R. Corpuz, K.N. Wood, S. Pylypenko, A.A. Dameron, P. Joghee, T.S. Olson, G. Bender, H.N. Dinh, T. Gennett, R.M. Richards, R. O'Hayre
- A novel boost circuit design and in situ electricity application for elemental sulfur recovery 317
J. Liu, Y. Feng, W. He, Y. Gong, Y. Qu, N. Ren
- Improved reaction kinetics and selectivity by the TiO_2 -embedded carbon nanofiber support for electro-oxidation of ethanol on PtRu nanoparticles. 330
N. Nakagawa, Y. Ito, T. Tsujiguchi, H. Ishitobi
- Highly alloyed PtRu black electrocatalysts for methanol oxidation prepared using magnesia nanoparticles as sacrificial templates ... 356
L. Zou, J. Guo, J. Liu, Z. Zou, D.L. Akins, H. Yang
- Soybean-derived mesoporous carbon as an effective catalyst support for electrooxidation of methanol. 427
T. Zhou, H. Wang, S. Ji, V. Linkov, R. Wang

ScienceDirect

Full text of this journal is available, on-line from ScienceDirect. Visit www.sciencedirect.com for more information.

Experimental study of hydrogen purge effects on performance and efficiency of an open-cathode Proton Exchange Membrane fuel cell system.....	474
S. Strahl, A. Husar, J. Riera	
Significant performance improvement in terms of reduced cathode flooding in polymer electrolyte fuel cell using a stainless-steel microcoil gas flow field.....	524
S. Tanaka, T. Shudo	
One-step and rapid synthesis of porous Pd nanoparticles with superior catalytic activity toward ethanol/formic acid electrooxidation	553
W. Hong, Y. Fang, J. Wang, E. Wang	
Synthesis of carbon microspheres loaded with manganese oxide as air cathode in alkaline media.....	565
H. Gao, Z. Li, X. Qin	
Fabrication of electrolyte-free fuel cell with $Mg_{0.4}Zn_{0.6}O/Ce_{0.8}Sm_{0.2}O_{2-\delta}-Li_{0.3}Ni_{0.6}Cu_{0.07}Sr_{0.03}O_{2-\delta}$ layer.....	577
H. Hu, Q. Lin, Z. Zhu, B. Zhu, X. Liu	
Effect of Polytetrafluoroethylene (PTFE) and micro porous layer (MPL) on thermal conductivity of fuel cell gas diffusion layers: Modeling and experiments.....	632
H. Sadeghifar, N. Djilali, M. Bahrami	
An investigation on strontium doped $Sm_2NiO_{4+\delta}$ cathode for intermediate temperature solid oxide fuel cells.....	647
V.N. Chaudhari, A.P. Khandale, S.S. Bhoga	
Enhancement of photovoltaic performance of photoelectrochemical biofuel cells by β -functionalized porphyrin sensitizers.....	660
J. Yang, B. Wang, Y. Liu, K. Wang, W. Xing, C. Liu	
The effect of local structure on ionic conductivity of apatite-type $La_{0.5}Si_6O_{26.25}$	685
W. Liu, T. Tsuchiya, S. Miyoshi, S. Yamaguchi, K. Kobayashi, W. Pan	
Analytical calculation of transfers across a cermet for solid oxide fuel cells and electrolyzers.....	703
M. Dumortier, J. Sanchez, M. Keddad, O. Lacroix	
Modelling and Ni/Yttria-Stabilized-Zirconia pattern anode experimental validation of a new charge transfer reactions mechanism for hydrogen electrochemical oxidation on solid oxide fuel cell anodes.....	777
W. Yao, E. Croiset	
Effect of through-plane distribution of polytetrafluoroethylene in carbon paper on in-plane gas permeability.....	822
H. Ito, K. Abe, M. Ishida, A. Nakano, T. Maeda, T. Munakata, H. Nakajima, T. Kitahara	
Plasma graft-polymerization for synthesis of highly stable hydroxide exchange membrane.....	831
J. Hu, C. Zhang, L. Jiang, S. Fang, X. Zhang, X. Wang, Y. Meng	
Crosslinked poly(vinylbenzyl chloride) with a macromolecular crosslinker for anion exchange membrane fuel cells.....	905
W. Lu, Z.-G. Shao, G. Zhang, Y. Zhao, B. Yi	
Enhancing power generation of scale-up microbial fuel cells by optimizing the leading-out terminal of anode.....	931
S. Cheng, Y. Ye, W. Ding, B. Pan	
Enhancing water retention and low-humidity proton conductivity of sulfonated poly(ether ether ketone) composite membrane enabled by the polymer-microcapsules with controllable hydrophilicity-hydrophobicity.....	951
G. He, Y. Li, Z. Li, L. Nie, H. Wu, X. Yang, Y. Zhao, Z. Jiang	
Coated stainless steel 441 as interconnect material for solid oxide fuel cells: Oxidation performance and chromium evaporation....	1007
J.G. Grolig, J. Froitzheim, J.-E. Svensson	
Porous $La_{0.6}Sr_{0.4}CoO_{3-\delta}$ thin film cathodes for large area micro solid oxide fuel cell power generators.....	1042
I. Garbayo, V. Esposito, S. Sanna, A. Morata, D. Pla, L. Fonseca, N. Sabaté, A. Tarancón	
Effects of using $(La_{0.8}Sr_{0.2})_{0.95}Fe_{0.6}Mn_{0.3}Co_{0.1}O_3$ (LSFMC), $LaNi_{0.6}Fe_{0.4}O_{3-\delta}$ (LNF) and $LaNi_{0.6}Co_{0.4}O_{3-\delta}$ (LNC) as contact materials on solid oxide fuel cells.....	1067
A. Morán-Ruiz, K. Vidal, M.Á. Laguna-Bercero, A. Larrañaga, M.I. Arriortua	
Molecular dynamics simulation of the effect of dopant distribution homogeneity on the oxide ion conductivity of Ba-doped $LaInO_3$	1085
M.-Y. Yoon, K.-J. Hwang, D.-S. Byeon, H.-J. Hwang, S.-M. Jeong	
The electrochemical reactions of pure indium with Li and Na: Anomalous electrolyte decomposition, benefits of FEC additive, phase transitions and electrode performance.....	1105
S.A. Webb, L. Baggetto, C.A. Bridges, G.M. Veith	
Organically functionalized titanium oxide/Nafion composite proton exchange membranes for fuel cells applications.....	1127
D. Cozzi, C. de Bonis, A. D'Epifanio, B. Mecheri, A.C. Tavares, S. Licocchia	
Seeking effective dyes for a mediated glucose-air alkaline battery/fuel cell.....	1133
R. Eustis, T.M. Tsang, B. Yang, D. Scott, B.Y. Liaw	
Highly durable Pt/graphene oxide and Pt/C hybrid catalyst for polymer electrolyte membrane fuel cell.....	1156
J.H. Jung, H.J. Park, J. Kim, S.H. Hur	
Micro ceramic fuel cells with multilayered yttrium-doped barium cerate and zirconate thin film electrolytes.....	1163
K. Bae, D.Y. Jang, H.J. Jung, J.W. Kim, J.-W. Son, J.H. Shim	
Synthesis of the diazonium (perfluoroalkyl) benzenesulfonimide monomer from Nafion monomer for proton exchange membrane fuel cells.....	1177
H. Mei, D. D'Andrea, T.-T. Nguyen, C. Nworie	
A physical model of Direct Methanol Fuel Cell anode impedance.....	1181
M. Zago, A. Casalegno	
Simultaneous estimation of states and inputs in a planar solid oxide fuel cell using nonlinear adaptive observer design.....	1218
P. Vijay, M.O. Tadé, K. Ahmed, R. Utikar, V. Pareek	
Triple microporous layer coated gas diffusion layer for performance enhancement of polymer electrolyte fuel cells under both low and high humidity conditions.....	1256
T. Kitahara, H. Nakajima, M. Inamoto, K. Shinto	

Ni-based anode-supported Al ₂ O ₃ -doped-Y ₂ O ₃ -stabilized ZrO ₂ thin electrolyte solid oxide fuel cells with Y ₂ O ₃ -stabilized ZrO ₂ buffer layer.....	1312
L. Lei, Y. Bai, J. Liu	
Fuel Cells: Engineering	
Effect of channel materials and trapezoidal corner angles on emerging droplet behavior in Proton Exchange Membrane Fuel Cell gas channels.....	230
P. Gopalan, S.G. Kandlikar	
Prolonging fuel cell stack lifetime based on Pontryagin's Minimum Principle in fuel cell hybrid vehicles and its economic influence evaluation.....	533
C.H. Zheng, G.Q. Xu, Y.I. Park, W.S. Lim, S.W. Cha	
Estimating the neutrally buoyant energy density of a Rankine-cycle/fuel-cell underwater propulsion system.....	714
D.F. Waters, C.P. Cadou	
Integrated anode structure for passive direct methanol fuel cells with neat methanol operation.....	1264
H. Wu, H. Zhang, P. Chen, J. Guo, T. Yuan, J. Zheng, H. Yang	
Fuel Cells: Applications	
Feasibility of solid oxide fuel cell dynamic hydrogen coproduction to meet building demand.....	58
B. Shaffer, J. Brouwer	
Enhanced fuel cell hybrid electric vehicle power sharing method based on fuel cost and mass estimation.....	668
K. Maalej, S. Kelouwani, K. Agbossou, Y. Dubé	
Fuel Cells: Fuel Processing	
NaAlH ₄ dehydrogenation properties enhanced by MnFe ₂ O ₄ nanoparticles.....	388
Q. Wan, P. Li, Z. Li, K. Zhao, Z. Liu, L. Wang, F. Zhai, X. Qu, A.A. Volinsky	
Lithium Batteries: Science and Technology	
Nanostructured Fe ₃ O ₄ @C as anode material for lithium-ion batteries.....	15
Z. Zeng, H. Zhao, J. Wang, P. Lv, T. Zhang, Q. Xia	
Microsized single-crystal spinel LAMO for high-power lithium ion batteries synthesized via polyvinylpyrrolidone combustion method.....	22
K. Dai, J. Mao, Z. Li, Y. Zhai, Z. Wang, X. Song, V. Battaglia, G. Liu	
Generalized moving boundary model for charge-discharge of LiFePO ₄ /C cells.....	101
A. Khandelwal, K.S. Hariharan, V. Senthil Kumar, P. Gambhire, S.M. Kolake, D. Oh, S. Doo	
Ternary core/shell structure of Co ₃ O ₄ /NiO/C nanowire arrays as high-performance anode material for Li-ion battery.....	115
J.B. Wu, R.Q. Guo, X.H. Huang, Y. Lin	
Electrochemical characteristics of lithium vanadate, Li ₃ VO ₄ as a new sort of anode material for Li-ion batteries.....	122
S. Ni, X. Lv, J. Ma, X. Yang, L. Zhang	
Multiphysics modeling of lithium ion battery capacity fading process with solid-electrolyte interphase growth by elementary reaction kinetics.....	172
Y. Xie, J. Li, C. Yuan	
Effects of precursor, synthesis time and synthesis temperature on the physical and electrochemical properties of Li(Ni _{1-x-y} Co _x Mn _y)O ₂ cathode materials.....	180
Z. Xu, L. Xiao, F. Wang, K. Wu, L. Zhao, M.-R. Li, H.-L. Zhang, Q. Wu, J. Wang	
Copper nitrate hydrate as novel high capacity anode material for lithium-ion batteries.....	205
K. Wu, D. Wang, L. Shao, M. Shui, R. Ma, M. Lao, N. Long, Y. Ren, J. Shu	
Polydopamine coated electrospun poly(vinylidene fluoride) nanofibrous membrane as separator for lithium-ion batteries.....	224
C. Cao, L. Tan, W. Liu, J. Ma, L. Li	
Solvothermal synthesis of Fe-doping LiMnPO ₄ nanomaterials for Li-ion batteries.....	246
L. Hu, B. Qiu, Y. Xia, Z. Qin, L. Qin, X. Zhou, Z. Liu	
Mesoporous Li ₄ Ti ₅ O ₁₂ nanoclusters as high performance negative Li electrodes for lithium ion batteries.....	265
L. Sun, J. Wang, K. Jiang, S. Fan	
Micro/nano-structure Co ₃ O ₄ as high capacity anode materials for lithium-ion batteries and the effect of the void volume on electrochemical performance.....	289
B. Zhang, Y. Zhang, Z. Miao, T. Wu, Z. Zhang, X. Yang	
Li _{4-x} Na _x Ti ₅ O ₁₂ with low operation potential as anode for lithium ion batteries.....	323
C.W. Xiao, Y. Ding, J.T. Zhang, X.Q. Su, G.R. Li, X.P. Gao, P.W. Shen	
Hollow spherical carbonized polypyrrole/sulfur composite cathode materials for lithium/sulfur cells with long cycle life.....	337
Z. Wang, S. Zhang, L. Zhang, R. Lin, X. Wu, H. Fang, Y. Ren	
Polythiophene coordination complexes as high performance lithium storage materials.....	343
Y. Mao, Q. Kong, L. Shen, Z. Wang, L. Chen	
An explicit algebraic reduced order algorithm for lithium ion cell voltage prediction.....	383
V. Senthil Kumar, P. Gambhire, K.S. Hariharan, A. Khandelwal, S.M. Kolake, D. Oh, S. Doo	
Enhanced lithiation and fracture behavior of silicon mesoscale pillars via atomic layer coatings and geometry design.....	447
J.C. Ye, Y.H. An, T.W. Heo, M.M. Biener, R.J. Nikolic, M. Tang, H. Jiang, Y.M. Wang	
In situ Scanning electron microscope study and microstructural evolution of nano silicon anode for high energy Li-ion batteries.....	457
P. Hovington, M. Dontigny, A. Guerfi, J. Trottier, M. Lagacé, A. Mauger, C.M. Julien, K. Zaghib	

Neutron depth profiling of Li-ion cell electrodes with a gas-controlled environment	489
S.C. Nagpure, P. Mulligan, M. Canova, L.R. Cao	
Multi-dimensional modeling of large-scale lithium-ion batteries	498
S. Jung, D. Kang	
Effects of concentration-dependent elastic modulus on the diffusion of lithium ions and diffusion induced stress in layered battery electrodes	517
Y.-L. He, H.J. Hu, Y.-C. Song, Z.-S. Guo, C. Liu, J.-Q. Zhang	
Multi-walled carbon nanotubes @ mesoporous carbon hybrid nanocomposites from carbonized multi-walled carbon nanotubes @ metal-organic framework for lithium sulfur battery	570
W. Bao, Z. Zhang, C. Zhou, Y. Lai, J. Li	
Aqueous lithium ion batteries on paper substrates	582
K. Sun, D.A. Juarez, H. Huang, E. Jung, S.J. Dillon	
C/LiFePO ₄ /multi-walled carbon nanotube cathode material with enhanced electrochemical performance for lithium-ion batteries ...	588
G. Qin, Q. Wu, J. Zhao, Q. Ma, C. Wang	
Electrochemical properties of LiMn _x Fe _{1-x} PO ₄ (x = 0, 0.2, 0.4, 0.6, 0.8 and 1.0)/vapor grown carbon fiber core-sheath composite nanowire synthesized by electrospinning method	615
K. Kagesawa, E. Hosono, M. Okubo, D. Nishio-Hamane, T. Kudo, H. Zhou	
Densification and ionic-conduction improvement of lithium garnet solid electrolytes by flowing oxygen sintering	642
Y. Li, Z. Wang, C. Li, Y. Cao, X. Guo	
LiMn _{1-x} Fe _x PO ₄ (x = 0, 0.1, 0.2) nanorods synthesized by a facile solvothermal approach as high performance cathode materials for lithium-ion batteries	655
Y. Hong, Z. Tang, Z. Hong, Z. Zhang	
Influence of Li content on the structure and electrochemical performance of Li _{1+x} Ni _{0.25} Mn _{0.75} O _{2.25+x/2} cathode for Li-ion battery	679
Y. Liu, Y. Gao, A. Dou	
Facile spray-drying/pyrolysis synthesis of core-shell structure graphite/silicon-porous carbon composite as a superior anode for Li-ion batteries	721
M. Li, X. Hou, Y. Sha, J. Wang, S. Hu, X. Liu, Z. Shao	
Novel Li(Ni _{1/3} Co _{1/3} Mn _{1/3})O ₂ cathode morphologies for high power Li-ion batteries	729
M. Oljaca, B. Blizanac, A. Du Pasquier, Y. Sun, R. Bontchev, A. Suszko, R. Wall, K. Koehler	
Sulfur infiltrated activated carbon cathodes for lithium sulfur cells: The combined effects of pore size distribution and electrolyte molarity	752
J.T. Lee, Y. Zhao, H. Kim, W.I. Cho, G. Yushin	
Calendar and cycle life study of Li(NiMnCo)O ₂ -based 18650 lithium-ion batteries	839
M. Ecker, N. Nieto, S. Käbitz, J. Schmalstieg, H. Blanke, A. Warnecke, D.U. Sauer	
Stabilizing nanostructured lithium insertion materials via organic hybridization: A step forward towards high-power batteries	852
D. Bresser, B. Oschmann, M.N. Tahir, W. Tremel, R. Zentel, S. Passerini	
Direct observation of important morphology and composition changes at the surface of the CuO conversion material in lithium batteries	861
L. Martin, H. Martinez, D. Poinot, B. Pecquenard, F. Le Cras	
Effects of oxidation on structure and performance of LiVPO ₄ F as cathode material for lithium-ion batteries	874
R. Ma, L. Shao, K. Wu, M. Shui, D. Wang, N. Long, Y. Ren, J. Shu	
Self-organized amorphous titania nanotubes with deposited graphene film like a new heterostructured electrode for lithium ion batteries	886
R. Menéndez, P. Alvarez, C. Botas, F. Nacimiento, R. Alcántara, J.L. Tirado, G.F. Ortiz	
Enhanced oxygen reducibility of 0.5Li ₂ MnO ₃ -0.5LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ cathode material with mild acid treatment	894
G. Xu, J. Li, Q. Xue, X. Ren, G. Yan, X. Wang, F. Kang	
Performance of LiNi _{1/3} Mn _{1/3} Co _{1/3} O ₂ /graphite batteries based on aqueous binder	915
N. Loeffler, J. von Zamory, N. Laszczynski, I. Doberdo, G.-T. Kim, S. Passerini	
Preparation of Li ₂ S-P ₂ S ₅ solid electrolyte from N-methylformamide solution and application for all-solid-state lithium battery	939
S. Teragawa, K. Aso, K. Tadanaga, A. Hayashi, M. Tatsumisago	
A rocking chair type all-solid-state lithium ion battery adopting Li ₂ O-ZrO ₂ coated LiNi _{0.8} Co _{0.15} Al _{0.05} O ₂ and a sulfide based electrolyte	943
S. Ito, S. Fujiki, T. Yamada, Y. Aihara, Y. Park, T.Y. Kim, S.-W. Baek, J.-M. Lee, S. Doo, N. Machida	
Impact of Solid Electrolyte Interphase lithium salts on cycling ability of Li-ion battery: Beneficial effect of glymes additives	969
F. Chrétien, J. Jones, C. Damas, D. Lemordant, P. Willmann, M. Anouti	
A detailed thermal study of a Li[Ni _{0.33} Co _{0.33} Mn _{0.33}]O ₂ /LiMn ₂ O ₄ -based lithium ion cell by accelerating rate and differential scanning calorimetry	978
P. Röder, N. Baba, H.-D. Wiemhöfer	
Soft X-ray absorption spectroscopic studies with different probing depths: Effect of an electrolyte additive on electrode surfaces	994
C. Yogi, D. Takamatsu, K. Yamanaka, H. Arai, Y. Uchimoto, K. Kojima, I. Watanabe, T. Ohta, Z. Ogumi	
Three-dimensional high resolution X-ray imaging and quantification of lithium ion battery mesocarbon microbead anodes	1014
F. Tariq, V. Yufit, M. Kishimoto, P.R. Shearing, S. Menkin, D. Golodnitsky, J. Gelb, E. Peled, N.P. Brandon	
Tyzor [®] -LA used as a precursor for the preparation of carbon coated TiO ₂	1021
P.P. Proisini, C. Cento, A. Pozio	
A novel model of the initial state of charge estimation for LiFePO ₄ batteries	1028
Y. Zhang, W. Song, S. Lin, Z. Feng	
Advanced electrochemical performance of Li ₄ Ti ₅ O ₁₂ -based materials for lithium-ion battery: Synergistic effect of doping and compositing	1034
C. Lin, B. Ding, Y. Xin, F. Cheng, M.O. Lai, L. Lu, H. Zhou	

Electrochemical and thermal characterization of lithium titanate spinel anode in C-LiFePO ₄ //C-Li ₄ Ti ₅ O ₁₂ cells at sub-zero temperatures.....	1050
K. Zaghib, M. Dontigny, P. Perret, A. Guerfi, M. Ramanathan, J. Prakash, A. Mauger, C.M. Julien	
Studies on preventing Li dendrite formation in Li-S batteries by using pre-lithiated Si microwire anodes.....	1058
M. Hagen, E. Quiroga-González, S. Dörfler, G. Fahrner, J. Tübke, M.J. Hoffmann, H. Althues, R. Speck, M. Krampfert, S. Kaskel, H. Föll	
Surface study of electrodes after long-term cycling in Li _{1.2} Ni _{0.15} Mn _{0.55} Co _{0.1} O ₂ -graphite lithium-ion cells.....	1077
X. Li, M. Xu, Y. Chen, B.L. Lucht	
Direct mapping of Li distribution in electrochemically lithiated graphite anodes using scanning Auger electron microscopy.....	1118
N. Ishida, H. Fukumitsu, H. Kimura, D. Fujita	
Ti/Si/Ti sandwich-like thin film as the anode of lithium-ion batteries.....	1141
S. Guo, H. Li, H. Bai, Z. Tao, J. Chen	
Discharge-charge process of the porous sulfur/carbon nanocomposite cathode for rechargeable lithium sulfur batteries.....	1149
M. Gao, X. Xiong, W. Wang, S. Zhao, C. Li, H. Zhang, Z. Yu, Y. Huang	
Effect of polymeric binder type on the thermal stability and tolerance to roll-pressing of spherical natural graphite anodes for Li-ion batteries.....	1191
Y.-S. Park, E.-S. Oh, S.-M. Lee	
Formation and distribution of tetragonal phases in the Li _{1+α} Mn _{2-α} O _{4-δ} at room temperature: Direct evidence from a transmission electron microscopy study.....	1201
Z. Xu, J. Wang, X. Quan, S. Hu, Q. Wu	
Synthesis of an Al ₂ O ₃ -coated polyimide nanofiber mat and its electrochemical characteristics as a separator for lithium ion batteries.....	1211
J. Lee, C.-L. Lee, K. Park, I.-D. Kim	
Carbon and binder free rechargeable Li-O ₂ battery cathode with Pt/Co ₃ O ₄ flake arrays as catalyst.....	1270
G. Zhao, J. Lv, Z. Xu, L. Zhang, K. Sun	
Silicon-carbon composite dispersed in a carbon paper substrate for solid polymer lithium-ion batteries.....	1275
Q. Si, M. Kawakubo, M. Matsui, T. Horiba, O. Yamamoto, Y. Takeda, N. Seki, N. Imanishi	
Influence of gaseous atmosphere during a thermal process for recovery of manganese and zinc from spent batteries.....	1290
G. Belardi, F. Medici, L. Piga	
Tris(trimethylsilyl)phosphate: A film-forming additive for high voltage cathode material in lithium-ion batteries.....	1306
G. Yan, X. Li, Z. Wang, H. Guo, C. Wang	
Lithium Batteries: Engineering	
Graphene-enhanced hybrid phase change materials for thermal management of Li-ion batteries.....	37
P. Goli, S. Legedza, A. Dhar, R. Salgado, J. Renteria, A.A. Balandin	
Study of internal short in a Li-ion cell I. Test method development using infra-red imaging technique.....	769
P. Ramadass, W. Fang, Z. (John) Zhang	
Mechanical behavior of representative volume elements of lithium-ion battery modules under various loading conditions.....	789
W.-J. Lai, M.Y. Ali, J. Pan	
Enabling aqueous binders for lithium battery cathodes - Carbon coating of aluminum current collector.....	1000
I. Doberdó, N. Löffler, N. Laszczynski, D. Cericola, N. Penazzi, S. Bodoardo, G.-T. Kim, S. Passerini	
Study of internal short in a Li-ion cell-II. Numerical investigation using a 3D electrochemical-thermal model.....	1090
W. Fang, P. Ramadass, Z. (John) Zhang	
Lithium Batteries: Applications	
Energy management of a power-split plug-in hybrid electric vehicle based on genetic algorithm and quadratic programming.....	416
Z. Chen, C.C. Mi, R. Xiong, J. Xu, C. Yu	
Lead-Acid Batteries: Science and Technology	
Study of electrochemically active carbon, Ga ₂ O ₃ and Bi ₂ O ₃ as negative additives for valve-regulated lead-acid batteries working under high-rate, partial-state-of-charge conditions.....	1
L. Zhao, B. Chen, J. Wu, D. Wang	
Electrodeposited lead-foam grids on copper-foam substrates as positive current collectors for lead-acid batteries.....	307
K. Ji, C. Xu, H. Zhao, Z. Dai	
Other Electrochemical Power Sources: Science and Technology	
Synthesis of novel organic-ligand-doped sodium bis(oxalate)-borate complexes with tailored thermal stability and enhanced ion conductivity for sodium ion batteries.....	77
C. Ge, L. Wang, L. Xue, Z.-S. Wu, H. Li, Z. Gong, X.-D. Zhang	
Ex-situ experimental studies on serpentine flow field design for redox flow battery systems.....	140
T. Jyothi Latha, S. Jayanti	
Studies on pressure losses and flow rate optimization in vanadium redox flow battery.....	154
A. Tang, J. Bao, M. Skyllas-Kazacos	
Methanothermal treatment of carbonated mixtures of PbSO ₄ and PbO ₂ to synthesize α-PbO for lead acid batteries.....	363
P. Gao, W. Lv, R. Zhang, Y. Liu, G. Li, X. Bu, L. Lei	
Electrochemical Na-insertion/extraction properties of SnO thick-film electrodes prepared by gas-deposition.....	378
M. Shimizu, H. Usui, H. Sakaguchi	
Hydrogen evolution at the negative electrode of the all-vanadium redox flow batteries.....	560
C.-N. Sun, F.M. Delnick, L. Baggetto, G.M. Veith, T.A. Zawodzinski Jr.	
Composite PEO _n -NaTFSI polymer electrolyte: Preparation, thermal and electrochemical characterization.....	695
J. Serra Moreno, M. Armand, M.B. Berman, S.G. Greenbaum, B. Scrosati, S. Panero	

Effect of pretreatment on the surface structure of a $\text{Co}(\text{OH})_2$ electrode	762
E. Higuchi, H. Otsuka, M. Chiku, H. Inoue	
New in-situ neutron diffraction cell for electrode materials	900
J.J. Biendicho, M. Roberts, C. Offer, D. Noréus, E. Widenkvist, R.I. Smith, G. Svensson, K. Edström, S.T. Norberg, S.G. Eriksson, S. Hull	
Electrochemical study on polypyrrole microparticle suspension as flowing anode for manganese dioxide rechargeable flow battery. .	962
Y. Zhao, S. Si, L. Wang, C. Liao, P. Tang, H. Cao	
High cycling stability of zinc-anode/conducting polymer rechargeable battery with non-aqueous electrolyte	1099
A. Guerfi, J. Trottier, I. Boyano, I. De Meaza, J.A. Blazquez, S. Brewer, K.S. Ryder, A. Vijh, K. Zaghbi	
Solvents and supporting electrolytes for vanadium acetylacetonate flow batteries	1299
A.A. Shinkle, T.J. Pomaville, A.E.S. Sleightholme, L.T. Thompson, C.W. Monroe	
Other Electrochemical Power Sources: Engineering	
Effects of various annealing conditions on $(\text{Nd, Mg, Zr})(\text{Ni, Al, Co})_{3,74}$ metal hydride alloys	147
K. Young, T. Ouchi, B. Huang	
Evaluation of plug-in electric vehicles impact on cost-based unit commitment	545
E. Talebizadeh, M. Rashidinejad, A. Abdollahi	
Recovery of manganese and zinc via sequential precipitation from spent zinc- MnO_2 dry cells after fusion with potassium hydrogensulfate	596
C.L. Quintanilha, J.C. Afonso, C.A. Vianna, V. Gante, J.L. Mantovano	
Control of a Vanadium Redox Battery and supercapacitor using a Three-Level Neutral Point Clamped converter	1170
A. Etxeberria, I. Vechiu, S. Baudoin, H. Camblong, S. Kreckelbergh	
Other Electrochemical Power Sources: Applications	
A decentralized charging control strategy for plug-in electric vehicles to mitigate wind farm intermittency and enhance frequency regulation	604
X. Luo, S. Xia, K.W. Chan	
Halogen-free boron based electrolyte solution for rechargeable magnesium batteries	690
J. Zhu, Y. Guo, J. Yang, Y. Nuli, F. Zhang, J. Wang, S.-i. Hirano	
Supercapacitors: Science and Technology	
Facilely synthesized porous NiCo_2O_4 flowerlike nanostructure for high-rate supercapacitors	28
H. Chen, J. Jiang, L. Zhang, T. Qi, D. Xia, H. Wan	
Enhanced low-temperature capacitance of MnO_2 nanorods in a redox-active electrolyte	212
L. Su, L. Gong, H. Lü, Q. Xü	
Spatiotemporal electrochemical measurements across an electric double layer capacitor electrode with application to aqueous sodium hybrid batteries	348
K.C. Tully, J.F. Whitacre, S. Litster	
An analysis of ethylene glycol-aqueous based electrolyte system for supercapacitor applications	370
C. Ramasamy, J. Palma del Val, M. Anderson	
All-solid-state electrochemical capacitors using MnO_2 electrode/ SiO_2 -Nafion electrolyte composite prepared by the sol-gel process. .	396
K. Shimamoto, K. Tadanaga, M. Tatsumisago	
RuO_2 /graphene hybrid material for high performance electrochemical capacitor.	407
L. Deng, J. Wang, G. Zhu, L. Kang, Z. Hao, Z. Lei, Z. Yang, Z.-H. Liu	
Facile synthesis of specific FeMnO_3 hollow sphere/graphene composites and their superior electrochemical energy storage performances for supercapacitor	465
M. Li, W. Xu, W. Wang, Y. Liu, B. Cui, X. Guo	
Inkjet-printed energy storage device using graphene/polyaniline inks	483
Y. Xu, I. Hennig, D. Freyberg, A. James Strudwick, M. Georg Schwab, T. Weitz, K. Chih-Pei Cha	
Nitrogen/phosphorus co-doped nonporous carbon nanofibers for high-performance supercapacitors	745
X. Yan, Y. Liu, X. Fan, X. Jia, Y. Yu, X. Yang	
An efficient redox-mediated organic electrolyte for high-energy supercapacitor	1123
H. Yu, J. Wu, L. Fan, S. Hao, J. Lin, M. Huang	
Contribution of carbon fiber paper (CFP) to the capacitance of a CFP-supported manganese oxide supercapacitor	1197
D. Chen, M.-K. Song, S. Cheng, L. Huang, M. Liu	
Toward binder-free electrochemical capacitor electrodes of vanadium oxide-nanostructured carbon by supercritical fluid deposition: Precursor adsorption and conversion, and electrode performance	1241
Q.H. Do, J. Smithyman, C. Zeng, C. Zhang, R. Liang, J.P. Zheng	
Highly conductive ethylene-vinyl acetate copolymer/carbon nanotube paper for lightweight and flexible supercapacitors.	1248
Z. Zhang, W. Wang, C. Li, L. Wei, X. Chen, Y. Tong, K. Mai, X. Lu	
Solvothermal synthesis and electrochemical performance in super-capacitors of $\text{Co}_3\text{O}_4/\text{C}$ flower-like nanostructures.	1281
J. Jiang, W. Shi, S. Song, Q. Hao, W. Fan, X. Xia, X. Zhang, Q. Wang, C. liu, D. Yan	
Photo-electrochemical Cells	
Efficient CdS quantum dot sensitized solar cells made using novel Cu_2S counter electrode.	218
K. Meng, P.K. Suroliya, O. Byrne, K.R. Thampi	
Enhancement of monobasal solid-state dye-sensitized solar cells with polymer electrolyte assembling imidazolium iodide-functionalized silica nanoparticles	283
M. Hu, J. Sun, Y. Rong, Y. Yang, L. Liu, X. Li, M. Forsyth, D.R. MacFarlane, H. Han	

Novel D-D- π -A organic dyes based on triphenylamine and indole-derivatives for high performance dye-sensitized solar cells.....	400
X. Liu, Z. Cao, H. Huang, X. Liu, Y. Tan, H. Chen, Y. Pei, S. Tan	
Energy storage via polyvinylidene fluoride dielectric on the counterelectrode of dye-sensitized solar cells.....	434
X. Huang, X. Zhang, H. Jiang	
Improved photovoltaic performance of CdSe/CdS/PbS quantum dot sensitized ZnO nanorod array solar cell	439
C. Justin Raj, S.N. Karthick, S. Park, K.V. Hemalatha, S.-K. Kim, K. Prabakar, H.-J. Kim	
Preparation of ordered mesoporous WO ₃ -TiO ₂ films and their performance as functional Pt supports for synergistic photo-electrocatalytic methanol oxidation	510
T. Wang, J. Tang, S. Wu, X. Fan, J. He	
An improved model and parameters extraction for photovoltaic cells using only three state points at standard test condition.....	621
L. Peng, Y. Sun, Z. Meng	
Calculating current density-voltage curves of dye-sensitized solar cells: A straight-forward approach	739
S. Sarker, H.W. Seo, D.M. Kim	
An efficient and transparent copper sulfide nanosheet film counter electrode for bifacial quantum dot-sensitized solar cells	809
W. Ke, G. Fang, H. Lei, P. Qin, H. Tao, W. Zeng, J. Wang, X. Zhao	
Employment of ionic liquid-imbibed polymer gel electrolyte for efficient quasi-solid-state dye-sensitized solar cells.....	816
Q. Li, Q. Tang, N. Du, Y. Qin, J. Xiao, B. He, H. Chen, L. Chu	
Enhanced photovoltaic performances of quasi-solid-state dye-sensitized solar cells using a novel conducting gel electrolyte	923
Q. Li, X. Chen, Q. Tang, H. Cai, Y. Qin, B. He, M. Li, S. Jin, Z. Liu	
Effects of nanoparticle additives on the properties of agarose polymer electrolytes	988
Y. Yang, J. Cui, P. Yi, X. Zheng, X. Guo, W. Wang	
Solid state synthesis of poly(3,4-ethylenedioxythiophene) as counter electrode for dye-sensitized solar cell.....	1234
L. Chen, J. Jin, X. Shu, J. Xia	