



Volume 253, 1 May 2014

ISSN 0378-7753

JOURNAL OF POWER SOURCES

The International Journal on the Science and
Technology of Electrochemical Energy Systems

Regional Editors

- C.K. Dyer (N&S America)
Z. Ogumi (Japan & P.R. China)
S. Passerini (Europe, Middle East
and Africa)
D.A.J. Rand (Asia-Pacific)

**Regional and Special
Issues Co-ordinating
Editor**

P.T. Moseley

**Founding
Editor**

D.H. Collins

Available online at www.sciencedirect.com

ScienceDirect



ELSEVIER

Contents lists available at ScienceDirect

Journal of Power Sources

journal homepage: www.elsevier.com/locate/jpowsour

Contents

Reviews

Analysis of the electrochemical performance of MoNi–CeO ₂ cermet as anode material for solid oxide fuel cell. Part I. H ₂ , CH ₄ and H ₂ /CH ₄ mixtures as fuels	64
M.J. Escudero, I. Gómez de Parada, A. Fuerte, J.L. Serrano	
Application of carbon materials in redox flow batteries	150
M.H. Chakrabarti, N.P. Brandon, S.A. Hajimolana, F. Tariq, V. Yufit, M.A. Hashim, M.A. Hussain, C.T.J. Low, P.V. Aravind	
Recent progress in the development of Li ₂ MnSiO ₄ cathode materials	315
R.J. Gummow, Y. He	

Fuel Cells: Science and Technology

Fabrication of PtCu and PtNiCu multi-nanorods with enhanced catalytic oxygen reduction activities	1
L. Liu, G. Samjeské, S. Takao, K. Nagasawa, Y. Iwasawa	
Encapsulation of SnO ₂ nanoparticles into hollow TiO ₂ nanowires as high performance anode materials for lithium ion batteries	9
Q. Tian, Z. Zhang, L. Yang, S.-i. Hirano	
Post-mortem analysis of a long-term tested proton exchange membrane fuel cell stack under low cathode humidification conditions	90
N.-I. Kim, Y. Seo, K.B. Kim, N. Lee, J.-H. Lee, I. Song, H. Choi, J.-Y. Park	
Vertically aligned carbon nanotube electrodes for high current density operating proton exchange membrane fuel cells	104
S. Murata, M. Imanishi, S. Hasegawa, R. Namba	
High performance Bi-layered electrolytes via atomic layer deposition for solid oxide fuel cells	114
Y. Jee, G.Y. Cho, J. An, H.-R. Kim, J.-W. Son, J.-H. Lee, F.B. Prinz, M.H. Lee, S.W. Cha	
Three-dimensional study of compressed gas diffusion layers using synchrotron X-ray imaging	123
C. Tötzke, G. Gaiselmann, M. Osenberg, J. Bohner, T. Arlt, H. Markötter, A. Hilger, F. Wieder, A. Kupsch, B.R. Müller, M.P. Hentschel, J. Banhart, V. Schmidt, W. Lehnert, I. Manke	
Promotion of anodic electron transfer in a microbial fuel cell combined with a silicon solar cell	177
H. Ding, Y. Li, A. Lu, X. Wang, C. Wang	
Effect of Ce _{0.8} Sm _{0.2} O _{1.9} interlayer on the electrochemical performance of La _{0.75} Sr _{0.25} Cr _{0.5} Mn _{0.5} O _{3–δ} –Ce _{0.8} Sm _{0.2} O _{1.9} composite anodes for intermediate-temperature solid oxide fuel cells	187
S. He, H. Chen, R. Li, L. Ge, L. Guo	
Facile synthesis of morphology-controlled Co ₃ O ₄ nanostructures through solvothermal method with enhanced catalytic activity for H ₂ O ₂ electroreduction	214
K. Cheng, D. Cao, F. Yang, Y. Xu, G. Sun, K. Ye, J. Yin, G. Wang	
Composite cathode based on doped vanadate enhanced with loaded metal nanoparticles for steam electrolysis	349
Y. Li, G. Wu, C. Ruan, Q. Zhou, Y. Wang, W. Doherty, K. Xie, Y. Wu	
On the estimation of high frequency parameters of Proton Exchange Membrane Fuel Cells via Electrochemical Impedance Spectroscopy	381
J. Mainka, G. Maranzana, J. Dillet, S. Didierjean, O. Lottin	
The effect of ethanol concentration on the direct ethanol fuel cell performance and products distribution: A study using a single fuel cell/attenuated total reflectance – Fourier transform infrared spectroscopy	392
M.H.M.T. Assumpção, J. Nandinha, G.S. Buzzo, J.C.M. Silva, E.V. Spinacé, A.O. Neto, R.F.B. De Souza	
Mass synthesis of high performance (La _{0.75} Sr _{0.25}) _{0.95} MnO _{3±δ} nano-powder prepared via a low-carbon chemical solution method	424
J.X. Wang, J.L. Sun, C.R. He, Q. Wang, W.G. Wang	

ScienceDirect
Full text of this journal is available, on-line from ScienceDirect. Visit www.sciencedirect.com for more information.

Fuel Cells: Engineering

Effects of cathode materials on the characteristics of electrolyte supported micro-tubular solid oxide fuel cells	35
W.-S. Hsieh, P. Lin, S.-F. Wang	
Theoretical study on $\text{Sm}_x\text{Sr}_{1-x}\text{MnO}_3$ as a potential solid oxide fuel cell cathode	138
L. Jia, X. Wang, W. Li, K. Li, B. Chi, J. Pu, L. Jian, S. Yuan	
Effects of Mo content on microstructure and corrosion resistance of arc ion plated Ti-Mo-N films on 316L stainless steel as bipolar plates for polymer exchange membrane fuel cells	201
M. Zhang, K.H. Kim, Z. Shao, F. Wang, S. Zhao, N. Suo	
Detecting and localizing failure points in proton exchange membrane fuel cells using IR thermography	224
G. Bender, W. Felt, M. Ulsh	
Quantitative contribution of resistance sources of components to stack performance for planar solid oxide fuel cells.....	305
L. Jin, W. Guan, X. Ma, H. Zhai, W.G. Wang	
Corrosion behaviour of austenitic stainless steel as a function of methanol concentration for direct methanol fuel cell bipolar plate..	332
L. Wang, B. Kang, N. Gao, X. Du, L. Jia, J. Sun	

Fuel Cells: Fuel Processing

Percolative metal-organic framework/carbon composites for hydrogen storage.....	132
S. Xie, J.-Y. Hwang, X. Sun, S. Shi, Z. Zhang, Z. Peng, Y. Zhai	
Studies on the faradaic efficiency for electrochemical reduction of carbon dioxide to formate on tin electrode	276
W. Lv, R. Zhang, P. Gao, L. Lei	

Lithium Batteries: Science and Technology

Size effect of nickel oxide for lithium ion battery anode.....	27
M.-Y. Cheng, Y.-S. Ye, T.-M. Chiu, C.-J. Pan, B.-J. Hwang	
Effect of additives on electrochemical performance of lithium nickel cobalt manganese oxide at high temperature.....	48
K.S. Kang, S. Choi, J.H. Song, S.-G. Woo, Y.N. Jo, J. Choi, T. Yim, J.-S. Yu, Y.-J. Kim	
Preparation of three-dimensional hybrid nanostructure-encapsulated sulfur cathode for high-rate lithium sulfur batteries.....	55
J. Xie, J. Yang, X. Zhou, Y. Zou, J. Tang, S. Wang, F. Chen	
Quantitative studies on thermal stability of a FeF_3 cathode in methyl difluoroacetate-based electrolyte for Li-ion batteries	74
M. Zhou, L. Zhao, S. Okada, J.-i. Yamaki	
Solvothermal synthesis of nano $\text{LiMn}_{0.9}\text{Fe}_{0.1}\text{PO}_4$: Reaction mechanism and electrochemical properties	143
F. Ye, L. Wang, X. He, M. Fang, Z. Dai, J. Wang, C. Huang, F. Lian, J. Wang, G. Tian, M. Ouyang	
Characterization of as-deposited $\text{Li}_4\text{Ti}_5\text{O}_{12}$ thin film electrode prepared by aerosol deposition method	181
R. Inada, K. Shibukawa, C. Masada, Y. Nakanishi, Y. Sakurai	
Nitrogen-doped carbon coated TiO_2 nanocomposites as anode material to improve cycle life for lithium-ion batteries.....	193
L. Tan, L. Pan, C. Cao, B. Wang, L. Li	
Hydrothermal synthesis and potential applicability of rhombohedral siderite as a high-capacity anode material for lithium ion batteries.....	251
S. Zhao, Y. Yu, S. Wei, Y. Wang, C. Zhao, R. Liu, Q. Shen	
Preparation and electrochemical performance of polyphosphazene based salt-in-polymer electrolyte membranes for lithium ion batteries	256
S. Jankowsky, M.M. Hiller, H.-D. Wiemhöfer	
Polysulfide shuttle control: Towards a lithium-sulfur battery with superior capacity performance up to 1000 cycles by matching the sulfur/electrolyte loading	263
X.-B. Cheng, J.-Q. Huang, H.-J. Peng, J.-Q. Nie, X.-Y. Liu, Q. Zhang, F. Wei	
Nitridated Si-Ti-Ni alloy as an anode for Li rechargeable batteries.....	282
T. Song, K.C. Kil, Y. Jeon, S. Lee, W.C. Shin, B. Chung, K. Kwon, U. Paik	
Periodic structures of Sn self-inserted between graphene interlayers as anodes for Li-ion battery.....	287
X. Zhou, Y. Zou, J. Yang	
Mesoporous $\text{Li}_3\text{V}_2(\text{PO}_4)_3@\text{CMK}-3$ nanocomposite cathode material for lithium ion batteries	294
S. Wang, Z. Zhang, Z. Jiang, A. Deb, L. Yang, S.-i. Hirano	
Lithium dynamics in carbon-rich polymer-derived SiCN ceramics probed by nuclear magnetic resonance	342
S.-H. Baek, L.M. Reinold, M. Graczyk-Zajac, R. Riedel, F. Hammerath, B. Büchner, H.-J. Grafe	
Synthesis of high-performance $\text{MnO}_x/\text{carbon}$ composite as lithium-ion battery anode by a facile co-precipitation method: Effects of oxygen stoichiometry and carbon morphology	373
R.-C. Lee, Y.-P. Lin, Y.-T. Weng, H.-A. Pan, J.-F. Lee, N.-L. Wu	
Optimization of Multi-Walled Carbon Nanotube based CF_x electrodes for improved primary and secondary battery performances ...	404
R. Jayasinghe, A.K. Thapa, R.R. Dharmasena, T.Q. Nguyen, B.K. Pradhan, H.S. Paudel, J.B. Jasinski, A. Sherehiy, M. Yoshio, G.U. Sumanasekera	

Lithium Batteries: Engineering

A design optimization methodology for Li^+ batteries.....	239
S. Golmon, K. Maute, M.L. Dunn	
Nanosized Ge@CNF, Ge@C@CNF and Ge@CNF@C composites via chemical vapour deposition method for use in advanced lithium-ion batteries	366
S. Li, C. Chen, K. Fu, R. White, C. Zhao, P.D. Bradford, X. Zhang	
Development of a voltage relaxation model for rapid open-circuit voltage prediction in lithium-ion batteries.....	412
L. Pei, T. Wang, R. Lu, C. Zhu	

Other Electrochemical Power Sources: Science and Technology

Solid state synthesis of Fe ₂ P nanoparticles as high-performance anode materials for nickel-based rechargeable batteries.....	360
Y. Wang, L. Zhang, H. Li, Y. Wang, L. Jiao, H. Yuan, L. Chen, H. Tang, X. Yang	
Development and characterization of a 280 cm ² vanadium/oxygen fuel cell	397
J. Noack, C. Cremers, D. Bayer, J. Tübke, K. Pinkwart	
Performance of Al–0.5 Mg–0.02 Ga–0.1 Sn–0.5 Mn as anode for Al–air battery in NaCl solutions	419
J. Ma, J. Wen, J. Gao, Q. Li	

Supercapacitors: Science and Technology

Non-aqueous hybrid supercapacitors fabricated with mesoporous TiO ₂ microspheres and activated carbon electrodes with superior performance	80
Y. Cai, B. Zhao, J. Wang, Z. Shao	
Nanowire Na _{0.35} MnO ₂ from a hydrothermal method as a cathode material for aqueous asymmetric supercapacitors	98
B.H. Zhang, Y. Liu, Z. Chang, Y.Q. Yang, Z.B. Wen, Y.P. Wu, R. Holze	
Superior capacitive performances of binary nickel–cobalt hydroxide nanonetwork prepared by cathodic deposition	205
J.-C. Chen, C.-T. Hsu, C.-C. Hu	

Photo-electrochemical Cells

Fabrication of micro/nano-composite porous TiO ₂ electrodes for quantum dot-sensitized solar cells	17
X. Song, M. Wang, T. Xing, J. Deng, J. Ding, Z. Yang, X. Zhang	
Novel photoelectrochemical behaviors of p-SiC films on Si for solar water splitting	41
Q.-B. Ma, B. Kaiser, W. Jaegermann	
Effects of different alkyl chains on the performance of dye-sensitized solar cells with different electrolytes	167
Y. Zhang, Y. Zhang, Z. Wang, M. Liang, D. Jia, Q. Wu, S. Xue	
Star-shaped carbazole derivative based efficient solid-state dye sensitized solar cell	230
A. Michaleviciute, M. Degbia, A. Tomkeviciene, B. Schmaltz, E. Gurskyte, J.V. Grazulevicius, J. Bouclé, F. Tran-Van	
Sugar apple-shaped TiO ₂ hierarchical spheres for highly efficient dye-sensitized solar cells.....	269
B.-X. Lei, L.-L. Zeng, P. Zhang, H.-K. Qiao, Z.-F. Sun	
High-performance polyaniline counter electrode electropolymerized in presence of sodium dodecyl sulfate for dye-sensitized solar cells	300
Y. Qiu, S. Lu, S. Wang, X. Zhang, S. He, T. He	

Errata

Corrigendum to "Elastic moduli of polycrystalline Li ₁₅ Si ₄ produced in lithium ion batteries" [J. Power Sources 242 (2013) 732–735] ..	431
Z. Zeng, N. Liu, Q. Zeng, Y. Ding, S. Qu, Y. Cui, W.L. Mao	
Corrigendum to "Toward high capacity and stable manganese-spinel electrode materials: A case study of Ti-substituted system" [J. Power Sources 245 (2014) 570–578]	432
S. Wang, J. Yang, X. Wu, Y. Li, Z. Gong, W. Wen, M. Lin, J. Yang, Y. Yang	
Corrigendum to "Effects of precursor, synthesis time and synthesis temperature on the physical and electrochemical properties of Li(Ni _{1-x-y} Co _x Mn _y)O ₂ cathode materials" [J. Power Sources 248 (2014) 180–189]......	433
Z. Xu, L. Xiao, F. Wang, K. Wu, L. Zhao, M.-R. Li, H.-L. Zhang, Q. Wu, J. Wang	