


TU
J80/p53



Volume 257, 1 July 2014

ISSN 0378-7753

JOURNAL OF POWER SOURCES

The International Journal on the Science and
Technology of Electrochemical Energy Systems

Regional Editors

C.K. Dyer (N&S America)
Z. Ogumi (Japan & P.R. China)
S. Passerini (Europe, Middle East
and Africa)
D.A.J. Rand (Asia-Pacific)

**Regional and Special
Issues Co-ordinating
Editor**

P.T. Moseley

**Founding
Editor**

D.H. Collins

Available online at www.sciencedirect.com


ScienceDirect



ELSEVIER

Contents lists available at ScienceDirect

Journal of Power Sources

journal homepage: www.elsevier.com/locate/jpowsour

Contents

Review

- Review on recent progress of nanostructured anode materials for Li-ion batteries 421
 S. Goriparti, E. Miele, F. De Angelis, E. Di Fabrizio, R. Proietti Zaccaria, C. Capiglia

Fuel Cells: Science and Technology

- Reducing Pt use in the catalysts for formic acid electrooxidation via nanoengineered surface structure 45
 M. Liao, Y. Wang, G. Chen, H. Zhou, Y. Li, C.-J. Zhong, B.H. Chen
- 3D microstructure modeling of compressed fiber-based materials 52
 G. Gaiselmann, C. Tötze, I. Manke, W. Lehnert, V. Schmidt
- A novel method for effective diffusion coefficient measurement in gas diffusion media of polymer electrolyte fuel cells 80
 L. Yang, H. Sun, X. Fu, S. Wang, L. Jiang, G. Sun
- Electrocatalysis of carbon black- or poly(diallyldimethylammonium chloride)-functionalized activated carbon nanotubes-supported Pd-Tb towards methanol oxidation in alkaline media. 138
 L. Wang, Y. Wang, A. Li, Y. Yang, Q. Tang, H. Cao, T. Qi, C. Li
- On the effect of non-carbon nanostructured supports on the stability of Pt nanoparticles during voltage cycling: A study of TiO₂ nanofibres 147
 I. Savych, J. Bernard d'Arbigny, S. Subianto, S. Cavaliere, D.J. Jones, J. Rozière
- Au- and Pd-modified porous Co film supported on Ni foam substrate as the high performance catalysts for H₂O₂ electroreduction ... 156
 F. Yang, K. Cheng, K. Ye, X. Xiao, F. Guo, G. Wang, D. Cao
- Spinel ZnCo₂O₄/N-doped carbon nanotube composite: A high active oxygen reduction reaction electrocatalyst 170
 Z. Pu, Q. Liu, C. Tang, A.M. Asiri, A.H. Qusti, A.O. Al-Youbi, X. Sun
- Micro direct methanol fuel cell with perforated silicon-plate integrated ionomer membrane 237
 J.V. Larsen, B.T. Dalslet, A.-C. Johansson, C. Kallesøe, E.V. Thomsen
- Cobalt porphyrin-based material as methanol tolerant cathode in single chamber microbial fuel cells (SCMFCs) 246
 B. Liu, C. Brückner, Y. Lei, Y. Cheng, C. Santoro, B. Li
- Poly (vinylidene fluoride-co-hexafluoropropylene)/polybenzimidazole blend nanofiber supported Nafion membranes for direct methanol fuel cells. 254
 S.-H. Wang, H.-L. Lin
- Gold electrode modified with a self-assembled glucose oxidase and 2,6-pyridinedicarboxylic acid as novel glucose bioanode for biofuel cells 272
 M. Ammam, J. Fransaer
- Significant performance enhancement of yttrium-doped barium cerate proton conductor as electrolyte for solid oxide fuel cells through a Pd ingress–egress approach 308
 Y. Liu, R. Ran, S. Li, Y. Jiao, M.O. Tade, Z. Shao
- Investigation of hydrogen peroxide reduction reaction on graphene and nitrogen doped graphene nanoflakes in neutral solution 356
 S.J. Amirfakhri, D. Binny, J.-L. Meunier, D. Berk
- Electrochemical study of multi-electrode microbial fuel cells under fed-batch and continuous flow conditions 454
 L. Ren, Y. Ahn, H. Hou, F. Zhang, B.E. Logan

Fuel Cells: Engineering

- Membrane degradation during combined chemical and mechanical accelerated stress testing of polymer electrolyte fuel cells 102
 C. Lim, L. Ghassemzadeh, F. Van Hove, M. Lauritzen, J. Kolodziej, G.G. Wang, S. Holdcroft, E. Kjeang

ScienceDirect

Full text of this journal is available, on-line from ScienceDirect. Visit www.sciencedirect.com for more information.

Sensitivity analysis of a mathematical model of lithium–sulfur cells: Part II: Precipitation reaction kinetics and sulfur content.	402
M. Ghaznavi, P. Chen	
Fuel cell–gas turbine hybrid system design part I: Steady state performance	412
D. McLarty, J. Brouwer, S. Samuelsen	
Long-term evaluation of solid oxide fuel cell candidate materials in a 3-cell generic stack test fixture, part III: Stability and microstructure of Ce-(Mn,Co)-spinel coating, AISI441 interconnect, alumina coating, cathode and anode	444
Y.-S. Chou, J.W. Stevenson, J.-P. Choi	
Fuel Cells: Applications	
Solid oxide fuel cell application in district cooling	21
A. Al-Qattan, A. ElSherbini, K. Al-Ajmi	
Fuel Cells: Fuel Processing	
<i>In situ</i> synthesis of cobalt stabilized on macroscopic biopolymer hydrogel as economical and recyclable catalyst for hydrogen generation from sodium borohydride hydrolysis	213
L. Ai, X. Gao, J. Jiang	
Ultrafine Ru nanoparticles embedded in SiO ₂ nanospheres: Highly efficient catalysts for hydrolytic dehydrogenation of ammonia borane	293
Q. Yao, W. Shi, G. Feng, Z.-H. Lu, X. Zhang, D. Tao, D. Kong, X. Chen	
The beneficial use of non-thermal plasma in synthesis of Ni/Al ₂ O ₃ –MgO nanocatalyst used in hydrogen production from reforming of CH ₄ /CO ₂ greenhouse gases	364
P. Estifae, M. Haghighi, A.A. Babaluo, N. Rahemi, M.F. Jafari	
Lithium Batteries: Science and Technology	
LiNi _{0.5} Mn _{1.5} O ₄ nanoparticles: Synthesis with synergistic effect of polyvinylpyrrolidone and ethylene glycol and performance as cathode of lithium ion battery	37
H.B. Lin, Y.M. Zhang, J.N. Hu, Y.T. Wang, L.D. Xing, M.Q. Xu, X.P. Li, W.S. Li	
Direct growth of FePO ₄ /graphene and LiFePO ₄ /graphene hybrids for high rate Li-ion batteries	65
Q. Fan, L. Lei, X. Xu, G. Yin, Y. Sun	
Thermal reactivity study of spinel lithium titanium oxide material for lithium ion battery by thermal and spectral analysis	96
H.-Y. Yu, D. Zhang, Z. Zhu, Q. Lu	
Two-phase separation in a lithiated spinel Li ₄ Ti ₅ O ₁₂ crystal as confirmed by electron energy-loss spectroscopy	120
M. Kitta, T. Akita, S. Tanaka, M. Kohyama	
Non-uniform aging of cycled commercial LiFePO ₄ //graphite cylindrical cells revealed by <i>post-mortem</i> analysis	126
M. Klett, R. Eriksson, J. Groot, P. Svens, K. Ciosek Högström, R.W. Lindström, H. Berg, T. Gustafson, G. Lindbergh, K. Edström	
The effect of fluoroethylene carbonate additive content on the formation of the solid-electrolyte interphase and capacity fade of Li-ion full-cell employing nano Si–graphene composite anodes	163
A. Bordes, K.S. Eom, T.F. Fuller	
3-D dumbbell-like LiNi _{1/3} Mn _{1/3} Co _{1/3} O ₂ cathode materials assembled with nano-building blocks for lithium-ion batteries	186
W.-H. Ryu, S.-J. Lim, W.-K. Kim, H.S. Kwon	
Hybrid network CuS monolith cathode materials synthesized via facile <i>in situ</i> melt-diffusion for Li-ion batteries	192
J. Cheng, Y. Pan, J. Zhu, Z. Li, J. Pan, Z. Ma	
Hollow Li _{1.2} Mn _{0.5} Co _{0.25} Ni _{0.05} O ₂ microcube prepared by binary template as a cathode material for lithium ion batteries	198
S.J. Shi, Z.R. Lou, T.F. Xia, X.L. Wang, C.D. Gu, J.P. Tu	
Lithium intercalation into single-walled carbon nanotubes network electrode: Storage mechanisms and impurity effects	205
L.A. Montoro, E.Y. Matsubara, J.M. Rosolen	
High rate capability core–shell lithium titanate@ceria nanosphere anode material synthesized by one-pot co-precipitation for lithium-ion batteries	280
X. Yang, Y. Huang, X. Wang, D. Jia, W.K. Pang, Z. Guo, X. Tang	
Impact of active material surface area on thermal stability of LiCoO ₂ cathode	286
J. Geder, H.E. Hoster, A. Jossen, J. Garche, D.Y.W. Yu	
Surface modification of LiV ₃ O ₈ nanosheets via layer-by-layer self-assembly for high-performance rechargeable lithium batteries	319
R. Mo, Y. Du, N. Zhang, D. Rooney, K. Sun	
A theoretical and computational study of lithium-ion battery thermal management for electric vehicles using heat pipes	344
A. Greco, D. Cao, X. Jiang, H. Yang	
Lithium Batteries: Engineering	
A lumped-parameter electro-thermal model for cylindrical batteries	1
X. Lin, H.E. Perez, S. Mohan, J.B. Siegel, A.G. Stefanopoulou, Y. Ding, M.P. Castanier	
Effect of tab design on large-format Li-ion cell performance	70
W. Zhao, G. Luo, C.-Y. Wang	
A holistic aging model for Li(NiMnCo)O ₂ based 18650 lithium-ion batteries	325
J. Schmalstieg, S. Käbitz, M. Ecker, D.U. Sauer	
<i>In situ</i> atomic force microscopy nanoindentation of lithiated silicon nanopillars for lithium ion batteries	380
Q.P. McAllister, K.E. Strawhecker, C.R. Becker, C.A. Lundgren	
Sensitivity analysis of a mathematical model of lithium–sulfur cells part I: Applied discharge current and cathode conductivity	394
M. Ghaznavi, P. Chen	

The effectiveness of plug-in hybrid electric vehicles and renewable power in support of holistic environmental goals: Part 1 – Evaluation of aggregate energy and greenhouse gas performance	461
B. Tarroja, J.D. Eichman, L. Zhang, T.M. Brown, S. Samuelsen	
Lithium Batteries: Applications	
The impact of range anxiety and home, workplace, and public charging infrastructure on simulated battery electric vehicle lifetime utility	12
J. Neubauer, E. Wood	
CuInZnS-decorated graphene as a high-rate durable anode for lithium-ion batteries	90
X. Tang, X. Yao, Y. Chen, B. Song, D. Zhou, J. Kong, C. Zhao, X. Lu	
Lead-Acid Batteries: Science and Technology	
A novel ultrafine leady oxide prepared from spent lead pastes for application as cathode of lead acid battery	27
D. Yang, J. Liu, Q. Wang, X. Yuan, X. Zhu, L. Li, W. Zhang, Y. Hu, X. Sun, R.V. Kumar, J. Yang	
Influence of the active mass particle suspension in electrolyte upon corrosion of negative electrode of a lead-acid battery	181
Y. Kamenev, G. Shtompel, E. Ostapenko, V. Leonov	
Other Electrochemical Power Sources: Science and Technology	
The electrochemical performances of Zn–Sn–Al-hydroxalcalites in Zn–Ni secondary cells	174
T. Wang, Z. Yang, B. Yang, R. Wang, J. Huang	
Sulfonated poly(ether ether ketone)/mesoporous silica hybrid membrane for high performance vanadium redox flow battery	221
Z. Li, W. Dai, L. Yu, J. Xi, X. Qiu, L. Chen	
Other Electrochemical Power Sources: Engineering	
Design and control strategy for a hybrid green energy system for mobile telecommunication sites	335
M.S. Okundamiya, J.O. Emagbetere, E.A. Ogujor	
Other Electrochemical Power Sources: Applications	
Impact of short-term storage on frequency response under increasing wind penetration	111
V. Krishnan, T. Das, J.D. McCalley	
Supercapacitors: Science and Technology	
Electrochemical properties and electrocatalytic activity of conducting polymer/copper nanoparticles supported on reduced graphene oxide composite	300
A. Ehsani, B. Jaleh, M. Nasrollahzadeh	
Electrochemical dealloying using pulsed voltage waveforms and its application for supercapacitor electrodes	374
J. Zhang, Y. Zhan, H. Bian, Z. Li, C.-K. Tsang, C. Lee, H. Cheng, S. Shu, Y.Y. Li, J. Lu	
Supercapacitors: Engineering	
Development and characterization of Li-ion capacitor pouch cells	388
W.J. Cao, J. Shih, J.P. Zheng, T. Doung	
Photo-electrochemical Cells	
A dye-sensitized solar cell based on platinum nanotube counter electrode with efficiency of 9.05%	84
J. Wu, Z. Tang, Y. Huang, M. Huang, H. Yu, J. Lin	
A flexible polypyrrole-coated fabric counter electrode for dye-sensitized solar cells	230
J. Xu, M. Li, L. Wu, Y. Sun, L. Zhu, S. Gu, L. Liu, Z. Bai, D. Fang, W. Xu	
Effect of different trap states on the electron transport of photoanodes in dye sensitized solar cells	264
J. Zhang, J. Feng, Y. Hong, Y. Zhu, L. Han	