


ПН
780/p58

Volume 268, 5 December 2014

ISSN 0378-7753



JOURNAL OF POWER SOURCES

The International Journal on the Science and
Technology of Electrochemical Energy Systems

Regional Editors

C.K. Dyer (N&S America)
Z. Ogumi (Japan & P.R. China)
S. Passerini (Europe, Middle East
and Africa)
D.A.J. Rand (Asia-Pacific)

**Regional and Special
Issues Co-ordinating
Editor**

P.T. Moseley

**Founding
Editor**

D.H. Collins

Available online at www.sciencedirect.com


ScienceDirect



ELSEVIER

Contents lists available at ScienceDirect

Journal of Power Sources

journal homepage: www.elsevier.com/locate/jpowsour

Contents

Review

- The formation and stability of the solid electrolyte interface on the graphite anode 153
V.A. Agubra, J.W. Fergus

Fuel Cells: Science and Technology

- A phosphorus-free anolyte to enhance coulombic efficiency of microbial fuel cells. 14
X. Tang, H. Li, Z. Du, H.Y. Ng
- Improved electrolyte and its application in $\text{LiNi}_{1/3}\text{Mn}_{1/3}\text{Co}_{1/3}\text{O}_2$ -Graphite full cells. 37
M. Liu, F. Dai, Z. Ma, M. Ruthkosky, L. Yang
- Corrosion protection of aluminum bipolar plates with polyaniline coating containing carbon nanotubes in acidic medium inside the polymer electrolyte membrane fuel cell 50
M.A. Deyab
- Effect of heat treatment of electrodes on direct borohydride-hydrogen peroxide fuel cell performance 63
B. Jang, T.H. Oh, S. Kwon
- Investigation of PdIr/C electrocatalysts as anode on the performance of direct ammonia fuel cell 129
M.H.M.T. Assumpção, S.G. da Silva, R.F.B. De Souza, G.S. Buzzo, E.V. Spinacé, M.C. Santos, A.O. Neto, J.C.M. Silva
- Phosphorus-doped carbon nanotubes supported low Pt loading catalyst for the oxygen reduction reaction in acidic fuel cells. 171
Z. Liu, Q. Shi, R. Zhang, Q. Wang, G. Kang, F. Peng
- A new family of barium-doped $\text{Sr}_2\text{Fe}_{1.5}\text{Mo}_{0.5}\text{O}_{6-\delta}$ perovskites for application in intermediate temperature solid oxide fuel cells 176
N. Dai, Z. Wang, T. Jiang, J. Feng, W. Sun, J. Qiao, D. Rooney, K. Sun
- Corrugated mesh flow channel and novel microporous layers for reducing flooding and resistance in gas diffusion layer-less polymer electrolyte fuel cells. 183
S. Tanaka, T. Shudo
- Pt–Sn/C catalysts prepared by sodium borohydride reduction for alcohol oxidation in fuel cells: Effect of the precursor addition order 225
F.E. López-Suárez, A. Bueno-López, K.I.B. Eguiluz, G.R. Salazar-Banda
- Corrosion behavior of TiN, TiAlN, TiAlSiN-coated 316L stainless steel in simulated proton exchange membrane fuel cell environment 240
N.D. Nam, M. Vaka, N. Tran Hung
- Mesoporous Pt–Co oxygen reduction reaction (ORR) catalysts for low temperature proton exchange membrane fuel cell synthesized by alternating sputtering. 255
G. Sievers, S. Mueller, A. Quade, F. Steffen, S. Jakubith, A. Kruth, V. Brueser
- A novel iron (II) polyphthalocyanine catalyst assembled on graphene with significantly enhanced performance for oxygen reduction reaction in alkaline medium. 269
L. Lin, M. Li, L. Jiang, Y. Li, D. Liu, X. He, L. Cui
- Simultaneous pH self-neutralization and bioelectricity generation in a dual bioelectrode microbial fuel cell under periodic reversion of polarity 287
W. Li, J. Sun, Y. Hu, Y. Zhang, F. Deng, J. Chen
- Anode supported single chamber solid oxide fuel cells operating in exhaust gases of thermal engine. 356
P. Briault, M. Rieu, R. Laucournet, B. Morel, J.-P. Viricelle
- $(\text{LaSr})_x\text{MnO}_3$ cathode stoichiometry effects on electrochemical performance in contact with AISI 441 steel interconnect. 379
K. Lu, F. Shen, R. Roberts, G. Doucette, M. McGuire, W. Li
- Effect of CO_2 on the stability of strontium doped lanthanum manganite cathode 404
B. Hu, M.K. Mahapatra, M. Keane, H. Zhang, P. Singh

ScienceDirect

Full text of this journal is available, on-line from ScienceDirect. Visit www.sciencedirect.com for more information.

Enhancement of bacterial denitrification for nitrate removal in groundwater with electrical stimulation from microbial fuel cells...	423
B. Zhang, Y. Liu, S. Tong, M. Zheng, Y. Zhao, C. Tian, H. Liu, C. Feng	
Coating TiVCr hydrogen storage alloy on the anode gas diffusion layer of proton exchange membrane fuel cells to improve performance	443
S.-Y. Fang, R.-H. Huang, L.G. Teoh, K.-L. Hsueh, W.-K. Chao, D.-C. Tsai, T.-N. Yang, F.-S. Shieu	
Electrocatalytic activities of alkyne-functionalized copper nanoparticles in oxygen reduction in alkaline media.....	469
K. Liu, Y. Song, S. Chen	
Silver electrodeposition on the activated carbon air cathode for performance improvement in microbial fuel cells	476
L. Pu, K. Li, Z. Chen, P. Zhang, X. Zhang, Z. Fu	
Evolution of the electrocatalytic activity of carbon-supported amorphous platinum–ruthenium–nickel–phosphorous nanoparticles for methanol oxidation	498
Y. Ma, H. Li, H. Wang, X. Mao, V. Linkov, S. Ji, O.U. Gcilitshana, R. Wang	
Deactivation of nickel-based anode in solid oxide fuel cells operated on carbon-containing fuels	508
J. Xiao, Y. Xie, J. Liu, M. Liu	
Micro-mesoporous carbon spheres derived from carrageenan as electrode material for supercapacitors.....	584
Y. Fan, X. Yang, B. Zhu, P.-F. Liu, H.-T. Lu	
A bioinspired approach to protectively decorate platinum–carbon for enhanced activity and durability in oxygen reduction	591
Y. Huang, F. Fu, P. Wu, Y. Wang, J. Yao	
Electrochemical performance and stability of lanthanum strontium cobalt ferrite oxygen electrode with gadolinia doped ceria barrier layer for reversible solid oxide fuel cell	634
H. Fan, M. Keane, P. Singh, M. Han	
Performance enhancement of direct ethanol fuel cell using Nafion composites with high volume fraction of titania.....	706
B.R. Matos, R.A. Isidoro, E.I. Santiago, F.C. Fonseca	
Pt-coated Pd nanocubes as catalysts for alkaline oxygen reduction activity	712
C.-L. Lee, C.-C. Yang, C.-R. Liu, Z.-T. Liu, J.-S. Ye	
Preparation of reduced tantalum pentoxide by electrochemical technique for oxygen reduction reaction.....	728
Z. Awaludin, T. Okajima, T. Ohsaka	
Influence of membrane properties on the transient behavior of polymer electrolyte fuel cells	733
A. Verma, R. Pitchumani	
One-pot synthesis of platinum ₃ cobalt nanoflowers with enhanced oxygen reduction and methanol oxidation	744
J.-N. Zheng, L.-L. He, C. Chen, A.-J. Wang, K.-F. Ma, J.-J. Feng	
Near net shape manufacturing of planar anode supported solid oxide fuel cells by using ceramic injection molding and screen printing.....	752
R. Kluczowski, M. Krauz, M. Kawalec, J.P. Ouweltjes	
The characteristic of strontium-site deficient perovskites Sr _x Fe _{1.5} Mo _{0.5} O _{6-δ} (x = 1.9–2.0) as intermediate-temperature solid oxide fuel cell cathodes	771
G. Yang, J. Feng, W. Sun, N. Dai, M. Hou, X. Hao, J. Qiao, K. Sun	
Aluminum oxide as a dual-functional modifier of Ni-based anodes of solid oxide fuel cells for operation on simulated biogas.....	787
F. Wang, W. Wang, R. Ran, M.O. Tade, Z. Shao	
Nd _{1.8} Ce _{0.2} CuO _{4+δ} :Ce _{0.9} Gd _{0.1} O _{2-δ} as a composite cathode for intermediate-temperature solid oxide fuel cells.....	794
A.P. Khandale, S.S. Bhoga	
Chemical stability study of nanoscale thin film yttria-doped barium cerate electrolyte for micro solid oxide fuel cells	804
Y. Li, P.-C. Su, L.M. Wong, S. Wang	
Preparation and characterization of carbon-supported PtOs electrocatalysts via polyol reduction method for methanol oxidation reaction.....	824
Z. Li, M. Li, M. Han, J. Zeng, Y. Li, Y. Guo, S. Liao	
Proton dynamics in sulfonated ionic salt composites: Alternative membrane materials for proton exchange membrane fuel cells	853
N.E. De Almeida, G.R. Goward	
Chemical reaction mechanisms between Y ₂ O ₃ stabilized ZrO ₂ and Gd doped CeO ₂ with PH ₃ in coal syngas	904
G. Chen, H. Kishimoto, K. Yamaji, K. Kuramoto, M. Gong, X. Liu, G. Hackett, K. Gerdes, T. Horita	
Model-based analysis of water management in alkaline direct methanol fuel cells.....	911
C. Weinzierl, U. Krewer	
Fuel Cells: Engineering	
Experimental investigation of two-phase flow pressure drop transients in polymer electrolyte membrane fuel cell reactant channels and their impact on the cell performance.....	194
R. Banerjee, S.G. Kandlikar	
Optimal control strategies for hydrogen production when coupling solid oxide electrolyzers with intermittent renewable energies ..	212
Q. Cai, C.S. Adjiman, N.P. Brandon	
Sinusoidal potential cycling operation of a direct ethanol fuel cell to improving carbon dioxide yields.....	439
P. Majidi, P.G. Pickup	
Mathematical modeling and simulation of thermal management in polymer electrolyte membrane fuel cell stacks	533
A. Amirfazli, S. Asghari, M. Koosha	
Optimal selection of proton exchange membrane fuel cell condition monitoring thresholds	692
P. Bošković, A. Debenjak	
Slurry-based chemical hydrogen storage systems for automotive fuel cell applications.....	950
K.P. Brooks, T.A. Semelsberger, K.L. Simmons, B. van Hassel	

Fuel Cells: Fuel Processing

Oxygen evolution in Co-doped RuO ₂ and IrO ₂ : Experimental and theoretical insights to diminish electrolysis overpotential.	69
R.G. González-Huerta, G. Ramos-Sánchez, P.B. Balbuena	
Steam reforming of methanol over copper loaded anodized aluminum oxide (AAO) prepared through electrodeposition	88
E. Linga Reddy, J. Karuppiah, H.C. Lee, D.H. Kim	
A series of copper-free ternary oxide catalysts ZnAlCe _x used for hydrogen production via dimethyl ether steam reforming.	331
L. Zhang, M. Meng, X. Wang, S. Zhou, L. Yang, T. Zhang, L. Zheng, J. Zhang, T. Hu	
Hierarchical hollow urchin-like NiCo ₂ O ₄ nanomaterial as electrocatalyst for oxygen evolution reaction in alkaline medium.	341
J. Wang, T. Qiu, X. Chen, Y. Lu, W. Yang	
Gasoline-fueled solid oxide fuel cell with high power density	546
X. Hou, O. Marin-Flores, B.W. Kwon, J. Kim, M.G. Norton, S. Ha	
Influence of M–B (M = Fe, Co, Ni) on aluminum–water reaction	550
H.X. Meng, N. Wang, Y.M. Dong, Z.L. Jia, L.J. Gao, Y.J. Chai	
Mechanism and kinetics of sodium borohydride hydrolysis over crystalline nickel and nickel boride and amorphous nickel–boron nanoparticles.	596
Z. Wu, X. Mao, Q. Zi, R. Zhang, T. Dou, A.C.K. Yip	
Hydrogen generation by tin corrosion in lactic acid solution promoted by sodium perchlorate.	765
M.A. Deyab	
Significantly improved dehydrogenation of ball-milled MgH ₂ doped with CoFe ₂ O ₄ nanoparticles	778
J. Shan, P. Li, Q. Wan, F. Zhai, J. Zhang, Z. Li, Z. Liu, A.A. Volinsky, X. Qu	

Lithium Batteries: Science and Technology

Al–Ga coating mechanism and discharge–charge characteristics of Li–Mn–O cathode powders at –30–55 °C	7
F.-Y. Hung, K.-Y. Yang	
Lithium–sulfur batteries: Influence of C-rate, amount of electrolyte and sulfur loading on cycle performance.	82
J. Brückner, S. Thieme, H.T. Grossmann, S. Dörfler, H. Althues, S. Kaskel	
Effects of Ni ²⁺ doping on the performances of lithium iron pyrophosphate cathode material.	96
J.-c. Zheng, X. Ou, B. Zhang, C. Shen, J.-f. Zhang, L. Ming, Y.-d. Han	
Towards understanding the rate capability of layered transition metal oxides LiNi _y Mn _y Co _{1–2y} O ₂	106
Z. Li, C. Ban, N.A. Chernova, Z. Wu, S. Upreti, A. Dillon, M.S. Whittingham	
Novel efficient synthesis of nanosized carbon coated LiMnPO ₄ composite for lithium ion batteries and its electrochemical performance	146
J. Duan, Y. Cao, J. Jiang, K. Du, Z. Peng, G. Hu	
The electrochemical and local structural analysis of the mesoporous Li ₄ Ti ₅ O ₁₂ anode	294
S. Kim, S. Fang, Z. Zhang, J. Chen, L. Yang, J.E. Penner-Hahn, A. Deb	
The impact of calendar aging on the thermal stability of a LiMn ₂ O ₄ –Li(Ni _{1/3} Mn _{1/3} Co _{1/3})O ₂ /graphite lithium-ion cell	315
P. Röder, B. Stiaszny, J.C. Ziegler, N. Baba, P. Lagaly, H.-D. Wiemhöfer	
Effects of inorganic salts on the morphological, structural, and electrochemical properties of prepared nickel-rich Li[Ni _{0.6} Co _{0.2} Mn _{0.2}]O ₂	349
K.J. Kim, Y.N. Jo, W.J. Lee, T. Subburaj, K. Prasanna, C.W. Lee	
Large and stable reversible lithium-ion storages from mesoporous SnO ₂ nanosheets with ultralong lifespan over 1000 cycles.	365
X. Zhang, B. Jiang, J. Guo, Y. Xie, L. Tang	
Graphene nanoscrolls encapsulated TiO ₂ (B) nanowires for lithium storage.	372
X. Li, Y. Zhang, T. Li, Q. Zhong, H. Li, J. Huang	
Facile kinetics of Li-ion intake causes superior rate capability in multiwalled carbon nanotube@TiO ₂ nanocomposite battery anodes.	397
P. Acevedo-Peña, M. Haro, M.E. Rincón, J. Bisquert, G. Garcia-Belmonte	
A high performance layered transition metal oxide cathode material obtained by simultaneous aluminum and iron cationic substitution	414
W. El Mofid, S. Ivanov, A. Konkin, A. Bund	
High rate LiMn ₂ O ₄ /carbon nanotube composite prepared by a two-step hydrothermal process	491
B.-K. Zou, X.-H. Ma, Z.-F. Tang, C.-X. Ding, Z.-Y. Wen, C.-H. Chen	
Temperature dependence of the initial coulombic efficiency in Li-rich layered Li[Li _{0.144} Ni _{0.136} Co _{0.136} Mn _{0.544}]O ₂ oxide for lithium-ions batteries	517
B. Qiu, J. Wang, Y. Xia, Z. Wei, S. Han, Z. Liu	
The effects of moisture contamination in the Li–O ₂ battery.	565
M.H. Cho, J. Trottier, C. Gagnon, P. Hovington, D. Clément, A. Vijh, C.-S. Kim, A. Guerfi, R. Black, L. Nazar, K. Zaghib	
Embedding nano-silicon in graphene nanosheets by plasma assisted milling for high capacity anode materials in lithium ion batteries	610
W. Sun, R. Hu, H. Liu, M. Zeng, L. Yang, H. Wang, M. Zhu	
Surface film formation on TiSnSb electrodes: Impact of electrolyte additives	645
W. Zhang, F. Ghamouss, A. Darwiche, L. Monconduit, D. Lemordant, R. Dedryvère, H. Martinez	
A comparative study of commercial lithium ion battery cycle life in electric vehicle: Capacity loss estimation	658
X. Han, M. Ouyang, L. Lu, J. Li	
Surface structural conversion and electrochemical enhancement by heat treatment of chemical pre-delithiation processed lithium-rich layered cathode material	683
S. Han, B. Qiu, Z. Wei, Y. Xia, Z. Liu	

Template-free synthesis of vanadium oxides nanobelt arrays as high-rate cathode materials for lithium ion batteries	700
M. Qin, Q. Liang, A. Pan, S. Liang, Q. Zhang, Y. Tang, X. Tan	
Influence of mechanical grinding on lithium insertion and extraction properties of iron silicide/silicon composites	848
H. Usui, K. Nouno, Y. Takemoto, K. Nakada, A. Ishii, H. Sakaguchi	
High catalytic activity of anatase titanium dioxide for decomposition of electrolyte solution in lithium ion battery.....	882
M. Liu, Y.-B. He, W. Lv, C. Zhang, H. Du, B. Li, Q.-H. Yang, F. Kang	
Li distribution in graphite anodes: A Kelvin Probe Force Microscopy approach.....	887
S.Y. Luchkin, H.-Y. Amanieu, D. Rosato, A.L. Kholkin	
Remaining capacity estimation of Li-ion batteries based on temperature sample entropy and particle filter.....	895
J. Li, C. Lyu, L. Wang, L. Zhang, C. Li	
Field assisted sintering of dense Al-substituted cubic phase $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ solid electrolytes	960
Y. Zhang, F. Chen, R. Tu, Q. Shen, L. Zhang	
Lithium Batteries: Engineering	
Analysis of electric and thermal behaviour of lithium-ion cells in realistic driving cycles	301
A. Tourani, P. White, P. Ivey	
Model based condition monitoring in lithium-ion batteries	459
A. Singh, A. Izadian, S. Anwar	
A thermal-electrochemical model that gives spatial-dependent growth of solid electrolyte interphase in a Li-ion battery.....	482
L. Liu, J. Park, X. Lin, A.M. Sastry, W. Lu	
Thermoelectrochemical simulations of performance and abuse in 50-Ah automotive cells.....	625
S.U. Kim, P. Albertus, D. Cook, C.W. Monroe, J. Christensen	
New latent heat storage system with nanoparticles for thermal management of electric vehicles	718
N. Javani, I. Dincer, G.F. Naterer	
Degradation mechanism of LiCoO_2 /mesocarbon microbeads battery based on accelerated aging tests.....	816
T. Guan, P. Zuo, S. Sun, C. Du, L. Zhang, Y. Cui, L. Yang, Y. Gao, G. Yin, F. Wang	
State-of-charge and state-of-health estimation for lithium-ion batteries based on dynamic impedance technique.....	861
M.-H. Hung, C.-H. Lin, L.-C. Lee, C.-M. Wang	
Algebraic method for parameter identification of circuit models for batteries under non-zero initial condition.....	928
L. Devarakonda, T. Hu	
Lead-Acid Batteries: Science and Technology	
Vibration test methods and their experimental research on the performance of the lead-acid battery	326
B. He, H. Wang, X. He	
Lead-Acid Batteries: Engineering	
Real-time estimation of lead-acid battery parameters: A dynamic data-driven approach	758
Y. Li, Z. Shen, A. Ray, C.D. Rahn	
Other Electrochemical Power Sources: Science and Technology	
Description and performance of a novel aqueous all-copper redox flow battery.....	121
L. Sanz, D. Lloyd, E. Magdalena, J. Palma, K. Kontturi	
Ab initio characterization of layered MoS_2 as anode for sodium-ion batteries.....	279
M. Mortazavi, C. Wang, J. Deng, V.B. Shenoy, N.V. Medhekar	
Phase decomposition and electrochemical properties of single phase $\text{La}_{1.6}\text{Mg}_{0.4}\text{Ni}_7$ alloy	575
L. Zhang, S. Han, D. Han, Y. Li, X. Zhao, J. Liu	
Post-hoc comparisons among iron electrode formulations based on bismuth, bismuth sulphide, iron sulphide, and potassium sulphide under strong alkaline conditions.....	810
J.O. Gil Posada, P.J. Hall	
Other Electrochemical Power Sources: Engineering	
Development of MnO_2 cathode inks for flexographically printed rechargeable zinc-based battery.....	246
Z. Wang, R. Winslow, D. Madan, P.K. Wright, J.W. Evans, M. Keif, X. Rong	
Peak power prediction of a vanadium redox flow battery	261
V.K. Yu, D. Chen	
Other Electrochemical Power Sources: Applications	
Production of potassium manganate and barium manganate from spent zinc- MnO_2 dry cells via fusion with potassium hydroxide.....	831
R.A. da Rocha, C.L. Quintanilha, T.V. Lanxin, J.C. Afonso, C.A. Vianna, V. Gante, J.L. Mantovano	
Supercapacitors: Science and Technology	
Carbon nanotube/ polypyrrole nanofibers core-shell composites decorated with titanium dioxide nanoparticles for supercapacitor electrodes.....	45
A.H.P. de Oliveira, H.P. de Oliveira	
Performance improvement of gel- and solid-state dye-sensitized solar cells by utilization the blending effect of poly (vinylidene fluoride-co-hexafluoropropylene) and poly (acrylonitrile-co-vinyl acetate) co-polymers	77
S. Venkatesan, N. Obadja, T.-W. Chang, L.-T. Chen, Y.-L. Lee	
Synthesis and electrochemical performances of novel hierarchical flower-like nickel sulfide with tunable number of composed nanoplates	113
J. Yang, W. Guo, D. Li, C. Wei, H. Fan, L. Wu, W. Zheng	

Facile synthesis of cobalt manganese oxides nanowires on nickel foam with superior electrochemical performance	204
P. Xu, K. Ye, D. Cao, J. Huang, T. Liu, K. Cheng, J. Yin, G. Wang	
Polypyrrole coated carbon nanotubes for supercapacitor devices with enhanced electrochemical performance	233
Y. Zhu, K. Shi, I. Zhitomirsky	
Oxidative precipitation of ruthenium oxide for supercapacitors: Enhanced capacitive performances by adding cetyltrimethylammonium bromide	430
I.-L. Chen, Y.-C. Wei, T.-Y. Chen, C.-C. Hu, T.-L. Lin	
Three-dimensional cross-linked carbon network wrapped with ordered polyaniline nanowires for high-performance pseudo-supercapacitors	451
H. Hu, S. Liu, M. Hanif, S. Chen, H. Hou	
Synthesis and structure determination of potassium copper selenide nanowires and solid-state supercapacitor application	522
K. Zhang, H. Chen, X. Wang, D. Guo, C. Hu, S. Wang, J. Sun, Q. Leng	
Experimental and modeling study on charge storage/transfer mechanism of graphene-based supercapacitors	604
S. Ban, X. Jing, H. Zhou, L. Zhang, J. Zhang	
Strategies to optimize lithium-ion supercapacitors achieving high-performance: Cathode configurations, lithium loadings on anode, and types of separator	841
W. Cao, Y. Li, B. Fitch, J. Shih, T. Doung, J. Zheng	
Supercapacitors: Applications	
Empirical evaluation of the improvement of battery output when coupled with a capacitor bank	640
S.R. Cain, A. Anderson, E. Tasillo, W. Infantolino, P. Wolfgramm	
Photo-electrochemical Cells	
Scattering resonance enhanced dye absorption of dye sensitized solar cells at optimized hollow structure size	1
M.-C. Tsai, J.-Y. Lee, Y.-C. Chang, M.-H. Yang, T.-T. Chen, I.-C. Chang, P.-C. Lee, H.-T. Chiu, R.-K. Lee, C.-Y. Lee	
Hydrothermally growth of novel hierarchical structures titanium dioxide for high efficiency dye-sensitized solar cells	19
P. Cheng, Y. Liu, P. Sun, S. Du, Y. Cai, F. Liu, J. Zheng, G. Lu	
Study on the chemical stability of catalyst counter electrodes for dye-sensitized solar cells using a simple X-ray photoelectron spectroscopy-based method	25
D.-J. Yun, J. Kim, J. Chung, S. Park, W. Baek, Y. Kim, S. Kim, Y.-N. Kwon, J. Chung, Y. Kyoung, K.-H. Kim, S. Heo	
Platinum-free binary Fe-Co nanofiber alloy counter electrodes for dye-sensitized solar cells	56
J. Liu, Q. Tang, B. He	
Unsymmetrical squaraine dye containing dithieno[3,2- <i>b</i> :2',3'- <i>d</i>]pyrrole as a π -spacer: A potential photosensitizer for dye-sensitized solar cells	137
L.-N. Yang, Z.-Z. Sun, Q.-S. Li, S.-L. Chen, Z.-S. Li, T.A. Niehaus	
Improved performance of quantum dot-sensitized solar cells adopting a highly efficient cobalt sulfide/nickel sulfide composite thin film counter electrode	163
H.-J. Kim, S.-W. Kim, C.V.V.M. Gopi, S.-K. Kim, S.S. Rao, M.-S. Jeong	
Synthesis of metal sulfide sensitized zinc oxide-based core/shell/shell nanorods and their photoelectrochemical properties	388
J. Han, Z. Liu, B. Yadian, Y. Huang, K. Guo, Z. Liu, B. Wang, Y. Li, T. Cui	
Polypyrrole/poly(vinyl alcohol-co-ethylene) quasi-solid gel electrolyte for iodine-free dye-sensitized solar cells	557
M.-H. Jung	
Improving efficiency of silicon heterojunction solar cells by surface texturing of silicon wafers using tetramethylammonium hydroxide	619
L. Wang, F. Wang, X. Zhang, N. Wang, Y. Jiang, Q. Hao, Y. Zhao	
Titanium dioxide quantum dots: Magic materials for high performance underlayers inserted into dye-sensitized solar cells	670
L. Que, Z. Lan, W. Wu, J. Wu, J. Lin, M. Huang	
Improved photo-stability of silicon nanobelt arrays by atomic layer deposition for efficient photocatalytic hydrogen evolution	677
X.-Q. Bao, L. Liu	
Efficient electron/hole transport in inorganic/organic hybrid solar cells by lithium ion and molybdenum trioxide codoping	874
X. Jin, W. Sun, Z. Chen, Y. Li, P. Li, X. He, Y. Yuan, S. Zou, Y. Qin, Q. Li	
Improved photoelectric conversion efficiency from titanium oxide-coupled tin oxide nanoparticles formed in flame	922
F. Gu, W. Huang, S. Wang, X. Cheng, Y. Hu, C. Li	
An efficient photoanode consisting of TiO ₂ nanoparticle-filled TiO ₂ nanotube arrays for dye sensitized solar cells	941
J. Zhang, Q. Li, S. Li, Y. Wang, C. Ye, P. Ruterana, H. Wang	
Highly efficient light-harvesting boradiazaindacene sensitizers for dye-sensitized solar cells featuring phenothiazine donor antenna	965
M. Mao, X.-L. Zhang, X.-Q. Fang, G.-H. Wu, S.-Y. Dai, Q.-H. Song, X.-X. Zhang	