


TU
J80/p5s

Volume 270, 15 December 2014

ISSN 0378-7753



JOURNAL OF POWER SOURCES

The International Journal on the Science and
Technology of Electrochemical Energy Systems

Regional Editors

C.K. Dyer (N&S America)
Z. Ogumi (Japan & P.R. China)
S. Passerini (Europe, Middle East
and Africa)
D.A.J. Rand (Asia-Pacific)

**Regional and Special
Issues Co-ordinating
Editor**


P.T. Moseley

**Founding
Editor**

D.H. Collins

Available online at www.sciencedirect.com

ScienceDirect



Contents

Review

- In situ* microscopic studies on the structural and chemical behaviors of lithium-ion battery materials 475
M. Shao

Fuel Cells: Science and Technology

- Gram-level synthesis of core-shell structured catalysts for the oxygen reduction reaction in proton exchange membrane fuel cells .. 34
M. Luo, L. Wei, F. Wang, K. Han, H. Zhu
- The through-plane thermal conductivity and the contact resistance of the components of the membrane electrode assembly and gas diffusion layer in proton exchange membrane fuel cells. 59
N. Alhazmi, D.B. Ingham, M.S. Ismail, K. Hughes, L. Ma, M. Pourkashanian
- Effect of redox treatments on $\text{Ce}_{0.50}\text{Zr}_{0.50}\text{O}_2$ based solid oxide fuel cell anodes 79
M. Boaro, A. Pappacena, C. Abate, M. Ferluga, J. Llorca, A. Trovarelli
- Highly active carbon-supported Pt nanoparticles modified and dealloyed with Co for the oxygen reduction reaction 201
B. Li, Z. Yan, Q. Xiao, J. Dai, D. Yang, C. Zhang, M. Cai, J. Ma
- Copper@palladium-copper core-shell nanospheres as a highly effective electrocatalyst for ethanol electro-oxidation in alkaline media 257
J. Cai, Y. Zeng, Y. Guo
- Enhanced proton conductivity of the hybrid membranes by regulating the proton conducting groups anchored on the mesoporous silica 292
Y. Zhao, H. Yang, H. Wu, Z. Jiang
- Utilization of corn cob biochar in a direct carbon fuel cell 312
J. Yu, Y. Zhao, Y. Li
- Effects of hydrophobic agent content in macro-porous substrates on the fracture behavior of the gas diffusion layer for proton exchange membrane fuel cells 342
S. Kim, B.-H. Jeong, B.K. Hong, T.-S. Kim
- The performance of $\text{La}_{0.6}\text{Sr}_{1.4}\text{MnO}_4$ layered perovskite electrode material for intermediate temperature symmetrical solid oxide fuel cells 418
J. Zhou, G. Chen, K. Wu, Y. Cheng
- Effects of Sr-site deficiency on structure and electrochemical performance in $\text{Sr}_2\text{MgMoO}_6$ for solid-oxide fuel cell 441
L. Jiang, G. Liang, J. Han, Y. Huang
- Highly active $\text{La}_{0.4}\text{Sr}_{0.6}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ nanocatalyst for oxygen reduction in intermediate temperature-solid oxide fuel cells. 457
C.M. Chanquía, L. Mogni, H.E. Troiani, A. Caneiro
- Electrochemical studies of water insertion and proton – Ceramic interaction in substituted perovskite $\text{SrZr}_{0.9}\text{Ln}_{0.1}\text{O}_{2.95}$ 506
O. Lacroix, K. Rahmouni, A. Sirat, H. Takenouti, C. Deslouis, M. Keddad, B. Sala
- Pore network design: DPD-Monte Carlo study of solvent diffusion dependence on side chain location. 536
G. Dorenbos
- Investigation of a polymer electrolyte membrane fuel cell catalyst layer with bidirectionally-graded composition. 594
F.C. Cetinbas, S.G. Advani, A.K. Prasad
- Phosphoric acid distribution and its impact on the performance of polybenzimidazole membranes. 627
F. Mack, S. Heissler, R. Laukenmann, R. Zeis

ScienceDirect

Full text of this journal is available, on-line from **ScienceDirect**. Visit www.sciencedirect.com for more information.

Fuel Cells: Engineering

| | |
|--|-----|
| An alkali-free barium borosilicate viscous sealing glass for solid oxide fuel cells | 14 |
| J.-H. Hsu, C.-W. Kim, R.K. Brow, J. Szabo, R. Crouch, R. Baird | |
| Effectiveness of heat-integrated methanol steam reformer and polymer electrolyte membrane fuel cell stack systems for portable applications | 166 |
| A. Lotrič, M. Sekavčnik, S. Hočevar | |
| Current short circuit implementation for performance improvement and lifetime extension of proton exchange membrane fuel cell | 183 |
| Y. Zhan, Y. Guo, J. Zhu, L. Li | |
| Determining the platinum loading and distribution of industrial scale polymer electrolyte membrane fuel cell electrodes using low energy X-ray imaging | 208 |
| T. Holst, A. Vassiliev, R. Kerr, Q. Li, T. Steenberg, C. Terkelsen, H.A. Hjuler | |
| Avoiding chromium transport from stainless steel interconnects into contact layers and oxygen electrodes in intermediate temperature solid oxide electrolysis stacks | 587 |
| M.V.F. Schlupp, J.W. Kim, A. Brevet, C. Rado, K. Couturier, U.F. Vogt, F. Lefebvre-Joud, A. Züttel | |
| Flow distribution and maximum current density studies in redox flow batteries with a single passage of the serpentine flow channel | 646 |
| X. Ke, J.I.D. Alexander, J.M. Prah, R.F. Savinell | |

Fuel Cells: Applications

| | |
|---|-----|
| Various supercritical carbon dioxide cycle layouts study for molten carbonate fuel cell application | 608 |
| S.J. Bae, Y. Ahn, J. Lee, J.I. Lee | |

Fuel Cells: Fuel Processing

| | |
|--|-----|
| Reduction kinetics of iron-based oxygen carriers using methane for chemical-looping combustion | 434 |
| M. Luo, S. Wang, L. Wang, M. Lv | |
| Hydrogen storage systems from waste Mg alloys | 554 |
| C. Pistidda, N. Bergemann, J. Wurr, A. Rzeszutek, K.T. Møller, B.R.S. Hansen, S. Garroni, C. Horstmann, C. Milanese, A. Girella, O. Metz, K. Taube, T.R. Jensen, D. Thomas, H.P. Liermann, T. Klassen, M. Dornheim | |

Lithium Batteries: Science and Technology

| | |
|---|-----|
| Sulfur nanocrystals anchored graphene composite with highly improved electrochemical performance for lithium-sulfur batteries .. | 1 |
| J. Zhang, Z. Dong, X. Wang, X. Zhao, J. Tu, Q. Su, G. Du | |
| High-performance tin oxide-nitrogen doped graphene aerogel hybrids as anode materials for lithium-ion batteries | 28 |
| C. Tan, J. Cao, A.M. Khattak, F. Cai, B. Jiang, G. Yang, S. Hu | |
| A composite membrane based on a biocompatible cellulose as a host of gel polymer electrolyte for lithium ion batteries | 53 |
| S.Y. Xiao, Y.Q. Yang, M.X. Li, F.X. Wang, Z. Chang, Y.P. Wu, X. Liu | |
| A high precision study of the electrolyte additives vinylene carbonate, vinyl ethylene carbonate and lithium bis(oxalate)borate in LiCoO ₂ /graphite pouch cells | 68 |
| D.Y. Wang, N.N. Sinha, J.C. Burns, R. Petibon, J.R. Dahn | |
| Sulfur/lithium-insertion compound composite cathodes for Li-S batteries | 101 |
| Y.-S. Su, A. Manthiram | |
| Analysis of aging of commercial composite metal oxide - Li ₄ Ti ₅ O ₁₂ battery cells | 131 |
| P. Svens, R. Eriksson, J. Hansson, M. Behm, T. Gustafsson, G. Lindbergh | |
| Enhanced cathode performance of nano-sized lithium iron phosphate composite using polytetrafluoroethylene as carbon precursor | 142 |
| E. Avci | |
| Thermal analysis and two-directional air flow thermal management for lithium-ion battery pack | 193 |
| K. Yu, X. Yang, Y. Cheng, C. Li | |
| Well-aligned, ordered, nanocolumnar, Cu-Si thin film as anode material for lithium-ion batteries | 238 |
| D.B. Polat, O. Keles, K. Amine | |
| Facile synthesis and electrochemical performance of the nanoscaled FeP _y anode | 248 |
| G. Wang, R. Zhang, T. Jiang, N.A. Chernova, Z. Dong, M.S. Whittingham | |
| Prediction of thermal behaviors of an air-cooled lithium-ion battery system for hybrid electric vehicles | 273 |
| Y.S. Choi, D.M. Kang | |
| A physics based reduced order aging model for lithium-ion cells with phase change | 281 |
| P. Gambhire, K.S. Hariharan, A. Khandelwal, S.M. Kolake, T. Yeo, S. Doo | |
| Li ₄ Ti ₅ O ₁₂ coated graphite anodes with piperidinium-based hybrid electrolytes for lithium ion batteries | 304 |
| K. Gao, S.-D. Li | |
| Preparation of novel network nanostructured sulfur composite cathode with enhanced stable cycle performance | 326 |
| Y. Zhang, Y. Zhao, Z. Bakenov, A. Konarov, P. Chen | |
| Multi-objective optimization of lithium-ion battery model using genetic algorithm approach | 367 |
| L. Zhang, L. Wang, G. Hinds, C. Lyu, J. Zheng, J. Li | |
| Ruthenium oxide modified titanium dioxide nanotube arrays as carbon and binder free lithium-air battery cathode catalyst | 386 |
| G. Zhao, Y. Niu, L. Zhang, K. Sun | |
| Real-time investigation on the influences of vanadium additives to the structural and chemical state evolutions of LiFePO ₄ for enhancing the electrochemical performance of lithium-ion battery | 449 |
| C.-W. Hu, T.-Y. Chen, K.-S. Shih, P.-J. Wu, H.-C. Su, C.-Y. Chiang, A.-F. Huang, H.-W. Hsieh, C.-C. Chang, B.-Y. Shew, C.-H. Lee | |
| Silver-incorporated composites of Fe ₂ O ₃ carbon nanofibers as anodes for high-performance lithium batteries | 468 |
| M. Zou, J. Li, W. Wen, L. Chen, L. Guan, H. Lai, Z. Huang | |

| | |
|---|-----|
| Effect of a thin ceramic-coating layer on thermal and electrochemical properties of polyethylene separator for lithium-ion batteries | 547 |
| C. Shi, P. Zhang, L. Chen, P. Yang, J. Zhao | |
| A novel electrochemical reconstruction in nickel oxide nanowalls on Ni foam and the fine electrochemical performance as anode for lithium ion batteries | 564 |
| S. Ni, X. Lv, J. Ma, X. Yang, L. Zhang | |
| Variation of stress with charging rate due to strain-rate sensitivity of silicon electrodes of Li-ion batteries..... | 569 |
| M. Pharr, Z. Suo, J.J. Vlassak | |
| Preparation of Li ₃ BO ₃ -Li ₂ SO ₄ glass-ceramic electrolytes for all-oxide lithium batteries..... | 603 |
| M. Tatsumisago, R. Takano, K. Tadanaga, A. Hayashi | |
| A modified model based state of charge estimation of power lithium-ion batteries using unscented Kalman filter | 619 |
| Y. Tian, B. Xia, W. Sun, Z. Xu, W. Zheng | |
| Lithium Batteries: Engineering | |
| Influence of overcharge and over-discharge on the impedance response of LiCoO ₂ /C batteries | 92 |
| S. Erol, M.E. Orazem, R.P. Muller | |
| Application of physical electric circuit modeling to characterize Li-ion battery electrochemical processes | 113 |
| M. Greenleaf, H. Li, J.P. Zheng | |
| A method for state of energy estimation of lithium-ion batteries at dynamic currents and temperatures | 151 |
| X. Liu, J. Wu, C. Zhang, Z. Chen | |
| Analysis of effects of the state of charge on the formation and growth of the deposit layer on graphite electrode of pouch type lithium ion polymer batteries | 213 |
| V.A. Agubra, J.W. Fergus, R. Fu, S.-Y. Choe | |
| Enhancing the estimation accuracy in low state-of-charge area: A novel onboard battery model through surface state of charge determination | 221 |
| M. Ouyang, G. Liu, L. Lu, J. Li, X. Han | |
| A support vector machine-based state-of-health estimation method for lithium-ion batteries under electric vehicle operation | 262 |
| V. Klass, M. Behm, G. Lindbergh | |
| Experimental performances of a battery thermal management system using a phase change material..... | 349 |
| C.-V. Hémeury, F. Pra, J.-F. Robin, P. Marty | |
| A novel method for state of charge estimation of lithium-ion batteries using a nonlinear observer | 359 |
| B. Xia, C. Chen, Y. Tian, W. Sun, Z. Xu, W. Zheng | |
| Lithium Batteries: Applications | |
| Recycling of cobalt from spent Li-ion batteries as β-Co(OH) ₂ and the application of Co ₃ O ₄ as a pseudocapacitor..... | 158 |
| E.M.S. Barbieri, E.P.C. Lima, M.F.F. Lelis, M.B.J.G. Freitas | |
| Lead-Acid Batteries: Science and Technology | |
| The use of nanometer tetrabasic lead sulfate as positive active material additive for valve regulated lead-acid battery..... | 9 |
| X. Lang, D. Wang, C. Hu, S. Tang, J. Zhu, C. Guo | |
| Characterization of nano-lead-doped active carbon and its application in lead-acid battery | 332 |
| B. Hong, L. Jiang, H. Xue, F. Liu, M. Jia, J. Li, Y. Liu | |
| Lead-Acid Batteries: Engineering | |
| Electrolyte depletion control laws for lead-acid battery discharge optimisation..... | 658 |
| R. Tenno, E. Nefedov | |
| Other Electrochemical Power Sources: Science and Technology | |
| The microstructures and electrochemical performances of La _{0.6} Gd _{0.2} Mg _{0.2} Ni _{3.0} Co _{0.5-x} Al _x (x=0-0.5) hydrogen storage alloys as negative electrodes for nickel/metal hydride secondary batteries | 21 |
| R. Li, P. Xu, Y. Zhao, J. Wan, X. Liu, R. Yu | |
| Synthesis, characterization and electrochemical performance of high-density aluminum substituted α-nickel hydroxide cathode material for nickel-based rechargeable batteries | 121 |
| J. Li, E. Shangguan, D. Guo, M. Tian, Y. Wang, Q. Li, Z. Chang, X.-Z. Yuan, H. Wang | |
| Extended dynamic model for ion diffusion in all-vanadium redox flow battery including the effects of temperature and bulk electrolyte transfer | 576 |
| R. Badrinarayanan, J. Zhao, K.J. Tseng, M. Skyllas-Kazacos | |
| Investigation of the electrospun carbon web as the catalyst layer for vanadium redox flow battery..... | 634 |
| G. Wei, X. Fan, J. Liu, C. Yan | |
| Other Electrochemical Power Sources: Engineering | |
| Influence of the energy management on the sizing of Electrical Energy Storage Systems in an aircraft..... | 391 |
| N. Devillers, M.-C. Péra, D. Bienaimé, M.-L. Grojo | |
| Electrochemical evaluation of manganese reducers – Recovery of Mn from Zn-Mn and Zn-C battery waste | 668 |
| A. Sobianowska-Turek, W. Szczepaniak, M. Zabłocka-Malicka | |
| Other Electrochemical Power Sources: Applications | |
| A method to estimate the environmental impact of an electric city car during six months of testing in an Italian city..... | 487 |
| T. Donato, F. Ingrassio, F. Licci, D. Laforgia | |

Supercapacitors: Science and Technology

| | |
|---|-----|
| High energy density supercapacitors from lignin derived submicron activated carbon fibers in aqueous electrolytes | 106 |
| S. Hu, S. Zhang, N. Pan, Y.-L. Hsieh | |
| High performance lithium-ion hybrid capacitors with pre-lithiated hard carbon anodes and bifunctional cathode electrodes | 318 |
| X. Sun, X. Zhang, H. Zhang, N. Xu, K. Wang, Y. Ma | |
| On the development of activated carbons with high affinity for high voltage propylene carbonate based electrolytes..... | 379 |
| C. Ramirez-Castro, C. Schütter, S. Passerini, A. Balducci | |
| Simple synthesis of hierarchical porous carbon from <i>Enteromorpha prolifera</i> by a self-template method for supercapacitor electrodes..... | 403 |
| Y. Gao, W. Zhang, Q. Yue, B. Gao, Y. Sun, J. Kong, P. Zhao | |
| 3D network mesoporous <i>beta</i> -manganese dioxide: Template-free synthesis and supercapacitive performance..... | 411 |
| J.-J. Zhu, L.-L. Yu, J.-T. Zhao | |
| Engineering firecracker-like <i>beta</i> -manganese dioxides@spinel nickel cobaltates nanostructures for high-performance supercapacitors..... | 426 |
| M. Kuang, Z.Q. Wen, X.L. Guo, S.M. Zhang, Y.X. Zhang | |
| Rational construction of three dimensional hybrid $\text{Co}_3\text{O}_4@\text{NiMoO}_4$ nanosheets array for energy storage application..... | 516 |
| W. Hong, J. Wang, P. Gong, J. Sun, L. Niu, Z. Yang, Z. Wang, S. Yang | |
| High energy and power density asymmetric supercapacitors using electrospun cobalt oxide nanowire anode..... | 526 |
| B. Vidyadharan, R.A. Aziz, I.I. Misnon, G.M. Anil Kumar, J. Ismail, M.M. Yusoff, R. Jose | |
| Rational design of hierarchically porous birnessite-type manganese dioxides nanosheets on different one-dimensional titania-based nanowires for high performance supercapacitors..... | 675 |
| Y.X. Zhang, M. Kuang, X.D. Hao, Y. Liu, M. Huang, X.L. Guo, J. Yan, G.Q. Han, J. Li | |
| Photo-electrochemical Cells | |
| Synthesis of hierarchical TiO_2 flower-rod and application in CdSe/CdS co-sensitized solar cell | 42 |
| L. Yu, Z. Li, Y. Liu, F. Cheng, S. Sun | |
| Hierarchical nickel sulfide/carbon nanotube nanocomposite as a catalytic material toward triiodine reduction in dye-sensitized solar cells | 499 |
| M.-N. Lu, C.-S. Dai, S.-Y. Tai, T.-W. Lin, J.-Y. Lin | |