


FMM
J80/p55



Volume 271, 20 December 2014

ISSN 0378-7753

JOURNAL OF POWER SOURCES

The International Journal on the Science and
Technology of Electrochemical Energy Systems

Regional Editors

C.K. Dyer (N&S America)
Z. Ogumi (Japan & P.R. China)
S. Passerini (Europe, Middle East
and Africa)
D.A.J. Rand (Asia-Pacific)

**Regional and Special
Issues Co-ordinating
Editor**


P.T. Moseley

**Founding
Editor**

D.H. Collins

Available online at www.sciencedirect.com

ScienceDirect



Contents

Fuel Cells: Science and Technology

Improvement of oxygen diffusion characteristic in gas diffusion layer with planar-distributed wettability for polymer electrolyte fuel cell	16
R. Koresawa, Y. Utaka	
Influence of the electrolyte for the oxygen reduction reaction with Fe/N/C and Fe/N/CNT electrocatalysts	87
C. Domínguez, F.J. Pérez-Alonso, J.L. Gómez de la Fuente, S.A. Al-Thabaiti, S.N. Basahel, A.O. Alyoubi, A.A. Alshehri, M.A. Peña, S. Rojas	
Measurement of capillary pressure in fuel cell diffusion media, micro-porous layers, catalyst layers, and interfaces	180
J.M. LaManna, J.V. Bothe Jr., F.Y. Zhang, M.M. Mench	
$\text{La}_{0.8}\text{Sr}_{0.2}\text{Fe}_{0.8}\text{Cu}_{0.2}\text{O}_{3-\delta}$ as “cobalt-free” cathode for $\text{La}_{0.8}\text{Sr}_{0.2}\text{Ga}_{0.8}\text{Mg}_{0.2}\text{O}_{3-\delta}$ electrolyte	187
F. Zurlo, E. Di Bartolomeo, A. D’Epifanio, V. Felice, I. Natali Sora, L. Tortora, S. Licoccia	
Influence of anionic vacancies on the conductivity of $\text{La}_{9.33}\text{Si}_{6-x}\text{Al}_x\text{O}_{26-x/2}$ oxide conductors with an oxyapatite structure	203
A. Inoubli, M. Kahlaoui, I. Sobrados, S. Chefi, A. Madani, J. Sanz, A. Ben Haj Amara	
Long-term behaviour of solid oxide fuel cell interconnect materials in contact with Ni-mesh during exposure in simulated anode gas at 700 and 800 °C	213
L. García-Fresnillo, V. Shemet, A. Chyrkin, L.G.J. de Haart, W.J. Quadackers	
Effects of In substitution in $\text{Y}_{1-x}\text{In}_x\text{BaCo}_3\text{ZnO}_{7+\delta}$ ($0 \leq x \leq 0.5$) cathodes for intermediate temperature solid oxide fuel cells	252
M. West, S.-J. Sher, A. Manthiram	
Anti-fouling response of gold–carbon nanotubes composite for enhanced ethanol electrooxidation	305
R.S. Sai Siddhardha, M. Anupam Kumar, V. Lakshminarayanan, S.S. Ramamurthy	
Highly active and durable chemically ordered Pt–Fe–Co intermetallics as cathode catalysts of membrane–electrode assemblies in polymer electrolyte fuel cells	346
T. Tamaki, A. Minagawa, B. Arumugam, B.A. Kakade, T. Yamaguchi	
Influence of substrate concentration and feed frequency on ammonia inhibition in microbial fuel cells	360
R.C. Tice, Y. Kim	
Modified pulse electrodeposition of Pt nanocatalyst as high-performance electrode for PEMFC	401
F. Fouda-Onana, N. Guillet, A.M. AlMayouf	
Patterned ion exchange membranes for improved power production in microbial reverse-electrodialysis cells	437
J. Liu, G.M. Geise, X. Luo, H. Hou, F. Zhang, Y. Feng, M.A. Hickner, B.E. Logan	
Synthesis and fuel cell characterization of blend membranes from phenyl phosphine oxide containing fluorinated novel polymers ..	465
M. Gürtekin Seden, E. Baştürk, T.Y. Inan, N. Kayaman Apohan, A. Güngör	
Resistance to sulfur poisoning of the gold doped nickel/yttria-stabilized zirconia with interface oxygen vacancy	516
Y. Zhang, Z. Yang	
Egg derived nitrogen-self-doped carbon/carbon nanotube hybrids as noble-metal-free catalysts for oxygen reduction	522
J. Zhang, S. Wu, X. Chen, M. Pan, S. Mu	
A microbial fluidized electrode electrolysis cell (MFEEC) for enhanced hydrogen production	530
J. Liu, F. Zhang, W. He, W. Yang, Y. Feng, B.E. Logan	
The effect of pre-oxidation treatments on the oxidation tolerance of Ni-yttria-stabilized zirconia anodes in solid oxide fuel cells	538
J.L. Young, H. Molero, V.I. Birss	
Evolution of the nanostructure of Pt and Pt–Co polymer electrolyte membrane fuel cell electrocatalysts at successive degradation stages probed by X-ray photoemission	548
M. Ali, A. Witkowska, M. Abbas, R. Gunnella, A. Di Cicco	

ScienceDirect

Full text of this journal is available, on-line from ScienceDirect. Visit www.sciencedirect.com for more information.

Micro-crack formation in direct methanol fuel cell electrodes	561
Q. Li, D. Spornjak, P. Zelenay, Y.S. Kim	
Polymer electrolyte membranes with exceptional conductivity anisotropy via holographic polymerization	597
D.M. Smith, S. Cheng, W. Wang, T.J. Bunning, C.Y. Li	
Fuel Cells: Engineering	
A novel low Cr-containing Fe–Cr–Co alloy for metallic interconnects in planar intermediate temperature solid oxide fuel cells	25
W. Zhang, D. Yan, J. Yang, J. Chen, B. Chi, J. Pu, J. Li	
Microscale phase separator for selective extraction of CO ₂ from methanol solution flow	160
A. Fazeli, S. Moghaddam	
A calibrated hydrogen-peroxide direct-borohydride fuel cell model	421
R.O. Stroman, G.S. Jackson, Y. Garsany, K. Swider-Lyons	
A double-fuzzy diagnostic methodology dedicated to online fault diagnosis of proton exchange membrane fuel cell stacks	570
Z. Zheng, M.-C. Péra, D. Hissel, M. Becherif, K.-S. Agbli, Y. Li	
Fuel Cells: Fuel Processing	
Hydrogen storage reactions on titanium decorated carbon nanocones theoretical study	32
A.S. Shalabi, H.O. Taha, K.A. Soliman, S. Abeld Aal	
Pt-modified molybdenum carbide for the hydrogen evolution reaction: From model surfaces to powder electrocatalysts	76
T.G. Kelly, K.X. Lee, J.G. Chen	
Preparing two-dimensional nano-catalytic combustion patterns using direct inkjet printing	174
X. Luo, Z. Zeng, X. Wang, J. Xiao, Z. Gan, H. Wu, Z. Hu	
Hydrogen evolution at catalytically-modified nickel foam in alkaline solution	231
B. Pierozynski, T. Mikolajczyk, I.M. Kowalski	
Development of rolling tin gas diffusion electrode for carbon dioxide electrochemical reduction to produce formate in aqueous electrolyte	278
Q. Wang, H. Dong, H. Yu	
Flame-based processing as a practical approach for manufacturing hydrogen evolution electrodes	366
J. Roller, J. Renner, H. Yu, C. Capuano, T. Kwak, Y. Wang, C.B. Carter, K. Ayers, W.E. Mustain, R. Maric	
A miniature fuel reformer system for portable power sources	392
G. Dolanc, D. Belavič, M. Hrovat, S. Hočevár, A. Pohar, J. Petrovčič, B. Musizza	
Hydrogen production on molybdenum in H ₂ SO ₄ solutions	480
W.A. Badawy, H.E. Feky, N.H. Helal, H.H. Mohammed	
Development and validation of a slurry model for chemical hydrogen storage in fuel cell vehicle applications	504
K.P. Brooks, R.P. Pires, K.L. Simmons	
Lithium Batteries: Science and Technology	
Synthesis, structure and lithium ionic conductivity of solid solutions of Li ₁₀ (Ge _{1-x} M _x)P ₂ S ₁₂ (M = Si, Sn)	60
Y. Kato, R. Saito, M. Sakano, A. Mitsui, M. Hirayama, R. Kanno	
Differentiating allotropic LiCoO ₂ /Li ₂ Co ₂ O ₄ : A structural and electrochemical study	97
Y. Kan, Y. Hu, Y. Ren, J. Bareño, I. Bloom, Y.-K. Sun, K. Amine, Z. Chen	
Sandwich-like heat-resistance composite separators with tunable pore structure for high power high safety lithium ion batteries ...	134
J. Shi, T. Shen, H. Hu, Y. Xia, Z. Liu	
Lithium plating in lithium-ion batteries at sub-ambient temperatures investigated by in situ neutron diffraction	152
V. Zinth, C. von Lüders, M. Hofmann, J. Hattendorff, I. Buchberger, S. Erhard, J. Rebelo-Kornmeier, A. Jossen, R. Gilles	
Optimized electrochemical performance of three-dimensional porous LiFePO ₄ /C microspheres via microwave irradiation assisted synthesis	223
F. Yu, S.H. Lim, Y. Zhen, Y. An, J. Lin	
Gel polymer electrolyte for lithium-ion batteries comprising cyclic carbonate moieties	239
S.D. Tillmann, P. Isken, A. Lex-Balducci	
Improving the performance of high voltage LiMn _{1.5} Ni _{0.5} O ₄ cathode material by carbon coating	285
S. Niketic, M. Couillard, D. MacNeil, Y. Abu-Lebdeh	
Novel dual-salts electrolyte solution for dendrite-free lithium-metal based rechargeable batteries with high cycle reversibility	291
R. Miao, J. Yang, X. Feng, H. Jia, J. Wang, Y. Nuli	
Improved lithium-metal/vanadium pentoxide polymer battery incorporating crosslinked ternary polymer electrolyte with N-butyl-N-methylpyrrolidinium bis(perfluoromethanesulfonyl)imide	334
I. Osada, J. von Zamory, E. Paillard, S. Passerini	
A synthesis of crystalline Li ₇ P ₃ S ₁₁ solid electrolyte from 1,2-dimethoxyethane solvent	342
S. Ito, M. Nakakita, Y. Aihara, T. Uehara, N. Machida	
Surface-layer formation by reductive decomposition of LiPF ₆ at relatively high potentials on negative electrodes in lithium ion batteries and its suppression	431
T. Kawaguchi, K. Shimada, T. Ichitsubo, S. Yagi, E. Matsubara	
K _{1-x} Fe _{2+x/3} (CN) ₆ ·yH ₂ O, Prussian Blue as a displacement anode for lithium ion batteries	489
M.J. Piernas-Muñoz, E. Castillo-Martínez, V. Roddatis, M. Armand, T. Rojo	
High energy spinel-structured cathode stabilized by layered materials for advanced lithium-ion batteries	604
J. Lu, Y.-L. Chang, B. Song, H. Xia, J.-R. Yang, K.S. Lee, L. Lu	

Lithium Batteries: Engineering

Thermal parameters determination of battery cells by local heat flux measurements	48
K.A. Murashko, A.V. Mityakov, J. Pyrhönen, V.Y. Mityakov, S.S. Sapozhnikov	
Real-time displacement and strain mappings of lithium-ion batteries using three-dimensional digital image correlation	82
P.K. Leung, C. Moreno, I. Masters, S. Hazra, B. Conde, M.R. Mohamed, R.J. Dashwood, R. Bhagat	
Lithium-ion battery state of health monitoring and remaining useful life prediction based on support vector regression-particle filter	114
H. Dong, X. Jin, Y. Lou, C. Wang	
Electrochemical stability of aluminum current collector in alkyl carbonate electrolytes containing lithium bis(pentafluoroethylsulfonfyl) imide for lithium-ion batteries	167
S.-T. Myung, H. Yashiro	
An experimentally validated transient thermal model for cylindrical Li-ion cells	262
K. Shah, S.J. Drake, D.A. Wetz, J.K. Ostanek, S.P. Miller, J.M. Heinzel, A. Jain	
Structural analysis and experimental characterization of cylindrical lithium-ion battery cells subject to lateral impact	382
I. Avdeev, M. Gilaki	
<i>In-situ</i> characterization of strain in lithium battery working electrodes	406
J. Chen, A.K. Thapa, T.A. Berfield	
Characteristics of lithium-ion batteries during fire tests	414
F. Larsson, P. Andersson, P. Blomqvist, A. Lorén, B.-E. Mellander	
Simulation of temperature rise in Li-ion cells at very high currents	444
J. Mao, W. Tiedemann, J. Newman	
Quantification of bottlenecks to fast charging of lithium-ion-insertion cells for electric vehicles	622
R. Chandrasekaran	

Lithium Batteries: Applications

Updating United States Advanced Battery Consortium and Department of Energy battery technology targets for battery electric vehicles	614
J. Neubauer, A. Pesaran, C. Bae, R. Elder, B. Cunningham	

Lead-Acid Batteries: Science and Technology

Mechanical performance and microstructure array of as-cast lead-silver and lead-bismuth alloys	124
W.R. Osório, A.D. Bortolozzo, L.C. Peixoto, A. Garcia	
Study on titanium foil coated with partial reduction titanium dioxide as bipolar lead-acid battery's substrate	354
X. Lang, D. Wang, S. Tang, J. Zhu, C. Guo	

Lead-Acid Batteries: Applications

Hollow spherical $\text{La}_{0.8}\text{Sr}_{0.2}\text{MnO}_3$ perovskite oxide with enhanced catalytic activities for the oxygen reduction reaction	55
F. Lu, J. Sui, J. Su, C. Jin, M. Shen, R. Yang	

Other Electrochemical Power Sources: Science and Technology

The transfer behavior of different ions across anion and cation exchange membranes under vanadium flow battery medium	1
J. Sun, X. Li, X. Xi, Q. Lai, T. Liu, H. Zhang	
Electrochemical performance of laser micro-structured nickel oxyhydroxide cathodes	42
A.R. Neale, Y. Jin, J. Ouyang, S. Hughes, D. Hesp, V. Dhanak, G. Dearden, S. Edwardson, L.J. Hardwick	
Morphology control of zinc regeneration for zinc-air fuel cell and battery	65
K. Wang, P. Pei, Z. Ma, H. Xu, P. Li, X. Wang	
Ultrasound assisted polymerization for synthesis of ZnO/Polypyrrole composites for zinc/nickel rechargeable battery	143
J. Huang, Z. Yang, B. Yang, R. Wang, T. Wang	
Measurement of local current density of all-vanadium redox flow batteries	245
W.-Y. Hsieh, C.-H. Leu, C.-H. Wu, Y.-S. Chen	
Printed environmentally friendly supercapacitors with ionic liquid electrolytes on paper	298
F. Pettersson, J. Keskinen, T. Remonen, L. von Hertzen, E. Jansson, K. Tappura, Y. Zhang, C.-E. Wilén, R. Österbacka	
Mechanical exfoliation of graphite in 1-butyl-3-methylimidazolium hexafluorophosphate (BMIM-PF ₆) providing graphene nanoplatelets that exhibit enhanced electrocatalysis	312
W.I. Hayes, G. Lubarsky, M. Li, P. Papakonstantinou	
Carbon coated $\text{Na}_7\text{Fe}_7(\text{PO}_4)_6\text{F}_3$: A novel intercalation cathode for sodium-ion batteries	497
T. Ramireddy, M.M. Rahman, N. Sharma, A.M. Glushenkov, Y. Chen	
Operando studies of all-vanadium flow batteries: Easy-to-make reference electrode based on silver-silver sulfate	556
E. Ventosa, M. Skoumal, F.J. Vázquez, C. Flox, J.R. Morante	

Supercapacitors: Science and Technology

Synthesis and properties of ternary mixture of nickel/cobalt/tin oxides for supercapacitors	104
C.S. Ferreira, R.R. Passos, L.A. Pocrifka	
Graphene/carbon black hybrid film for flexible and high rate performance supercapacitor	269
Y. Wang, J. Chen, J. Cao, Y. Liu, Y. Zhou, J.-H. Ouyang, D. Jia	
Activated oil sands fluid coke for electrical double-layer capacitors	326
J.E. Zuliani, D.W. Kirk, C.Q. Jia, S. Tong	

Highly enhanced capacitance of MgO-templated mesoporous carbons in low temperature ionic liquids	377
Y. Kado, K. Imoto, Y. Soneda, N. Yoshizawa	
Vanadium oxide electrode synthesized by electroless deposition for electrochemical capacitors	534
H. Wu, K. Lian	
Facile preparation of three-dimensional multilayer porous MnO ₂ /reduced graphene oxide composite and its supercapacitive performance	582
Y. Li, G. Wang, K. Ye, K. Cheng, Y. Pan, P. Yan, J. Yin, D. Cao	
A monolithic functional film of nanotubes/cellulose/ionic liquid for high performance supercapacitors	589
L. Basiricò, G. Lanzara	
Photo-electrochemical Cells	
Facile fabrication of highly porous photoanode at low temperature for all-plastic dye-sensitized solar cells with quasi-solid state electrolyte	8
N. Fu, Y. Duan, Y. Fang, X. Zhou, Y. Liu, F. Peng, Y. Lin, H. Huang	
Counter electrodes from binary ruthenium selenide alloys for dye-sensitized solar cells	108
P. Li, H. Cai, Q. Tang, B. He, L. Lin	
Improved performance of CdS/CdSe quantum dots sensitized solar cell by incorporation of ZnO nanoparticles/reduced graphene oxide nanocomposite as photoelectrode	195
F.S. Ghoreishi, V. Ahmadi, M. Samadpour	
Molecular design of the diketopyrrolopyrrole-based dyes with varied donor units for efficient dye-sensitized solar cells	455
X.-F. Zang, Z.-S. Huang, H.-L. Wu, Z. Iqbal, L. Wang, H. Meier, D. Cao	