

Volume 272, 25 December 2014

ISSN 0378-7753

JOURNAL OF **POWER SOURCES**

The International Journal on the Science and
Technology of Electrochemical Energy Systems

Regional Editors

- C.K. Dyer (N&S America)
Z. Ogumi (Japan & P.R. China)
S. Passerini (Europe, Middle East
and Africa)
D.A.J. Rand (Asia-Pacific)


**Regional and Special
Issues Co-ordinating
Editor**

P.T. Moseley

**Founding
Editor**
D.H. Collins

Available online at www.sciencedirect.com

ScienceDirect

**Contents****Fuel Cells: Science and Technology**

| | |
|---|-----|
| Nitrogen-doped porous carbon nanosheets made from biomass as highly active electrocatalyst for oxygen reduction reaction | 8 |
| F. Pan, Z. Cao, Q. Zhao, H. Liang, J. Zhang | |
| Temporal variations of cathode performance in air-cathode single-chamber microbial fuel cells with different separators | 24 |
| J. Ma, Z. Wang, D. Suor, S. Liu, J. Li, Z. Wu | |
| Highly catalytic hollow palladium nanoparticles derived from silver@silver–palladium core–shell nanostructures for the oxidation of formic acid | 152 |
| D. Chen, P. Cui, H. He, H. Liu, J. Yang | |
| Effect of pH value on $H_2Ti_2O_5/TiO_2$ composite nanotubes as Pt catalyst support for methanol oxidation | 196 |
| X.-L. Sui, Z.-B. Wang, C.-Z. Li, J.-J. Zhang, L. Zhao, D.-M. Gu | |
| A green approach for preparing anion exchange membrane based on cardo polyetherketone powders | 211 |
| J. Hu, C. Zhang, X. Zhang, L. Chen, L. Jiang, Y. Meng, X. Wang | |
| A novel microstructured metal-supported solid oxide fuel cell | 233 |
| R. Fernández-González, E. Hernández, S. Savvin, P. Núñez, A. Makradi, N. Sabaté, J.P. Esquivel, J.C. Ruiz-Morales | |
| Characterization of a graphene oxide membrane fuel cell | 239 |
| T. Bayer, S.R. Bishop, M. Nishihara, K. Sasaki, S.M. Lyth | |
| Electrocatalytic activity of $LaNiO_3$ toward H_2O_2 reduction reaction: Minimization of oxygen evolution | 248 |
| S.J. Amirkhahri, J.-L. Meunier, D. Berk | |
| One-pot synthesis of nitrogen and sulfur co-doped onion-like mesoporous carbon vesicle as an efficient metal-free catalyst for oxygen reduction reaction in alkaline solution | 267 |
| C. Han, X. Bo, Y. Zhang, M. Li, L. Guo | |
| Tubular bamboo charcoal for anode in microbial fuel cells | 277 |
| J. Zhang, J. Li, D. Ye, X. Zhu, Q. Liao, B. Zhang | |
| Retarding of electrochemical oxidation of formate on the platinum anode by a coat of Nafion membrane | 303 |
| R. Zhang, W. Lv, G. Li, M.A. Mezaal, X. Li, L. Lei | |
| Scale-up of sediment microbial fuel cells | 311 |
| T. Ewing, P.T. Ha, J.T. Babauta, N.T. Tang, D. Heo, H. Beyenal | |
| Hybrid binuclear-cobalt-phthalocyanine as oxygen reduction reaction catalyst in single chamber microbial fuel cells | 320 |
| B. Li, X. Zhou, X. Wang, B. Liu, B. Li | |
| Electrocatalytic performance of Pt-Dy alloys for direct borohydride fuel cells | 335 |
| B. Šljukić, J. Milikić, D.M.F. Santos, C.A.C. Sequeira, D. Macciò, A. Saccone | |
| Nitrogen- and boron-co-doped core–shell carbon nanoparticles as efficient metal-free catalysts for oxygen reduction reactions in microbial fuel cells | 344 |
| S. Zhong, L. Zhou, L. Wu, L. Tang, Q. He, J. Ahmed | |
| Laser additive manufacturing of stainless steel micro fuel cells | 356 |
| G. Scotti, V. Matilainen, P. Kanninen, H. Piili, A. Salminen, T. Kallio, S. Franssila | |
| Gold–nickel/titania nanotubes as electrocatalysts for hydrazine oxidation | 362 |
| L. Tamašauskaitė-Tamašiūnaitė, J. Rakauskas, A. Balčiūnaitė, A. Zabielaite, J. Vaičiūnienė, A. Seliskis, R. Juškėnas, V. Pakštas, E. Norkus | |
| Effects of Pr^{3+} -deficiency on structure and properties of $PrBaCo_2O_{5+\delta}$ cathode material–A comparison with Ba^{2+} -deficiency case | 371 |
| X. Jiang, Y. Shi, W. Zhou, X. Li, Z. Su, S. Pang, L. Jiang | |
| Influence of nano-sized LSCF cathode and its firing temperature on electrochemical performance in oxygen-excess-type solid electrolyte (OESE)-based fuel cells | 422 |
| H. Mieda, A. Mineshige, A. Saito, T. Yazawa, H. Yoshioka, R. Mori | |

ScienceDirectFull text of this journal is available, on-line from **ScienceDirect**. Visit www.sciencedirect.com for more information.

| | |
|--|------|
| Stability of manganese-oxide-modified lanthanum strontium cobaltite in the presence of chromia | 513 |
| D.R. Ou, M. Cheng | |
| Static friction force between catalyst layer and micro porous layer and its effect on deformations of membrane electrode assemblies under swelling | 522 |
| T. Uchiyama, H. Kumei, T. Yoshida, K. Ishihara | |
| Binderless electrodes for high-temperature polymer electrolyte membrane fuel cells | 559 |
| S. Martin, Q. Li, T. Steenberg, J.O. Jensen | |
| Enhanced catalytic performance of Pd catalyst for formic acid electrooxidation in ionic liquid aqueous solution | 606 |
| Y.-Y. Feng, Q.-Y. Yin, G.-P. Lu, H.-F. Yang, X. Zhu, D.-S. Kong, J.-M. You | |
| Synthesis of Fe nanoparticles on polyaniline covered carbon nanotubes for oxygen reduction reaction | 661 |
| T.-H. Hu, Z.-S. Yin, J.-W. Guo, C. Wang | |
| Enhancement of ethanol oxidation at Pt and PtRu nanoparticles dispersed over hybrid zirconia-rhodium supports..... | 681 |
| I.A. Rutkowska, M.D. Koster, G.J. Blanchard, P.J. Kulesza | |
| Hollow mesoporous carbon nitride nanosphere/three-dimensional graphene composite as high efficient electrocatalyst for oxygen reduction reaction | 696 |
| Y. Qin, J. Li, J. Yuan, Y. Kong, Y. Tao, F. Lin, S. Li | |
| Evaluation of micro flat-tube solid-oxide fuel cell modules using simple gas heating apparatus..... | 730 |
| T. Suzuki, T. Yamaguchi, H. Sumi, K. Hamamoto, H. Shimada, Y. Fujishiro | |
| Cathode catalyst layers with ionomer to carbon mass ratios in the range 0–2 studied by electrochemical impedance spectroscopy, cyclic voltammetry, and performance measurements | 735 |
| A.D. Modestov, A.V. Kapustin, V.B. Avakov, I.K. Landgraf, M.R. Tarasevich | |
| Transient analysis of gas transport in anode channel of a polymer electrolyte membrane fuel cell with dead-ended anode under pressure swing operation | 743 |
| Y. Ichikawa, N. Oshima, Y. Tabuchi, K. Ikezoe | |
| Towards fuel cell membranes with improved lifetime: Aquivion® Perfluorosulfonic Acid membranes containing immobilized radical scavengers | 753 |
| C. D'Urso, C. Oldani, V. Baglio, L. Merlo, A.S. Aricò | |
| Investigation into the effect of molybdenum-site substitution on the performance of $\text{Sr}_2\text{Fe}_{1.5}\text{Mo}_{0.5}\text{O}_{6-\delta}$ for intermediate temperature solid oxide fuel cells | 759 |
| M. Hou, W. Sun, P. Li, J. Feng, G. Yang, J. Qiao, Z. Wang, D. Rooney, J. Feng, K. Sun | |
| Ionic conductivity of dense $\text{BaZr}_{0.5}\text{Ce}_{0.3}\text{Ln}_{0.2}\text{O}_{3-\delta}$ ($\text{Ln} = \text{Y}, \text{Sm}, \text{Gd}, \text{Dy}$) electrolytes | 786 |
| J. Bu, P.G. Jönsson, Z. Zhao | |
| Engineering hybrid between nickel oxide and nickel cobaltate to achieve exceptionally high activity for oxygen reduction reaction .. | 808 |
| Z. Cui, S. Wang, Y. Zhang, M. Cao | |
| Bifunctional quaternary ammonium compounds to inhibit biofilm growth and enhance performance for activated carbon air-cathode in microbial fuel cells | 895 |
| N. Li, Y. Liu, J. An, C. Feng, X. Wang | |
| Using ammonium bicarbonate as pore former in activated carbon catalyst layer to enhance performance of air cathode microbial fuel cell | 909 |
| D. Li, Y. Qu, J. Liu, W. He, H. Wang, Y. Feng | |
| Facile synthesis of PdAgTe nanowires with superior electrocatalytic activity..... | 940 |
| W. Hong, J. Wang, E. Wang | |
| $\text{CsH}_5(\text{PO}_4)_2$ doped glass membranes for intermediate temperature fuel cells..... | 1018 |
| G. Qing, R. Kikuchi, A. Takagaki, T. Sugawara, S.T. Oyama | |
| Selective adsorption of palladium complex for carbon-supported Pd/Mo electrocatalyst by the charge enhanced dry impregnation method | 1030 |
| C. Cao, G. Yang, W. Song, X. Ju, Q. Hu, J. Yao | |
| Activity inhibition and its mitigation in high temperature proton exchange membrane fuel cells: The role of phosphoric acid, ammonium trifluoromethanesulfonate, and polyvinylidene difluoride | 1072 |
| K. Holst-Olesen, M. Nesselberger, M. Perchthaler, V. Hacker, M. Arenz | |
| Branched platinum-on-palladium bimetallic heteronanostructures supported on reduced graphene oxide for highly efficient oxygen reduction reaction | 1078 |
| S.-S. Li, J.-N. Zheng, A.-J. Wang, F.-L. Tao, J.-J. Feng, J.-R. Chen, H. Yu | |
| Model of infiltrated $\text{La}_{1-x}\text{Sr}_x\text{Co}_{1-y}\text{Fe}_y\text{O}_{3-\delta}$ cathodes for intermediate temperature solid oxide fuel cells | 1106 |
| A. Enrico, P. Costamagna | |
| Fuel Cells: Engineering | |
| Dynamic electrical reconfiguration for improved capacitor charging in microbial fuel cell stacks | 34 |
| G. Papaharalabos, J. Greenman, A. Stinchcombe, I. Horsfield, C. Melhuish, I. Ieropoulos | |
| Influence of the cathode architecture in the frequency response of self-breathing proton exchange membrane fuel cells | 79 |
| P. Ferreira-Aparicio, A.M. Chaparro | |
| Validation of a novel method for detecting and stabilizing malfunctioning areas in fuel cell stacks | 225 |
| M. Müller, J. Hirschfeld, R. Lambertz, A. Schulze Lohoff, H. Lustfeld, H. Pfeifer, M. Reiβel | |
| Exergy & economic analysis of biogas fueled solid oxide fuel cell systems | 386 |
| N.S. Siefert, S. Litster | |
| Influences of pH value, temperature, chloride ions and sulfide ions on the corrosion behaviors of 316L stainless steel in the simulated cathodic environment of proton exchange membrane fuel cell | 448 |
| D.G. Li, J.D. Wang, D.R. Chen, P. Liang | |

| | |
|--|-----|
| Model-based prediction of the ohmic resistance of metallic interconnects from oxide scale growth based on scanning electron microscopy..... | 595 |
| M. Linder, T. Hocker, L. Holzer, K.A. Friedrich, B. Iwanschitz, A. Mai, J.A. Schuler | |
| Wire mesh current collectors for passive direct methanol fuel cells..... | 629 |
| N.K. Shrivastava, S.B. Thombre, R.V. Motghare | |
| Electrochemical evaluation of sulfur poisoning in a methane-fuelled solid oxide fuel cell: Effect of current density and sulfur concentration | 776 |
| A. Hagen, G.B. Johnson, P. Hjalmarsson | |
| Fuel Cells: Fuel Processing | |
| Enhanced catalytic performance in hydrogen generation from NaBH_4 hydrolysis by super porous cryogel supported Co and Ni catalysts | 128 |
| F. Seven, N. Sahiner | |
| A molecular molybdenum electrocatalyst for generating hydrogen from acetic acid or water | 169 |
| J.-P. Cao, L.-L. Zhou, L.-Z. Fu, S. Zhan | |
| Hydrothermal growth of vertically-aligned ordered mesoporous nickel oxide nanosheets on three-dimensional nickel framework for electrocatalytic oxidation of urea in alkaline medium..... | 711 |
| M.-S. Wu, G.-W. Lin, R.-S. Yang | |
| Hydrogen production via CO_2 reforming of methane over ZrO_2 -Doped Ni/ZSM-5 nanostructured catalyst prepared by ultrasound assisted sequential impregnation method | 816 |
| F. Rahmani, M. Haghghi, Y. Vafaeian, P. Estifaei | |
| Carbon monoxide tolerant platinum electrocatalysts on niobium doped titania and carbon nanotube composite supports..... | 845 |
| W.A. Rigdon, X. Huang | |
| Direct synthesis of dimethyl ether as a green fuel from syngas over nanostructured $\text{CuO-ZnO-Al}_2\text{O}_3/\text{HZSM-5}$ catalyst: Influence of irradiation time on nanocatalyst properties and catalytic performance..... | 929 |
| S. Allahyari, M. Haghghi, A. Ebadi, H. Qavam Saeedi | |
| Evaluation of nitrided titanium separator plates for proton exchange membrane electrolyzer cells..... | 954 |
| T.J. Toops, M.P. Brady, F.-Y. Zhang, H.M. Meyer III, K. Ayers, A. Roemer, L. Dalton | |
| Durable Cu composite catalyst for hydrogen production by high temperature methanol steam reforming..... | 961 |
| Y. Matsumura | |
| Lithium Batteries: Science and Technology | |
| Hydroxylamine hydrochloride: A novel anode material for high capacity lithium-ion batteries | 39 |
| L. Shao, J. Shu, M. Lao, X. Lin, K. Wu, M. Shui, P. Li, N. Long, Y. Ren | |
| On the complex interplay of crystallinity and surface area effects on Li-ion intercalation and pseudocapacitive storage properties of nanocrystalline anatase | 58 |
| M.J. Sussman, A. Yasin, G.P. Demopoulos | |
| State-of-charge estimation for lithium ion batteries via the simulation of lithium distribution in the electrode particles..... | 68 |
| N. Yang, X. Zhang, G. Li | |
| Stepwise co-precipitation to synthesize $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ one-dimensional hierarchical structure for lithium ion batteries..... | 144 |
| Z. Yang, J. Lu, D. Bian, W. Zhang, X. Yang, J. Xia, G. Chen, H. Gu, G. Ma | |
| Electrochemical performance of 5 V $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ cathode modified with lithium carbonate addition in electrolyte | 183 |
| B. Wu, Y. Ren, D. Mu, X. Liu, F. Wu | |
| Ionic conductivity studies of LiBOB-doped silyl solvent blend electrolytes for lithium-ion battery applications..... | 190 |
| W.V. Barth, A. Peña Hueso, L. Zhou, L.J. Lyons, R. West | |
| Anionic polymer electrolyte with enhanced electrochemical performance based on surface-charged latex nanoparticles for flexible lithium-ion batteries | 259 |
| X. Ma, X. Huang, J. Gao, S. Zhang, Z. Peng, Z. Deng, J. Suo | |
| Enhanced electrochemical performance of sodium lithium titanate by coating various carbons | 283 |
| K. Wu, J. Shu, X. Lin, L. Shao, M. Lao, M. Shui, P. Li, N. Long, D. Wang | |
| Characterization of large format lithium ion battery exposed to extremely high temperature | 457 |
| X. Feng, J. Sun, M. Ouyang, X. He, L. Lu, X. Han, M. Fang, H. Peng | |
| Ultrasmall TiO_2 nanoparticles embedded in nitrogen doped porous graphene for high rate and long life lithium ion batteries..... | 491 |
| G. Qin, H. Zhang, C. Wang | |
| Self-discharge suppression of 4.9 V $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ cathode by using tris(trimethylsilyl)borate as an electrolyte additive | 501 |
| X. Liao, Q. Huang, S. Mai, X. Wang, M. Xu, L. Xing, Y. Liao, W. Li | |
| Unravelling the role of Li_2S_2 in lithium-sulfur batteries: A first principles study of its energetic and electronic properties..... | 518 |
| Z. Feng, C. Kim, A. Vijñ, M. Armand, K.H. Bevan, K. Zaghib | |
| An amorphous Si film anode for all-solid-state lithium batteries | 541 |
| R. Miyazaki, N. Ohta, T. Ohnishi, I. Sakaguchi, K. Takada | |
| Electrochemical properties of $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ -based solid state battery | 554 |
| C.-W. Ahn, J.-J. Choi, J. Ryu, B.-D. Hahn, J.-W. Kim, W.-H. Yoon, J.-H. Choi, J.-S. Lee, D.-S. Park | |
| Phase field kinetics of lithium electrodeposits | 581 |
| D.R. Ely, A. Jana, R.E. García | |
| Phosphorus-doped tin oxides/carbon nanofibers webs as lithium-ion battery anodes with enhanced reversible capacity | 614 |
| X. Liu, D. Teng, T. Li, Y. Yu, X. Shao, X. Yang | |
| Lithium storage behavior of manganese based complex spinel titanate as anode material for Li-ion batteries | 622 |
| W. Chen, R. Du, H. Liang, Z. Zhou, L. Shao, J. Shu, Z. Wang | |

| | |
|---|------|
| Porous carbon-coated silica macroparticles as anode materials for lithium ion batteries: Effect of boric acid | 689 |
| Y.-K. Kim, J.-W. Moon, J.-G. Lee, Y.-K. Baek, S.-H. Hong | |
| Electrodeposited three-dimensional porous Si–O–C/Ni thick film as high performance anode for lithium-ion batteries | 794 |
| X. Qian, T. Hang, H. Nara, T. Yokoshima, M. Li, T. Osaka | |
| Carbon nanofiber/cobalt oxide nanopyramid core-shell nanowires for high-performance lithium-ion batteries..... | 828 |
| G.-H. An, H.-J. Ahn | |
| Morphology control of lithium iron phosphate nanoparticles by soluble starch-assisted hydrothermal synthesis..... | 837 |
| Z. Chen, M. Xu, B. Du, H. Zhu, T. Xie, W. Wang | |
| Copper-doped $\text{Li}_x\text{Ti}_5\text{O}_{12}$ /carbon nanofiber composites as anode for high-performance sodium-ion batteries | 860 |
| Y. Ge, H. Jiang, K. Fu, C. Zhang, J. Zhu, C. Chen, Y. Lu, Y. Qiu, X. Zhang | |
| Effects of Pulse Plating on lithium electrodeposition, morphology and cycling efficiency | 900 |
| H. Yang, E.O. Fey, B.D. Trimm, N. Dimitrov, M.S. Whittingham | |
| Ultrasonic-assisted co-precipitation to synthesize lithium-rich cathode $\text{Li}_{1.3}\text{Ni}_{0.21}\text{Mn}_{0.64}\text{O}_{2+d}$ materials for lithium-ion batteries | 922 |
| L. Li, S. Song, X. Zhang, R. Chen, J. Lu, F. Wu, K. Amine | |
| Titanium dioxide@titanium nitride nanowires on carbon cloth with remarkable rate capability for flexible lithium-ion batteries..... | 946 |
| M.-S. Balogun, C. Li, Y. Zeng, M. Yu, Q. Wu, M. Wu, X. Lu, Y. Tong | |
| Hierarchical vanadium pentoxide microflowers with excellent long-term cyclability at high rates for lithium ion batteries | 991 |
| L. Chen, X. Gu, X. Jiang, N. Wang, J. Yue, H. Xu, J. Yang, Y. Qian | |
| Facile synthesis of hierarchically porous hematite nanostructures composed of aligned nanorods for superior lithium storage capability | 997 |
| C. Mao, F. Du, G. Li | |
| Mesoporous Co_3O_4 nanocrystals as an effective electro-catalyst for highly reversible $\text{Li}-\text{O}_2$ batteries | 1003 |
| J. Zeng, C. Francia, J. Amici, S. Bodoardo, N. Penazzi | |
| Ab initio and kinetic Monte Carlo simulation study of lithiation in crystalline and amorphous silicon | 1010 |
| J. Moon, B. Lee, M. Cho, K. Cho | |
| Dense CoO/graphene stacks via self-assembly for improved reversibility as high performance anode in lithium ion batteries | 1037 |
| S.J.R. Prabakar, R.S. Babu, M. Oh, M.S. Lah, S.C. Han, J. Jeong, M. Pyo | |
| A dual pore carbon aerogel based air cathode for a highly rechargeable lithium-air battery | 1061 |
| F. Wang, Y.-H. Xu, Z.-K. Luo, Y. Pang, Q.-X. Wu, C.-S. Liang, J. Chen, D. Liu, X.-h. Zhang | |
| Preparation of thick-film $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ electrodes by aerosol deposition and its application to all-solid-state batteries..... | 1086 |
| S. Iwasaki, T. Hamanaka, T. Yamakawa, W.C. West, K. Yamamoto, M. Motoyama, T. Hirayama, Y. Iriyama | |
| Manganese sequestration and improved high-temperature cycling of Li-ion batteries by polymeric aza-15-crown-5 | 1134 |
| Z. Li, A.D. Pauric, G.R. Goward, T.J. Fuller, J.M. Ziegelbauer, M.P. Balogh, I.C. Halalay | |
| Degradation of lithium ion batteries employing graphite negatives and nickel–cobalt–manganese oxide + spinel manganese oxide positives: Part 2, chemical-mechanical degradation model | 1154 |
| J. Purewal, J. Wang, J. Graetz, S. Soukiazian, H. Tataria, M.W. Verbrugge | |
| Lithium Batteries: Engineering | |
| Calendar ageing analysis of a LiFePO_4 /graphite cell with dynamic model validations: Towards realistic lifetime predictions | 45 |
| E. Sarasketa-Zabala, I. Gandiaga, L.M. Rodriguez-Martinez, I. Villarreal | |
| Analytical modeling of dislocation effect on diffusion induced stress in a cylindrical lithium ion battery electrode | 121 |
| J. Li, Q. Fang, F. Liu, Y. Liu | |
| Energy management of power-split plug-in hybrid electric vehicles based on simulated annealing and Pontryagin's minimum principle | 160 |
| Z. Chen, C.C. Mi, B. Xia, C. You | |
| Novel thermal management system design methodology for power lithium-ion battery | 291 |
| N. Nieto, L. Díaz, J. Gastelurrutia, F. Blanco, J.C. Ramos, A. Rivas | |
| Measurement of in-plane thermal conductivity and heat capacity of separator in Li-ion cells using a transient DC heating method | 378 |
| V. Vishwakarma, A. Jain | |
| Development of cooling strategy for an air cooled lithium-ion battery pack | 404 |
| H. Sun, R. Dixon | |
| Thermal characterization of large size lithium-ion pouch cell based on 1d electro-thermal model | 476 |
| G. Vertiz, M. Oyarbide, H. Maciñor, O. Miguel, I. Cantero, P. Fernandez de Arroiabe, I. Ulacia | |
| Control of a lithium-ion battery storage system for microgrid applications | 531 |
| J. Pegueroles-Queralt, F.D. Bianchi, O. Gomis-Bellmunt | |
| A robust approach to battery fuel gauging, part I: Real time model identification | 1142 |
| B. Balasingam, G.V. Avvari, B. Pattipati, K.R. Pattipati, Y. Bar-Shalom | |
| Lead-Acid Batteries: Science and Technology | |
| Modified titanium foil's surface by high temperature carbon sintering method as the substrate for bipolar lead-acid battery..... | 176 |
| X. Lang, D. Wang, J. Zhu | |
| Other Electrochemical Power Sources: Science and Technology | |
| Ultra-thin polytetrafluoroethylene/Nafion/silica composite membrane with high performance for vanadium redox flow battery | 113 |
| X. Teng, J. Dai, F. Bi, G. Yin | |
| Synthesis of cobalt oxide-reduced graphene nanocomposite and its enhanced electrochemical properties as negative material for alkaline secondary battery | 328 |
| Y. Xu, X. Wang, C. An, Y. Wang, L. Jiao, H. Yuan | |

| | |
|--|------|
| The role of FeS in initial activation and performance degradation of Na-NiCl ₂ batteries | 398 |
| G. Li, X. Lu, J.Y. Kim, M.H. Engelhard, J.P. Lemmon, V.L. Sprenkle | |
| Non-aqueous aluminium-air battery based on ionic liquid electrolyte | 415 |
| R. Revel, T. Audichon, S. Gonzalez | |
| Characterization of sulfonated poly(ether ether ketone)/poly(vinylidene fluoride-co-hexafluoropropylene) composite membrane for vanadium redox flow battery application | 427 |
| Z. Li, L. Liu, L. Yu, L. Wang, J. Xi, X. Qiu, L. Chen | |
| Effect of the length and surface area on electrochemical performance of cobalt oxide nanowires for alkaline secondary battery application | 703 |
| Y. Xu, X. Wang, C. An, Y. Wang, L. Jiao, H. Yuan | |
| Lignin-based electrospun carbon nanofibrous webs as free-standing and binder-free electrodes for sodium ion batteries | 800 |
| J. Jin, B.-j. Yu, Z.-q. Shi, C.-y. Wang, C.-b. Chong | |
| Uniform and continuous carbon coated sodium vanadium phosphate cathode materials for sodium-ion battery | 880 |
| L. Si, Z. Yuan, L. Hu, Y. Zhu, Y. Qian | |
| Advanced intermediate temperature sodium copper chloride battery | 987 |
| L.-P. Yang, X.-M. Liu, Y.-W. Zhang, H. Yang, X.-D. Shen | |
| Metal polypyrrole battery with the air regenerated positive electrode | 1053 |
| B.N. Grgur | |
| Other Electrochemical Power Sources: Engineering | |
| Model of a vanadium redox flow battery with an anion exchange membrane and a Larminie-correction | 436 |
| F.T. Wandschneider, D. Finke, S. Grosjean, P. Fischer, K. Pinkwart, J. Tübke, H. Nirschl | |
| Thermoelectric power enhancement by way of flow impedance for fixed thermal input conditions | 672 |
| C. Amaral, C. Brandão, É.V. Sempels, F.J. Lesage | |
| Supercapacitors: Science and Technology | |
| Bowl-like carbon sheet for high-rate electrochemical capacitor application | 1 |
| M. Huang, X. Jiang, H. Zhang, H. Yin, X. Li, X. Ju | |
| High-performance all-solid-state flexible supercapacitors based on two-step activated carbon cloth | 16 |
| S. Jiang, T. Shi, X. Zhan, H. Long, S. Xi, H. Hu, Z. Tang | |
| Factors influencing high voltage performance of coconut char derived carbon based electrical double layer capacitor made using acetonitrile and propylene carbonate based electrolytes | 90 |
| C. Hu, W. Qu, R. Rajagopalan, C. Randall | |
| Effect of pressure on capacitor electrodes formed with oxide nanoparticles | 100 |
| D. Giaume, X. Pétrissans, P. Barboux | |
| Facile synthesis of nanorod-assembled multi-shelled Co ₃ O ₄ hollow microspheres for high-performance supercapacitors | 107 |
| Y. Wang, A. Pan, Q. Zhu, Z. Nie, Y. Zhang, Y. Tang, S. Liang, G. Cao | |
| High performance supercapacitor based on Ni ₃ S ₂ /carbon nanofibers and carbon nanofibers electrodes derived from bacterial cellulose | 137 |
| W. Yu, W. Lin, X. Shao, Z. Hu, R. Li, D. Yuan | |
| The influence of electrode and separator thickness on the cell resistance of symmetric cellulose-polypyrrole-based electric energy storage devices | 468 |
| P. Tammela, H. Olsson, M. Strømme, L. Nyholm | |
| Rationally designed hierarchical MnO ₂ -shell/ZnO-nanowire/carbon-fabric for high-performance supercapacitor electrodes | 654 |
| Q. Yang, X.T. Zhang, M.Y. Zhang, Y. Gao, H. Gao, X.C. Liu, H. Liu, K.W. Wong, W.M. Lau | |
| Influence of annealing temperature on the morphology and the supercapacitance behavior of iron oxide nanotube (Fe-NT) | 766 |
| B. Sarma, A.L. Jurovitzki, Y.R. Smith, R.S. Ray, M. Misra | |
| Enhanced electrochemical performance of manganese dioxide spheres deposited on a titanium dioxide nanotube arrays substrate .. | 866 |
| H. Zhou, Y. Zhang | |
| Synthesis of hollow polyaniline nano-capsules and their supercapacitor application | 915 |
| W. Yang, Z. Gao, N. Song, Y. Zhang, Y. Yang, J. Wang | |
| Electrochemical characteristics of the reduced graphene oxide/carbon nanotube/polypyrrole composites for aqueous asymmetric supercapacitors | 970 |
| Y.-J. Peng, T.-H. Wu, C.-T. Hsu, S.-M. Li, M.-G. Chen, C.-C. Hu | |
| Carbon nanosheet buckypaper: A graphene-carbon nanotube hybrid material for enhanced supercapacitor performance | 979 |
| B. Brown, B. Swain, J. Hiltwine, D.B. Brooks, Z. Zhou | |
| Comparison of carbon onions and carbon blacks as conductive additives for carbon supercapacitors in organic electrolytes | 1122 |
| N. Jäckel, D. Weingarth, M. Zeiger, M. Aslan, I. Grobelsek, V. Presser | |
| Supercapacitors: Engineering | |
| Petal-shaped poly(3,4-ethylenedioxythiophene)/sodium dodecyl sulfate-graphene oxide intercalation composites for high-performance electrochemical energy storage | 203 |
| H. Zhou, G. Han, D. Fu, Y. Chang, Y. Xiao, H.-J. Zhai | |
| Photo-electrochemical Cells | |
| Effect of random p-n junctions on quasi-solid-state dye-sensitized solar cells with polymer electrolyte | 218 |
| J. Cui, Y. Yang, P. Yi, X. Guo | |
| Surfactant enhanced surface coverage of CH ₃ NH ₃ PbI _{3-x} Cl _x perovskite for highly efficient mesoscopic solar cells | 351 |
| Y. Ding, X. Yao, X. Zhang, C. Wei, Y. Zhao | |

| | |
|--|------|
| High efficiency and stability of quasi-solid-state dye-sensitized ZnO solar cells using graphene incorporated soluble polystyrene gel electrolytes..... | 485 |
| S.-Q. Bi, F.-L. Meng, Y.-Z. Zheng, X. Han, X. Tao, J.-F. Chen | |
| Boron and sulfur co-doped TiO ₂ nanofilm as effective photoanode for high efficiency CdS quantum-dot-sensitized solar cells..... | 508 |
| L. Li, X. Yang, W. Zhang, H. Zhang, X. Li | |
| A new in-situ preparation method to FeS counter electrode for quantum dots-sensitized solar cells..... | 546 |
| L. Quan, W. Li, L. Zhu, H. Geng, X. Chang, H. Liu | |
| Temperature effect on water splitting using a Si-doped hematite photoanode | 567 |
| P. Dias, T. Lopes, L. Andrade, A. Mendes | |
| Controlled synthesis of CuInS ₂ /reduced graphene oxide nanocomposites for efficient dye-sensitized solar cells..... | 639 |
| L. Zhou, X. Yang, B. Yang, X. Zuo, G. Li, A. Feng, H. Tang, H. Zhang, M. Wu, Y. Ma, S. Jin, Z. Sun, X. Chen | |
| Effect of hydrogen treatment on the photoelectrochemical properties of quantum dots sensitized ZnO nanorod array..... | 647 |
| Y. Bu, Z. Chen | |
| Transparent, 3-dimensional light-collected, and flexible fiber-type dye-sensitized solar cells based on highly ordered hierarchical anatase TiO ₂ nanorod arrays..... | 719 |
| J. Liang, G. Zhang, J. Yin, Y. Yang | |
| Low-temperature synthesis of tin dioxide hollow nanospheres and their potential applications in dye-sensitized solar cells and photoelectrochemical type self-powered ultraviolet photodetectors | 886 |
| L. Chen, X. Li, Y. Wang, C. Gao, H. Zhang, B. Zhao, F. Teng, J. Zhou, Z. Zhang, X. Pan, E. Xie | |
| TiO ₂ nanocrystalline layer as a bridge linking TiO ₂ sub-microparticles layer and substrates for high-efficiency dye-sensitized solar cells | 1046 |
| Y. Ding, L.-E. Mo, L. Tao, Y.-M. Ma, L.-H. Hu, Y. Huang, X.-Q. Fang, J.-X. Yao, X.-W. Xi, S.-Y. Dai | |
| Hierarchical porous carbons as a metal-free electrocatalyst of triiodide reduction for dye-sensitized solar cells | 1091 |
| L.-L. Shao, M. Chen, Z.-Y. Yuan | |
| Plasmonic enhancement of the performance of dye-sensitized solar cell by core-shell AuNRs@SiO ₂ in composite photoanode | 1100 |
| L. Bai, M. Li, K. Guo, M. Luoshan, H.F. Mehnane, L. Pei, M. Pan, L. Liao, X. Zhao | |