

774
780/p55



ELSEVIER

Volume 226, 15 March 2013

ISSN 0378-7753

JOURNAL OF POWER SOURCES

The International Journal on the Science and
Technology of Electrochemical Energy Systems

Regional Editors

C.K. Dyer (N&S America)
Z. Ogumi (Japan & P.R. China)
D.A.J. Rand (Asia-Pacific)
B. Scrosati (Europe, Middle East
and Africa)

Regional and Special Issues Co-ordinating Editor

P.T. Moseley

Founding Editor

D.H. Collins

Available online at www.sciencedirect.com

SciVerse ScienceDirect



ELSEVIER

Contents lists available at ScienceDirect

Journal of Power Sources

journal homepage: www.elsevier.com/locate/jpowsour

Contents

Review

- A review on the key issues for lithium-ion battery management in electric vehicles. 272
L. Lu, X. Han, J. Li, J. Hua, M. Ouyang

Fuel Cells: Science and Technology

- Comparative characterization of thermodynamic, electrical, and electrochemical properties of $\text{Sm}_{0.5}\text{Sr}_{0.5-x}\text{Nb}_x\text{O}_{3-\delta}$ ($x = 0, 0.05, \text{ and } 0.1$) as cathode materials in intermediate temperature solid oxide fuel cells 1
S. Yoo, T.-H. Lim, J. Shin, G. Kim
- Immersion effects of Ta and Zr compounds on activity of oxygen reduction reaction in sulfuric acid 16
K. Matsuzawa, K. Nozawa, K. Yamauchi, A. Ishihara, S. Mitsushima, K.-i. Ota
- An electrodeposited redox polymer–laccase composite film for highly efficient four-electron oxygen reduction. 27
W. Shen, H. Deng, A.K.L. Teo, Z. Gao
- Characteristics of high-water-uptake activated carbon/Nafion hybrid membranes for proton exchange membrane fuel cells 87
H.-C. Chien, L.-D. Tsai, C.-M. Lai, J.-N. Lin, C.-Y. Zhu, F.-C. Chang
- Optimization of ink composition based on a non-platinum cathode for single membrane electrode assembly proton exchange membrane fuel cells 112
K. Artyushkova, D. Habel-Rodriguez, T.S. Olson, P. Atanassov
- Polyelectrolyte based on tetra-sulfonated poly(arylene ether)s for direct methanol fuel cell 179
J. Pang, K. Shen, D. Ren, S. Feng, Z. Jiang
- Performance of H-shaped membraneless micro fuel cells 266
H.B. Park, K.H. Lee, H.J. Sung
- Semi-interpenetrating polymer network proton exchange membranes with narrow and well-connected hydrophilic channels. 289
C. Fang, X.N. Toh, Q. Yao, D. Julius, L. Hong, J.Y. Lee
- An electrocatalytic oxygen reduction by copper nanoparticles-modified Au(100)-rich polycrystalline gold electrode in 0.5 M KOH 306
M.I. Awad, T. Ohsaka
- Polymer electrolyte membrane fuel cell performance degradation by coolant leakage and recovery. 320
J.H. Jung, S.H. Kim, S.H. Hur, S.H. Joo, W.M. Choi, J. Kim
- Enhanced electrical conductivity of $\text{La}_2\text{Mo}_{1.4}\text{W}_{0.6}\text{O}_9$ ceramic prepared by laser rapid solidification method 334
J. Yu, M. Chao, D. Li, M. Li
- Highly durable polymer electrolyte membranes at elevated temperature: Cross-linked copolymer structure consisting of poly(benzoxazine) and poly(benzimidazole). 346
S.-K. Kim, K.-H. Kim, J.O. Park, K. Kim, T. Ko, S.-W. Choi, C. Pak, H. Chang, J.-C. Lee
- High performance of $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}\text{-Ce}_{0.9}\text{Gd}_{0.1}\text{O}_{1.95}$ nanoparticulate cathode for intermediate temperature microtubular solid oxide fuel cells 354
H. Sumi, T. Yamaguchi, K. Hamamoto, T. Suzuki, Y. Fujishiro

Fuel Cells: Engineering

- Optimization of Al_2O_3 -glass composite seals for planar intermediate-temperature solid oxide fuel cells. 127
X. Wang, D. Yan, D. Fang, J. Luo, J. Pu, B. Chi, L. Jian
- Ni/YSZ pattern anodes fabrication and their microstructure and electrochemical behavior changes in $\text{H}_2\text{-H}_2\text{O}$ environments 162
W. Yao, E. Croiset

SciVerse ScienceDirect

Full text of this journal is available, on-line from SciVerse ScienceDirect. Visit www.sciencedirect.com for more information.

Review and advances of direct methanol fuel cells (DMFCs) part I: Design, fabrication, and testing with high concentration methanol solutions	223
X. Li, A. Faghri	
Lithium Batteries: Science and Technology	
Enhanced electrochemical performances of LiFePO_4/C by surface modification with Sn nanoparticles	20
Y. Lin, Y. Lin, T. Zhou, G. Zhao, Y. Huang, Z. Huang	
LiFePO_4 battery pack capacity estimation for electric vehicles based on charging cell voltage curve transformation.	33
Y. Zheng, L. Lu, X. Han, J. Li, M. Ouyang	
Resonant photoemission spectroscopy of the cathode material $\text{Li}_x\text{Mn}_{0.5}\text{Fe}_{0.5}\text{PO}_4$ for lithium-ion battery	42
S. Kurosumi, K. Horiba, N. Nagamura, S. Toyoda, H. Kumigashira, M. Oshima, S. Furutsuki, S.-i. Nishimura, A. Yamada, N. Mizuno	
High performance ceramic-coated separators prepared with lithium ion-containing SiO_2 particles for lithium-ion batteries	54
W.-K. Shin, D.-W. Kim	
All-solid-state lithium battery with LiBH_4 solid electrolyte.	61
K. Takahashi, K. Hattori, T. Yamazaki, K. Takada, M. Matsuo, S. Orimo, H. Maekawa, H. Takamura	
Ball-milling assisted solid-state reaction synthesis of mesoporous $\text{Li}_4\text{Ti}_5\text{O}_{12}$ for lithium-ion batteries anode	71
C. Lai, Z. Wu, Y. Zhu, Q. Wu, L. Li, C. Wang	
Lithium storage in carbon-coated SnO_2 by conversion reaction	75
X.W. Guo, X.P. Fang, Y. Sun, L.Y. Shen, Z.X. Wang, L.Q. Chen	
Electrospun polyimide nanofiber-based nonwoven separators for lithium-ion batteries	82
Y.-E. Miao, G.-N. Zhu, H. Hou, Y.-Y. Xia, T. Liu	
Polyethylene-supported polyvinylidene fluoride-cellulose acetate butyrate blended polymer electrolyte for lithium ion battery	101
J. Liu, W. Li, X. Zuo, S. Liu, Z. Li	
Synthesis and electrochemical properties of MoO_3/C composite as anode material for lithium-ion batteries	107
Q. Xia, H. Zhao, Z. Du, J. Wang, T. Zhang, J. Wang, P. Lv	
Analysis of the size effect of LiMnPO_4 particles on the battery properties by using STEM-EELS	122
J. Yoshida, M. Stark, J. Holzbock, N. Hüsing, S. Nakanishi, H. Iba, H. Abe, M. Naito	
Water soluble binder for fabrication of $\text{Li}_4\text{Ti}_5\text{O}_{12}$ electrodes	134
E. Pohjalainen, S. Räsänen, M. Jokinen, K. Ylioniemi, D.A. Worsley, J. Kuusivaara, J. Juurikivi, R. Ekqvist, T. Kallio, M. Karppinen	
Facile synthesis of porous LiMn_2O_4 spheres as cathode materials for high-power lithium ion batteries	140
Y. Wang, X. Shao, H. Xu, M. Xie, S. Deng, H. Wang, J. Liu, H. Yan	
Ion transport restriction in mechanically strained separator membranes	149
J. Cannarella, C.B. Arnold	
Lattice orientation control of lithium cobalt oxide cathode film for all-solid-state thin film batteries	186
Y. Yoon, C. Park, J. Kim, D. Shin	
Properties and application of ether-functionalized trialkylimidazolium ionic liquid electrolytes for lithium battery	210
Y. Jin, S. Fang, M. Chai, L. Yang, K. Tachibana, S.-i. Hirano	
Electrochemical performance of $\text{LiCo}_{1/3}\text{Mn}_{1/3}\text{Ni}_{1/3}\text{O}_2$ hollow spheres as cathode material for lithium ion batteries.	219
C. Yang, J. Huang, L. Huang, G. Wang	
High-performance Sn@carbon nanocomposite anode for lithium batteries	241
I. Meschini, F. Nobili, M. Mancini, R. Marassi, R. Tossici, A. Savoini, M.L. Focarete, F. Croce	
Design of a new lithium ion battery test cell for <i>in-situ</i> neutron diffraction measurements	249
M. Roberts, J.J. Biendicho, S. Hull, P. Beran, T. Gustafsson, G. Svensson, K. Edström	
High temperature stabilization of lithium-sulfur cells with carbon nanotube current collector	256
H. Kim, J.T. Lee, G. Yushin	
The testing of batteries linked to supercapacitors with electrochemical impedance spectroscopy: A comparison between Li-ion and valve regulated lead acid batteries	299
E. Ferg, C. Rossouw, P. Loyson	
<i>In-situ</i> X-ray diffraction studies of lithium-sulfur batteries	313
N.A. Cañas, S. Wolf, N. Wagner, K.A. Friedrich	
Poly(ethyleneglycol)dimethylether-lithium bis(trifluoromethanesulfonyl)imide, PEG500DME-LiTFSI, as high viscosity electrolyte for lithium ion batteries	329
R. Bernhard, A. Latini, S. Panero, B. Scrosati, J. Hassoun	
Fabrication and electrochemical properties of $\text{LiMn}_2\text{O}_4/\text{SrRuO}_3$ multi-layer epitaxial thin film electrodes.	340
K. Suzuki, K. Kim, S. Taminato, M. Hirayama, R. Kanno	
Lead-Acid Batteries: Science and Technology	
Evaluation of UltraBattery™ performance in comparison with a battery-supercapacitor parallel network	191
A.J. Fairweather, D.A. Stone, M.P. Foster	
Other Electrochemical Power Sources: Science and Technology	
Effects of acidity and alkalinity on corrosion behaviour of Al-Zn-Mg based anode alloy.	156
J. Ma, J. Wen, Q. Li, Q. Zhang	
Supercapacitors: Science and Technology	
A reduced graphene oxide/ Co_3O_4 composite for supercapacitor electrode	65
C. Xiang, M. Li, M. Zhi, A. Manivannan, N. Wu	
The effects of electrolyte on the supercapacitive performance of activated calcium carbide-derived carbon.	202
H. Wu, X. Wang, L. Jiang, C. Wu, Q. Zhao, X. Liu, B. Hu, L. Yi	

Photo-electrochemical Cells

A novel TiO ₂ nanowires/nanoparticles composite photoanode with SrO shell coating for high performance dye-sensitized solar cell . Q. Hu, C. Wu, L. Cao, B. Chi, J. Pu, L. Jian	8
An upconversion NaYF ₄ :Yb ³⁺ ,Er ³⁺ /TiO ₂ core-shell nanoparticle photoelectrode for improved efficiencies of dye-sensitized solar cells J. Zhang, H. Shen, W. Guo, S. Wang, C. Zhu, F. Xue, J. Hou, H. Su, Z. Yuan	47
Verification of necessity of one-dimensional titania nanoscale materials for dye-sensitized solar cells M. Adachi, R. Tanino, J. Adachi, Y. Mori, K. Tsuchiya, S. Isoda, F. Uchida	94
Photovoltaic performance degradation and recovery of the flexible dye-sensitized solar cells by bending and relaxing X.-L. He, M. Liu, G.-J. Yang, H.-L. Yao, S.-Q. Fan, C.-J. Li	173
Low-cost porous Cu ₂ ZnSnSe ₄ film remarkably superior to noble Pt as counter electrode in quantum dot-sensitized solar cell system . X. Zeng, W. Zhang, Y. Xie, D. Xiong, W. Chen, X. Xu, M. Wang, Y.-B. Cheng	359

Letter to the Editor

Comment on the paper "Effect of stress on dissolution/precipitation of platinum: Implications concerning core-shell catalysts and cathode degradation in proton exchange membrane fuel cells" by Preethy Parthasarathy, Anil V. Virkar* [J. Power Sources 196 (2011) 9204-9212] Á. Horváth, R. Schiller	363
--	-----