

ПН  
780/p5s

Volume 232, 15 June 2013

ISSN 0378-7753



ELSEVIER

# JOURNAL OF POWER SOURCES

The International Journal on the Science and  
Technology of Electrochemical Energy Systems

**Regional Editors**

C.K. Dyer (N&S America)  
Z. Ogumi (Japan & P.R. China)  
S. Passerini (Europe, Middle East  
and Africa)  
D.A.J. Rand (Asia-Pacific)

**Regional and Special  
Issues Co-ordinating  
Editor**

P.T. Moseley

**Founding  
Editor**

D.H. Collins

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**



ELSEVIER

Contents lists available at ScienceDirect

## Journal of Power Sources

journal homepage: [www.elsevier.com/locate/jpowsour](http://www.elsevier.com/locate/jpowsour)

## Contents

## Reviews

- A review of hollow Pt-based nanocatalysts applied in proton exchange membrane fuel cells. . . . . 310  
 X. Zhou, Y. Gan, J. Du, D. Tian, R. Zhang, C. Yang, Z. Dai
- Review and analysis of nanostructured olivine-based lithium rechargeable batteries: Status and trends. . . . . 357  
 K. Zaghib, A. Guerfi, P. Hovington, A. Vijh, M. Trudeau, A. Mauger, J.B. Goodenough, C.M. Julien

## Fuel Cells: Science and Technology

- Effects of marine atmosphere on the cell performance in molten carbonate fuel cells . . . . . 17  
 S.A. Song, H.K. Kim, H.C. Ham, J. Han, S.W. Nam, S.P. Yoon
- SOFC modeling considering hydrogen and carbon monoxide as electrochemical reactants. . . . . 42  
 M. Andersson, J. Yuan, B. Sundén
- Synthesis of nanocrystalline lanthanum manganite with tailored particulate size and morphology using a novel spray pyrolysis technique for application as the functional solid oxide fuel cell cathode. . . . . 55  
 J. Mukhopadhyay, H.S. Maiti, R.N. Basu
- Highly active PdAu alloy catalysts for ethanol electro-oxidation . . . . . 99  
 Y.-Y. Feng, Z.-H. Liu, Y. Xu, P. Wang, W.-H. Wang, D.-S. Kong
- Scandia-stabilized zirconia electrolyte with improved interlamellar bonding by high-velocity plasma spraying for high performance solid oxide fuel cells . . . . . 123  
 S.-L. Zhang, C.-X. Li, C.-J. Li, G.-J. Yang, Z.-H. Han
- Enhanced performance of activated carbon–polytetrafluoroethylene air-cathode by avoidance of sintering on catalyst layer in microbial fuel cells . . . . . 132  
 H. Dong, H. Yu, H. Yu, N. Gao, X. Wang
- Influences of operational factors on proton exchange membrane fuel cell performance with modified interdigitated flow field design . . . . . 199  
 H.-W. Ku, H.-W. Wu
- Sintering and electrochemical performance of  $Y_2O_3$ -doped barium zirconate with  $Bi_2O_3$  as sintering aids. . . . . 219  
 S. Le, J. Zhang, X. Zhu, J. Zhai, K. Sun
- Effect of humidification on the performance of intermediate-temperature proton conducting ceramic fuel cells with ceramic composite cathodes. . . . . 224  
 K.-C. Lee, M.-B. Choi, D.-K. Lim, B. Singh, S.-J. Song
- A low-cost platinum film deposited direct on glass substrate for electrochemical counter electrodes. . . . . 254  
 R. Pereira, L.F. Marchesi, R.G. Freitas, R. Matos, E.C. Pereira
- Thermal and electrochemical properties of  $PrBa_{0.5}Sr_{0.5}Co_{2-x}Fe_xO_{5+\delta}$  ( $x = 0.5, 1.0, 1.5$ ) cathode materials for solid-oxide fuel cells. . . . . 279  
 L. Jiang, T. Wei, R. Zeng, W.-X. Zhang, Y.-H. Huang
- Sorption and transport properties of 2-acrylamido-2-methyl-1-propanesulfonic acid-grafted bacterial cellulose membranes for fuel cell application . . . . . 297  
 C.W. Lin, S.S. Liang, S.W. Chen, J.T. Lai
- Effect of cathode microporous layer composition on proton exchange membrane fuel cell performance under different air inlet relative humidity. . . . . 306  
 H.-H. Chen, M.-H. Chang
- $La_{0.8}Sr_{1.2}CoO_{4+\delta}$ -CGO composite as cathode on  $La_{0.9}Sr_{0.1}Ga_{0.8}Mg_{0.2}O_{3-\delta}$  electrolyte for intermediate temperature solid oxide fuel cells . . . . . 332  
 J. Zhou, G. Chen, K. Wu, Y. Cheng

SciVerse ScienceDirect

Full text of this journal is available, on-line from SciVerse ScienceDirect. Visit [www.sciencedirect.com](http://www.sciencedirect.com) for more information.

Anode morphology and performance of micro-tubular solid oxide fuel cells made by aqueous electrophoretic deposition .....	353
J.S. Cherng, C.C. Wu, F.A. Yu, T.H. Yeh	
Electrochemical performance of plasma sprayed Cu–Co–SDC mono-layer and Cu–Co–SDC/Cu–YSZ bi-layered anodes manufactured from coarse and fine feedstock powders .....	389
N. Light, O. Kesler	
<b>Fuel Cells: Engineering</b>	
Direct utilization of fermentation products in an alcohol fuel cell .....	34
D.M. Mackie, S. Liu, M. Benyamin, R. Ganguli, J.J. Sumner	
Sputtered nanocrystalline coating of a low-Cr alloy for solid oxide fuel cell interconnects application .....	66
S. Geng, Y. Li, Z. Ma, S. Zhu, F. Wang	
A current-sensor electrochemical device for accurate gas diffusivity measurement in fuel cells .....	93
W. He, B. Wang	
Theoretical studies on the electrochemical and mechanical properties and microstructure optimization of micro-tubular solid oxide fuel cells .....	106
J. Li, W. Kong, Z. Lin	
A general approach to develop reduced order models for simulation of solid oxide fuel cell stacks .....	139
W. Pan, J. Bao, C. Lo, K. Lai, K. Agarwal, B.J. Koepfel, M. Khaleel	
The intercalation chemistry of H <sub>2</sub> V <sub>3</sub> O <sub>8</sub> nanobelts synthesised by a green, fast and cost-effective procedure .....	173
J. Prado-Gonjal, B. Molero-Sánchez, D. Ávila-Brandé, E. Morán, J.C. Pérez-Flores, A. Kuhn, F. García-Alvarado	
Dynamic modelling and parametric control for the polymer electrolyte membrane fuel cell system .....	270
Y. Zhao, E. Pistikopoulos	
Non-equilibrium two-phase model of the air-cathode of a PEM fuel cell based on GDL experimental water transport characteristics ..	376
B. Ramos-Alvarado, A. Hernandez-Guerrero, M.W. Ellis	
<b>Fuel Cells: Fuel Processing</b>	
Construction of NiCo–Pt nanopolyhedron inlay-structures and their highly efficient catalysis hydrolytic dehydrogenation toward ammonia borane .....	86
M. Wen, S. Zhou, Q. Wu, J. Zhang, Q. Wu, C. Wang, Y. Sun	
Electrochemical conversion of H <sub>2</sub> O/CO <sub>2</sub> to fuel in a proton-conducting solid oxide electrolyser .....	187
G. Wu, K. Xie, Y. Wu, W. Yao, J. Zhou	
Promotional effect of Partial substitution of Zn by Ce in CuZnAlO catalysts used for hydrogen production via steam reforming of dimethyl ether .....	286
L. Zhang, M. Meng, S. Zhou, Z. Sun, J. Zhang, Y. Xie, T. Hu	
<b>Lithium Batteries: Science and Technology</b>	
Preparation of a spinel LiMn <sub>2</sub> O <sub>4</sub> single crystal film from a MnO wafer .....	7
M. Kitta, T. Akita, M. Kohyama	
Acetylene black-embedded LiMn <sub>0.8</sub> Fe <sub>0.2</sub> PO <sub>4</sub> /C composite as cathode for lithium ion battery .....	12
B.Z. Li, Y. Wang, L. Xue, X.P. Li, W.S. Li	
On the stress characteristics of graphite anode in commercial pouch lithium-ion battery .....	29
D. Liu, Y. Wang, Y. Xie, L. He, J. Chen, K. Wu, R. Xu, Y. Gao	
One-pot synthesis of carbon coated-SnO <sub>2</sub> /graphene-sheet nanocomposite with highly reversible lithium storage capability .....	152
J. Cheng, H. Xin, H. Zheng, B. Wang	
Preparation and characterization of LiNi <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4-δ</sub> thin films taking advantage of correlations with powder samples behavior .....	165
L. Wang, H. Li, M. Courty, X. Huang, E. Baudrin	
Excellent rate capabilities of (LiFePO <sub>4</sub> /C)//LiV <sub>3</sub> O <sub>8</sub> in an optimized aqueous solution electrolyte .....	181
M. Zhao, B. Zhang, G. Huang, H. Zhang, X. Song	
Nanoporous anatase TiO <sub>2</sub> /single-wall carbon nanohorns composite as superior anode for lithium ion batteries .....	193
W. Xu, Z. Wang, Z. Guo, Y. Liu, N. Zhou, B. Niu, Z. Shi, H. Zhang	
Using probability density function to evaluate the state of health of lithium-ion batteries .....	209
X. Feng, J. Li, M. Ouyang, L. Lu, J. Li, X. He	
Preparation of high performance carbon-coated LiMnPO <sub>4</sub> nanocomposite by an acetate-assisted antisolvent precipitation method ..	234
K. Su, F. Liu, J. Chen	
Li(Mn <sub>1/3</sub> Ni <sub>1/3</sub> Fe <sub>1/3</sub> )O <sub>2</sub> -Polyaniline hybrids as cathode active material with ultra-fast charge-discharge capability for lithium batteries	240
K. Karthikeyan, S. Amaresh, V. Aravindan, W.S. Kim, K.W. Nam, X.Q. Yang, Y.S. Lee	
Covalent vs. non-covalent redox functionalization of C–LiFePO <sub>4</sub> based electrodes .....	246
L. Madec, B. Humbert, B. Lestriez, T. Brousse, C. Cougnon, D. Guyomard, J. Gaubicher	
High capacity Li <sub>2</sub> MnSiO <sub>4</sub> /C nanocomposite prepared by sol-gel method for lithium-ion batteries .....	258
S. Liu, J. Xu, D. Li, Y. Hu, X. Liu, K. Xie	
Reduction effect of irreversible capacity on SiO anode material heat-reacted with Fe <sub>2</sub> O <sub>3</sub> .....	264
H. Yamamura, S. Nakanishi, H. Iba	
Spherical lithium-rich layered Li <sub>1.13</sub> [Mn <sub>0.534</sub> Ni <sub>0.233</sub> Co <sub>0.233</sub> ] <sub>0.87</sub> O <sub>2</sub> with concentration-gradient outer layer as high-performance cathodes for lithium ion batteries .....	338
X. Yang, X. Wang, G. Zou, L. Hu, H. Shu, S. Yang, L. Liu, H. Hu, H. Yuan, B. Hu, Q. Wei, L. Yi	

## Lithium Batteries: Engineering

Mathematical model of the dendritic growth during lithium electrodeposition..... R. Akolkar	23
Model based identification of aging parameters in lithium ion batteries..... G.K. Prasad, C.D. Rahn	79
Recovery and heat treatment of the $\text{Li}(\text{Ni}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3})\text{O}_2$ cathode scrap material for lithium ion battery..... D. Song, X. Wang, E. Zhou, P. Hou, F. Guo, L. Zhang	348

## Supercapacitors: Science and Technology

Effect of Al-doped $\beta\text{-Ni}(\text{OH})_2$ nanosheets on electrochemical behaviors for high performance supercapacitor application..... J. Huang, T. Lei, X. Wei, X. Liu, T. Liu, D. Cao, J. Yin, G. Wang	370
---	-----

## Photo-electrochemical Cells

Enhanced efficiency of bifacial and back-illuminated Ti foil based flexible dye-sensitized solar cells by decoration of mesoporous $\text{SiO}_2$ layer on $\text{TiO}_2$ anode..... K.-M. Lee, W.-H. Chiu, V. Suryanarayanan, C.-G. Wu	1
Effect of gas ambient and varying RF sputtering power for bandgap narrowing of mixed (ZnO:GaN) thin films for solar driven hydrogen production..... S. Shet, Y. Yan, J. Turner, M. Al-Jassim	74
The effect of $\text{TiO}_2$ -coating layer on the performance in nanoporous ZnO-based dye-sensitized solar cells..... C. Kim, J. Kim, H. Choi, C. Nahm, S. Kang, S. Lee, B. Lee, B. Park	159
<i>Ab initio</i> design of GaN-based photocatalyst: ZnO-codoped GaN nanotubes..... Y.K. Lim, E.W. Keong Koh, Y.-W. Zhang, H. Pan	323

## Errata

Corrigendum to "Nb-doped $\text{TiO}_2$ /carbon composite supports synthesized by ultrasonic spray pyrolysis for proton exchange membrane (PEM) fuel cell catalysts" [J. Power Sources 220 (2012) 1–9]..... K. Senevirathne, V. Neburchilov, V. Alzate, R. Baker, R. Neagu, J. Zhang, S. Campbell, H. Chhina, S. Ye	401
Corrigendum to "Cost-minimized combinations of wind power, solar power and electrochemical storage, powering the grid up to 99.9% of the time" [J. Power Sources 225 (2013) 60–74]..... C. Budischak, D. Sewell, H. Thomson, L. Mach, D.E. Veron, W. Kempton	402