



Volume 233, 1 July 2013 ISSN 0378-7753

# JOURNAL OF POWER SOURCES

The International Journal on the Science and  
Technology of Electrochemical Energy Systems

**Regional Editors**

- C.K. Dyer (N&S America)  
Z. Ogumi (Japan & P.R. China)  
S. Passerini (Europe, Middle East  
and Africa)  
D.A.J. Rand (Asia-Pacific)

**Regional and Special  
Issues Co-ordinating  
Editor**

P.T. Moseley

**Founding  
Editor**

D.H. Collins

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

**Contents****Review**

- Physical and chemical modification routes leading to improved mechanical properties of perfluorosulfonic acid membranes for PEM fuel cells ..... S. Subianto, M. Pica, M. Casciola, P. Cojocaru, L. Merlo, G. Hards, D.J. Jones 216

**Fuel Cells: Science and Technology**

- Sintering, phase composition and ionic conductivity of zirconia-scandia-ceria ..... R.L. Gross, E.N.S. Muccillo 6  
 NiCu-Zr<sub>0.1</sub>Ce<sub>0.9</sub>O<sub>2-δ</sub> anode materials for intermediate temperature solid oxide fuel cells using hydrocarbon fuels ..... S. Song, M. Han, J. Zhang, H. Fan 62  
 Sediment microbial fuel cell powering a submersible ultrasonic receiver: New approach to remote monitoring ..... C. Donovan, A. Dewan, D. Heo, Z. Lewandowski, H. Beyenal 79  
 Electron spin resonance study of chemical reactions and crossover processes in a fuel cell: Effect of membrane thickness ..... L. Lin, M. Danilczuk, S. Schlick 98  
 Molecular dynamics simulations of the deformation behavior of gadolinia-doped ceria solid electrolytes under tensile loading ..... Y. Sun, C. Wang, Y. Chen 131  
 Membrane modification by liquid phase deposition using small amount of TiO<sub>2</sub> for high-temperature operation of polymer electrolyte fuel cells ..... T. Hasegawa, A.B. Béléké, M. Mizuhata 148  
 Air plasma sprayed Cu-Co-GDC anode coatings with various Co loadings ..... N. Light, O. Kesler 157  
 Significant improvement of electrooxidation performance of carbon in molten carbonates by the introduction of transition metal oxides ..... C.Q. Wang, J. Liu, J. Zeng, J.L. Yin, G.L. Wang, D.X. Cao 244  
 Au-Pd nanoparticles supported on carbon fiber cloth as the electrocatalyst for H<sub>2</sub>O<sub>2</sub> electroreduction in acid medium ..... F. Yang, K. Cheng, T. Wu, Y. Zhang, J. Yin, G. Wang, D. Cao 252  
 Cross-linked anion exchange membranes for alkaline fuel cells synthesized using a solvent free strategy ..... X. Lin, Y. Liu, S.D. Poynton, A.L. Ong, J.R. Varcoe, L. Wu, Y. Li, X. Liang, Q. Li, T. Xu 259  
 Fabrication and performance evaluation of structurally-controlled PEMFC catalyst layers by blending platinum-supported and stand-alone carbon black ..... T. Suzuki, S. Tsushima, S. Hirai 269  
 Study of contact resistance at the electrode-interconnect interfaces in planar type Solid Oxide Fuel Cells ..... T. Dey, D. Singdeo, M. Bose, R.N. Basu, P.C. Ghosh 290  
 A hybrid phase-transition model of olivine LiFePO<sub>4</sub> for the charge and discharge processes ..... D. Li, T. Zhang, X. Liu, P. He, R. Peng, M. Wang, M. Han, H. Zhou 299  
 Enhanced performance of a Nafion membrane through ionomer self-organization in the casting solution ..... S.-X. Zhao, L.-J. Zhang, Y.-X. Wang 309  
 Selenium functionalized carbon for high dispersion of platinum-ruthenium nanoparticles and its effect on the electrocatalytic oxidation of methanol ..... R. Wang, H. Da, H. Wang, S. Ji, Z. Tian 326

|  |     |
|--|-----|
| Ni/YSZ solid oxide fuel cell anodes operating on humidified ethanol fuel feeds: An optical study.....  | 331 |
| M.B. Pomfret, D.A. Steinhurst, J.C. Owrutsky   |     |
| The influence of porous transport layer modifications on the water management in polymer electrolyte membrane fuel cells .....   | 358 |
| R. Alink, J. Haußmann, H. Markötter, M. Schwager, I. Manke, D. Gerteisen   |     |
| <b>Fuel Cells: Engineering</b>   |     |
| Three-dimensional reconstruction and analysis of an entire solid oxide fuel cell by full-field transmission X-ray microscopy.....  | 174 |
| J.S. Cronin, Y.-c.K. Chen-Wiegart, J. Wang, S.A. Barnett   |     |
| Modelling heat transfer for a tubular micro-solid oxide fuel cell with experimental validation.....  | 190 |
| S. Amiri, R.E. Hayes, K. Nandakumar, P. Sarkar   |     |
| A statistically-based thermal conductivity model for fuel cell Gas Diffusion Layers.....   | 369 |
| H. Sadeghifar, M. Bahrami, N. Djilali  |     |
| Techno-economic analysis of solid oxide fuel cell-based combined heat and power systems for biogas utilization at wastewater treatment facilities.....   | 380 |
| A.A. Trendewicz, R.J. Braun  |     |
| Effect of TiC addition and high-temperature annealing on the microstructure and electrical conductivity of shrouded-plasma-sprayed FeAl/TiC composites for SOFC support .....  | 394 |
| L.-H. Tian, C.-X. Li, G.-J. Yang, C.-J. Li   |     |
| <b>Lithium Batteries: Science and Technology</b>   |     |
| Electrochemical investigation of an artificial solid electrolyte interface for improving the cycle-ability of lithium ion batteries using an atomic layer deposition on a graphite electrode .....                                   | 1   |
| H.-Y. Wang, F.-M. Wang   |     |
| A novel polyquinone cathode material for rechargeable lithium batteries .....  | 23  |
| L. Zhao, W. Wang, A. Wang, K. Yuan, S. Chen, Y. Yang   |     |
| Effects of current densities on the lithium plating morphology at a lithium phosphorus oxynitride glass electrolyte/copper thin film interface .....   | 34  |
| F. Sagane, K.-i. Ikeda, K. Okita, H. Sano, H. Sakaebe, Y. Iriyama  |     |
| A simple and inexpensive synthesis route for LiFePO <sub>4</sub> /C nanoparticles by co-precipitation.....   | 43  |
| S. Wang, H. Yang, L. Feng, S. Sun, J. Guo, Y. Yang, H. Wei   |     |
| Composite organic radical-inorganic hybrid cathode for lithium-ion batteries.....  | 69  |
| Q. Huang, L. Cosimescu, P. Koech, D. Choi, J.P. Lemmon   |     |
| <i>N</i> -n-Butyl- <i>N</i> -methylpyrrolidinium hexafluorophosphate-added electrolyte solutions and membranes for lithium-secondary batteries .....   | 104 |
| A. Tsurumaki, M.A. Navarra, S. Panero, B. Scrosati, H. Ohno  |     |
| SEI investigations on copper electrodes after lithium plating with Raman spectroscopy and mass spectrometry .....  | 110 |
| R. Schmitz, R. Ansgar Müller, R. Wilhelm Schmitz, C. Schreiner, M. Kunze, A. Lex-Balducci, S. Passerini, M. Winter   |     |
| High voltage and safe electrolytes based on ionic liquid and sulfone for lithium-ion batteries.....  | 115 |
| J. Xiang, F. Wu, R. Chen, L. Li, H. Yu   |     |
| Comparison of the structural and electrochemical properties of layered Li[Ni <sub>x</sub> Co <sub>y</sub> Mn <sub>z</sub> ]O <sub>2</sub> ( $x = 1/3, 0.5, 0.6, 0.7, 0.8$ and 0.85) cathode material for lithium-ion batteries ..... | 121 |
| H.-J. Noh, S. Youn, C.S. Yoon, Y.-K. Sun   |     |
| Investigation of the degradation of SnO <sub>2</sub> electrodes for use in Li-ion cells .....  | 139 |
| G. Kilibarda, D.V. Szabó, S. Schlabach, V. Winkler, M. Bruns, T. Hanemann  |     |
| Electrochemical lithiation and delithiation performance of SnSb-Ag/carbon nanonube composites for lithium-ion batteries.....   | 166 |
| P. Zhang, Y. Wang, Y. Wang, X. Ren, K. Liu, S. Chen  |     |
| Hybrid super-aligned carbon nanotube/carbon black conductive networks: A strategy to improve both electrical conductivity and capacity for lithium ion batteries .....   | 209 |
| K. Wang, Y. Wu, S. Luo, X. He, J. Wang, K. Jiang, S. Fan   |     |
| All-solid-state lithium secondary batteries using the 75Li <sub>2</sub> S-25P <sub>2</sub> S <sub>5</sub> glass and the 70Li <sub>2</sub> S-30P <sub>2</sub> S <sub>5</sub> glass-ceramic as solid electrolytes .....                | 231 |
| T. Ohtomo, A. Hayashi, M. Tatsumisago, Y. Tsuchida, S. Hama, K. Kawamoto   |     |
| Synthesis, structure, and electrochemical Li-ion intercalation of LiRu <sub>2</sub> O <sub>4</sub> with CaFe <sub>2</sub> O <sub>4</sub> -type structure.....  | 285 |
| Y.H. Jung, D.K. Kim, S.-T. Hong  |     |
| Facile synthesis of belt-like Ag <sub>1.2</sub> V <sub>3</sub> O <sub>8</sub> with excellent stability for rechargeable lithium batteries .....  | 304 |
| S. Liang, T. Chen, A. Pan, J. Zhou, Y. Tang, R. Wu   |     |
| Improving high-capacity Li <sub>1.2</sub> Ni <sub>0.15</sub> Mn <sub>0.55</sub> Co <sub>0.1</sub> O <sub>2</sub> -based lithium-ion cells by modifying the positive electrode with alumina .....                                     | 346 |
| M. Bettge, Y. Li, B. Sankaran, N.D. Rago, T. Spila, R.T. Haasch, I. Petrov, D.P. Abraham   |     |
| <b>Lithium Batteries: Engineering</b>  |     |
| Simple algorithms for determining parameters of circuit models for charging/discharging batteries.....   | 14  |
| T. Hu, H. Jung   |     |
| Numerical and analytical modeling of lithium ion battery thermal behaviors with different cooling designs .....  | 47  |
| J. Xun, R. Liu, K. Jiao  |     |
| Recovery of metals from spent lithium-ion batteries with organic acids as leaching reagents and environmental assessment .....   | 180 |
| L. Li, J.B. Dunn, X.X. Zhang, L. Gaines, R.J. Chen, F. Wu, K. Amine  |     |
| A new method to estimate the state of charge of lithium-ion batteries based on the battery impedance model .....   | 277 |
| J. Xu, C.C. Mi, B. Cao, J. Cao   |     |

**Other Electrochemical Power Sources: Science and Technology**

Porous poly (ether sulfone) membranes with tunable morphology: Fabrication and their application for vanadium flow battery..... 202

Y. Li, H. Zhang, X. Li, H. Zhang, W. Wei

In search of high performance anode materials for Mg batteries: Computational studies of Mg in Ge, Si, and Sn..... 341

O.I. Malyi, T.L. Tan, S. Manzhos

**Supercapacitors: Science and Technology**

Effect of electrolyte temperature on the pseudo-capacitive behavior of manganese oxide in N-butyl-N-methylpyrrolidinium-dicyanamide ionic liquid..... 28

M.-T. Lee, W.-T. Tsai, H.-F. Cheng, I.-W. Sun, J.-K. Chang

Effect of pH-induced chemical modification of hydrothermally reduced graphene oxide on supercapacitor performance ..... 313

Y. Bai, R.B. Rakhi, W. Chen, H.N. Alshareef

**Photo-electrochemical Cells**

Seed free and low temperature growth of ZnO nanowires in mesoporous TiO<sub>2</sub> film for dye-sensitized solar cells with enhanced photovoltaic performance ..... 74

G. Yang, C. Miao, Z. Bu, Q. Wang, W. Guo

Carbazole-based molecular glasses for efficient solid-state dye-sensitized solar cells ..... 86

G. Puckyte, B. Schmaltz, A. Tomkeviciene, M. Degbia, J.V. Grazulevicius, H. Melhem, J. Bouclé, F. Tran-Van

Effect of multi-walled carbon nanotubes on the stability of dye sensitized solar cells ..... 93

K.T. Dembele, R. Nechache, L. Nikolova, A. Vomiero, C. Santato, S. Licoccia, F. Rosei

CdS sensitized vertically aligned single crystal TiO<sub>2</sub> nanorods on transparent conducting glass with improved solar cell efficiency and stability using ZnS passivation layer ..... 236

S.-H. Hsu, S.-F. Hung, S.-H. Chien

Dye-sensitized solar cells with high-performance polyaniline/multi-wall carbon nanotube counter electrodes electropolymerized by a pulse potentiostatic technique ..... 320

Y. Xiao, J.-Y. Lin, J. Wu, S.-Y. Tai, G. Yue, T.-W. Lin