


TU  
L 81




# LITHOS

An International Journal of Petrology,  
Geochemistry and Mineralogy

VOLUME 204  
1 SEPTEMBER 2014  
ISSN 0024-4937

**SPECIAL ISSUE PERMIAN LARGE IGNEOUS PROVINCES:  
CHARACTERISTICS, MINERALIZATION AND PALEO-ENVIRONMENT EFFECTS**  
*edited by Y.-G. XU; C.Y. WANG; S.Z. SHEN*  
*responsible Editor-in-Chief: ANDREW KERR*



[www.elsevier.com/locate/lithos](http://www.elsevier.com/locate/lithos)



ELSEVIER

Contents lists available at ScienceDirect

Lithos

journal homepage: [www.elsevier.com/locate/lithos](http://www.elsevier.com/locate/lithos)

## Contents

Special Issue: Permian large igneous provinces: Characteristics, mineralization and paleo-environment effects

Guest Editors: Y.-G. Xu, C.Y. Wang, S.Z. Shen

Permian large igneous provinces: Characteristics, mineralization and paleo-environment effects Y.-G. Xu, C.Y. Wang and S. Shen . . . . .	1
Mantle origin of the Emeishan large igneous province (South China) from the analysis of residual gravity anomalies Y. Deng, Z. Zhang, W. Mooney, J. Badal, W. Fan and Q. Zhong . . . . .	4
CA-TIMS zircon U–Pb dating of felsic ignimbrite from the Binchuan section: Implications for the termination age of Emeishan large igneous province Y.-T. Zhong, B. He, R. Mundil and Y.-G. Xu . . . . .	14
The Early Permian Tarim Large Igneous Province: Main characteristics and a plume incubation model Y.-G. Xu, X. Wei, Z.-Y. Luo, H.-Q. Liu and J. Cao . . . . .	20
Late Carboniferous crustal uplift of the Tarim plate and its constraints on the evolution of the Early Permian Tarim Large Igneous Province D. Li, S. Yang, H. Chen, X. Cheng, K. Li, X. Jin, Z. Li, Y. Li and S. Zou . . . . .	36
Origin of the Early Permian zircons in Keping basalts and magma evolution of the Tarim Large Igneous Province (northwestern China) Y.-Q. Li, Z.-L. Li, X. Yu, C.H. Langmuir, M. Santosh, S.-F. Yang, H.-L. Chen, Z.-L. Tang, B. Song and S.-Y. Zou . . . . .	47
Origin of two types of rhyolites in the Tarim Large Igneous Province: Consequences of incubation and melting of a mantle plume H.-Q. Liu, Y.-G. Xu, W. Tian, Y.-T. Zhong, R. Mundil, X.-H. Li, Y.-H. Yang, Z.-Y. Luo and S.-M. Shang-Guan . . . . .	59
Restoration of geometry and emplacement mode of the Permian mafic dyke swarms in Keping and its adjacent areas of the Tarim Block, NW China N.-h. Chen, J.-j. Dong, S.-f. Yang, J.-y. Chen, Z.-l. Li and N.-n. Ni . . . . .	73
Late Paleozoic tectono–metamorphic evolution of the Altai segment of the Central Asian Orogenic Belt: Constraints from metamorphic P–T pseudosection and zircon U–Pb dating of ultra-high-temperature granulite Z. Li, X. Yang, Y. Li, M. Santosh, H. Chen and W. Xiao . . . . .	83
Peridotite and pyroxenite xenoliths from Tarim, NW China: Evidences for melt depletion and mantle refertilization in the mantle source region of the Tarim flood basalt M.-M. Chen, W. Tian, K. Suzuki, M.-L.-G. Tejada, F.-L. Liu, R. Senda, C.-J. Wei, B. Chen and Z.-Y. Chu . . . . .	97
Origin of Permian gabbroic intrusions in the southern margin of the Altai Orogenic belt: A possible link to the Permian Tarim mantle plume? C.-L. Zhang, H.-B. Zou, C.-Y. Yao and Y.-G. Dong . . . . .	112
Carboniferous–Permian extensive magmatism in the West Junggar, Xinjiang, northwestern China: its geochemistry, geochronology, and <i>petrogenesis</i> R. Gao, L. Xiao, F. Pirajno, G.-c. Wang, X.-x. He, G. Yang and S.-w. Yan . . . . .	125
An Early Permian (ca. 280 Ma) silicic igneous province in the Alxa Block, NW China: A magmatic flare-up triggered by a mantle-plume? W. Dan, X.-H. Li, Q. Wang, G.-J. Tang and Y. Liu . . . . .	144
Petrogenesis of the flood basalts from the Early Permian Panjal Traps, Kashmir, India: Geochemical evidence for shallow melting of the mantle J.G. Shellnutt, G.M. Bhat, K.-L. Wang, M.E. Brookfield, B.-M. Jahn and J. Dostal . . . . .	159
Insights into ore genesis of Ni–Cu–PGE sulfide deposits of the Noril'sk Province (Russia): Evidence from copper and sulfur isotopes K.N. Malitch, R.M. Latypov, I.Yu. Badanina and S.F. Sluzhenikin . . . . .	172
Trace element compositions of apatite from the middle zone of the Panzhihua layered intrusion, SW China: Insights into the differentiation of a P- and Si-rich melt C.-M. Xing, C.Y. Wang and C. Li . . . . .	188
Timescale of emplacement of the Panzhihua gabbroic layered intrusion recorded in giant plagioclase at Sichuan Province, SW China L. Cheng, L. Zeng, Z. Ren, Y. Wang and Z. Luo . . . . .	203

Revised conodont-based integrated high-resolution timescale for the Changhsingian Stage and end-Permian extinction interval at the Meishan sections, South China D.-x. Yuan, S.-z. Shen, C.M. Henderson, J. Chen, H. Zhang and H.-z. Feng . . . . .	220
Origins of microspherules from the Permian–Triassic boundary event layers in South China H. Zhang, S.-z. Shen, C.-q. Cao and Q.-f. Zheng . . . . .	246
Triggers of Permo-Triassic boundary mass extinction in South China: The Siberian Traps or Paleo-Tethys ignimbrite flare-up? B. He, Y.-T. Zhong, Y.-G. Xu and X.-H. Li . . . . .	258
Corrigendum to “Late Paleozoic tectono-metamorphic evolution of the Altai segment of the Central Asian Orogenic Belt: Constraints from metamorphic P–T pseudosection and zircon U–Pb dating of ultra-high-temperature granulite” [Lithos (2014)] Z. Li, X. Yang, Y. Li, M. Santosh, H. Chen and W. Xiao . . . . .	268