





MATERIALS SCIENCE & ENGINEERING




Structural Materials: Properties, Microstructure and Processing

Editor in Chief:
E.J. Lavernia

Editors:
N. Chawla
J.K. Shang
M.J. Starink
E.A. Werner
J.D. Whittenberger





Contents

Research papers

Micro-macro-characterisation and modelling of mechanical properties of gas metal arc welded (GMAW) DP600 steel A. Ramazani, K. Mukherjee, A. Abdurakhmanov, U. Prael, M. Schleser, U. Reisgen, W. Bleck (Germany)	1
Deformation behavior in the isothermal compression of Ti–5Al–5Mo–5V–1Cr–1Fe alloy S.F. Liu, M.Q. Li, J. Luo, Z. Yang (China)	15
Dynamic recrystallization kinetics in α phase of as-cast Ti–6Al–2Zr–1Mo–1V alloy during compression at different temperatures and strain rates G.-z. Quan, D.-s. Wu, G.-c. Luo, Y.-f. Xia, J. Zhou, Q. Liu, L. Gao (China)	23
Effect of dynamic strain aging on isotropic hardening in low cycle fatigue for carbon manganese steel Z.Y. Huang (China), J.-L. Chaboche (France), Q.Y. Wang (China), D. Wagner, C. Bathias (France)	34
Hot deformation mechanisms, microstructure and texture evolution in extruded AZ31–nano-alumina composite T. Zhong, K.P. Rao (China), Y.V.R.K. Prasad (China, India), F. Zhao (China), M. Gupta (Singapore)	41
The method for reproducing fine grained HAZ of W strengthened high Cr steel X. Wang (China), Q. Xu (UK), H.-w. Liu, H. Liu, W. Shang, Y.-y. Ren, S.-m. Yu (China)	50
Influence of Mn solute content on grain size reduction and improved strength in mechanically alloyed Al–Mn alloys K.A. Darling, A.J. Roberts, L. Armstrong, D. Kapoor, M.A. Tschopp, L.J. Kecskes, S.N. Mathaudhu (USA)	57
Self-consistent modelling of lattice strains during the in-situ tensile loading of twinning induced plasticity steel A.A. Saleh, E.V. Pereloma (Australia), B. Clausen, D.W. Brown, C.N. Tomé (United States), A.A. Gazdler (Australia)	66
Constitutive description of high temperature flow behavior of Sanicro-28 super-austenitic stainless steel A. Mirzaei, A. Zarei-Hanzaki, N. Haghdadi, A. Marandi (Iran)	76
Influence of raw material selection and fabrication parameters on microstructure and properties of micro-laminated TiB ₂ –TiAl composite sheets X. Cui, G. Fan, L. Geng, H. Wu, J. Pang, J. Gong (PR China)	83
Stress-induced thickening of Ω phase in Al–Cu–Mg alloys containing various Ag additions S. Bai, Z. Liu, X. Zhou, P. Xia, M. Liu (People's Republic of China)	89
Effect of plate-like alumina on the properties of alumina ceramics prepared by gel-casting M. Cao, Q. Yan, X. Li, Y. Mi (China)	97
Microstructure–properties relationship in a one-step quenched and partitioned steel X. Tan, Y. Xu, X. Yang, D. Wu (People's Republic of China)	101
Influence of stored energy on twin formation during primary recrystallization W. Wang, F. Brisset, A.L. Helbert, D. Solas, I. Drouelle, M.H. Mathon, T. Baudin (France)	112
Effect of Si addition on the microstructure and mechanical properties of ECAPed Mg–15Al alloy H. Wang, B. Zhou, Y. Zhao, K. Zhou, W. Cheng, W. Liang (PR China)	119
Creep of polycrystalline yttrium aluminum garnet (YAG) at elevated temperature in air and in steam C.J. Armani, M.B. Ruggles-Wrenn, R.S. Hay, G.E. Fair, K.A. Keller (USA)	125
Motion of screw segments in the early stage of fatigue testing Y. Zhu (Hong Kong), S.J. Chapman (United Kingdom)	132
An in-situ transmission electron microscopy study on room temperature ductility of TiAl alloys with fully lamellar microstructure S.-W. Kim, Y.-S. Na, J.-T. Yeom, S.E. Kim, Y.S. Choi (Republic of Korea)	140
Significance of crystallographic misorientation at phase boundaries for fatigue crack initiation in a duplex stainless steel during high and very high cycle fatigue loading B. Dönges, A. Giertler, U. Krupp, C.-P. Fritzen, H.-J. Christ (Germany)	146
Microstructure evolution and mechanical properties of Inconel 740H during aging at 750 °C C. Yan, L. Zhengdong, A. Godfrey, L. Wei, W. Yuqing (China)	153
Effects of boron addition on tensile and Charpy impact properties in high-phosphorous steels S. Hong, J. Lee, K.S. Park, S. Lee (Korea)	165

Microstructure–texture–mechanical properties relationship in multi-pass warm rolled Ti–6Al–4V Alloy S.V.S.N. Murty, N. Nayan, P. Kumar, P.R. Narayanan, S.C. Sharma, K.M. George (India)	174
Effects of casting temperature on the microstructure and mechanical properties of the TiZr-based bulk metallic glass matrix composite P.F. Sha, Z.W. Zhu, H.M. Fu, H. Li, A.M. Wang, H.W. Zhang, H.F. Zhang, Z.Q. Hu (China)	182
The effect of aging on heat-resistant cast stainless steels M. Viherkoski, E. Huttunen-Saarivirta, E. Isotahdon, M. Uusitalo, T. Tiainen, V.-T. Kuokkala (Finland)	189
Effect of SPD surface layer on plasma nitriding of Ti–6Al–4V alloy K. Farokhzadeh, J. Qian, A. Edrisy (Canada)	199
A study of fatigue damage development in extruded Mg–Gd–Y magnesium alloy F. Wang, J. Dong, M. Feng, J. Sun, W. Ding (China), Y. Jiang (USA)	209
Grain size and particle dispersion effects on the tensile behavior of friction stir welded MA956 oxide dispersion strengthened steel from low to elevated temperatures B.W. Baker, T.R. McNelley, L.N. Brewer (USA)	217
The microstructure and mechanical properties of friction stir welded Cu–30Zn brass alloys Y.F. Sun, N. Xu, H. Fujii (Japan)	228
Effect of martensitic phase transformation on the hardening behavior and texture evolution in a 304L stainless steel under compression at liquid nitrogen temperature E. Cakmak, S.C. Vogel, H. Choo (USA)	235
Separation of nucleation and growth of voids during tensile deformation of a dual phase steel using synchrotron microtomography G. Requena, E. Maire, C. Leguen, S. Thuillier (France)	242
The dynamic behaviour of a twinning induced plasticity steel K.M. Rahman, V.A. Vorontsov, D. Dye (UK)	252
A dynamic ductile fracture model on the effects of pressure, Lode angle and strain rate Y.J. Liu, Q. Sun (China)	262
Damping and dynamic recovery in magnesium alloys containing strontium K. Hazeli (USA), A. Sadeghi, M.O. Pekguleryuz (Canada), A. Kontsos (USA)	275
The static and dynamic mechanical properties of a new low-carbon, low-alloy austempered steel C.J. Martis, S.K. Putatunda, J. Boileau (USA), J.G. Spray (Canada)	280
Analysis of the stress states and interface damage in a particle reinforced composite based on a micromodel using cohesive elements Z. Yuan, F. Li, F. Xue, M. He, M.Z. Hussain (China)	288
On low temperature bainite transformation characteristics using in-situ neutron diffraction and atom probe tomography K. Rakha, H. Beladi, I. Timokhina, X. Xiong, S. Kabra, K.-D. Liss, P. Hodgson (Australia)	303
<i>Rapid communications</i>	
Achieving friction stir welded SiCp/Al–Cu–Mg composite joint of nearly equal strength to base material at high welding speed D. Wang, Q.Z. Wang, B.L. Xiao, Z.Y. Ma (China)	271
Retraction notice to “The <i>e/a</i> criterion of Zr-based bulk metallic glasses” [Mater. Sci. Eng. A 375–377 (2004) 411–416] Y.M. Wang (PR China, Hong Kong), W.P. Xu, J.B. Qiang (PR China), C.H. Wong, C.H. Shek (Hong Kong), C. Dong (PR China)	310
Author index	311
Subject Index	313