


M
M39/2sa



Volume 594

31 January 2014

ISSN 0921-5093




MATERIALS SCIENCE & ENGINEERING

A

**Structural Materials: Properties,
Microstructure and Processing**

Editor in Chief:
E.J. Lavernia

Editors:
N. Chawla
J.K. Shang
M.J. Starink
E.A. Werner
J.D. Whittenberger



Available online at www.sciencedirect.com


ScienceDirect



ELSEVIER

Contents lists available at ScienceDirect

Materials Science and Engineering A

journal homepage: www.elsevier.com/locate/msea

Contents

Review articles

Effect of aging on phase transformation, thermoelastic and fracture behavior of $Mn_{53}Ni_{25}Ga_{22}$ ferromagnetic shape memory alloy Z.Y. Gao, S. Yang, H.J. Zhang, G.F. Dong, W. Cai (China)	1
Research papers	
Damage and fracture mechanism of a nickel-based single crystal superalloy during creep at moderate temperature S. Tian, X. Ding, Z. Guo, J. Xie, Y. Xue, D. Shu (China)	7
Microstructure and dynamic tensile behavior of DP600 dual phase steel joint by laser welding D. Dong, Y. Liu, Y. Yang, J. Li, M. Ma, T. Jiang (China)	17
Effect of brazing temperature on microstructure and mechanical properties of graphite/copper joints J. Zhang, T. Wang, C. Liu, Y. He (PR China)	26
ZK60 alloy processed by ECAP: Microstructural, physical and mechanical characterization F.-D. Dumitru (Romania), O.F. Higuera-Cobos (Spain, Colombia), J.M. Cabrera (Spain)	32
Effect of hydrogen on ductility of high strength 3Ni–Cr–Mo–V steels Y. Liu, M. Wang, G. Liu (China)	40
Effects of chemical composition on the microstructure and mechanical properties of gravity cast Mg–xZn–yRE–Zr alloy Y. Wang, G. Wu, W. Liu, S. Pang, Y. Zhang, W. Ding (China)	52
Determination of polycrystal diffraction elastic constants of Ti–2.5Cu by using in situ tensile loading and synchrotron radiation E. Maawad, H.–G. Brokmeier, Z.Y. Zhong, N. Al-Hamdany, M. Salih, L. Wagner, N. Schell (Germany)	62
Size effect in fatigue based on the extreme value distribution of defects L. Makkonen, R. Rabb, M. Tikanmäki (Finland)	68
Constitutive modelling of the rate dependent flow stress of cast high-alloyed metastable austenitic TRIP/TWIP steel S. Wolf, S. Martin, L. Krüger, U. Martin (Germany)	72
Capturing the effect of temperature, strain rate, and stress state on the plasticity and fracture of rolled homogeneous armor (RHA) steel W.R. Whittington, A.L. Oppedal, S. Turnage, Y. Hammi, H. Rhee, P.G. Allison, C.K. Crane, M.F. Horstemeyer (USA)	82
Weibull analysis of low temperature fracture stress data of 20MnMoNi55 and SA333 (Grade 6) steels P.C. Chakraborti, A. Kundu, B.K. Dutta (India)	89
Effect of grain size on the hydrogen embrittlement sensitivity of a precipitation strengthened Fe–Ni based alloy S. Chen, M. Zhao, L. Rong (China)	98
Reduction in anisotropy of mechanical properties of coilable ($\alpha+\beta$)-type titanium alloy thin sheet through simple heat treatment for use in next-generation aircraft applications M. Nakai, M. Niinomi, J. Hieda, K. Cho, Y. Nagasawa, T. Konno, Y. Ito, Y. Itsumi, H. Oyama (Japan)	103
Effects of deformation temperature on the microstructure, ordering and mechanical properties of Fe–6.5 wt% Si alloy with columnar grains Y. Mo, Z. Zhang, H. Fu, H. Pan, J. Xie (People's Republic of China)	111
Tensile deformation and fracture behavior of CuZn5 brass alloy at high temperature M. Shariffifar, S.A.A. Akbari Mousavi (Iran)	118
The mechanical stability of retained austenite in low-alloyed TRIP steel under shear loading R. Blondé (The Netherlands), E. Jimenez-Melero (United Kingdom), L. Zhao (The Netherlands), N. Schell (Germany), E. Brück, S. van der Zwaag, N.H. van Dijk (The Netherlands)	125
Ultrasound-induced equiaxial flower-like CuZn ₅ /Al composite microstructure formation in Al/Zn–Al/Cu joint Y. Xiao, H. Ji, M. Li (China), J. Kim (South Korea)	135
A comparison of the effects of severe plastic deformation and heat treatment on the tensile properties and impact toughness of aluminum alloy 6061 A. Shokuhfar, O. Nejadseyfi (Iran)	140
Effect of partitioning procedure on microstructure and mechanical properties of a hot-rolled directly quenched and partitioned steel X. Tan, Y. Xu, X. Yang, Z. Liu, D. Wu (People's Republic of China)	149

Experiment investigation of laser shock peening on TC6 titanium alloy to improve high cycle fatigue performance X. Nie, W. He, L. Zhou, Q. Li, X. Wang (China)	161
Effects of heat treatment on microstructure, mechanical properties and damping capacity of Mg–Zn–Y–Zr alloy B. Yan, X. Dong, R. Ma (China), S. Chen (UK), Z. Pan, H. Ling (China)	168
Effect of pre-IC annealing treatments on the final microstructure and work hardening behavior of a dual-phase steel H. Seyedrezai, A.K. Pilkey, J.D. Boyd (Canada)	178
Microstructure parameters affecting interfacial adhesion of thermal barrier coatings by the EB-PVD method L.T. Wu (UK), R.T. Wu (Japan), X. Zhao (China), P. Xiao (UK, China)	193
Enhanced compressive strength of an extruded nanostructured Mg–10Al alloy M. Pozuelo, Y.W. Chang, J.-M. Yang (USA)	203
A posteriori processing for estimation of low cycle fatigue failure in SESMA wires V.L. Sateesh, P. Senthilkumar, Satisha, G.N. Dayananda (India)	212
Transformation behavior of a Ti–Zr deoxidized steel: Microstructure and toughness of simulated coarse grain heat affected zone C. Wang (China), R.D.K. Misra (USA), M.H. Shi, P.Y. Zhang, Z.D. Wang, F.X. Zhu, G.D. Wang (China)	218
Microstructure and mechanical properties of Nb- and Mo-modified NiTi–Al-based intermetallics processed by isothermal forging X. Song, Y. Li, F. Zhang (China)	229
Effects of aluminum content and strain rate on strain hardening behavior of cast magnesium alloys during compression N. Tahreen, D.L. Chen, M. Nouri, D.Y. Li (Canada)	235
Plastic flow behaviour in an alumina-forming austenitic stainless steel at elevated temperatures D.Q. Zhou, X.Q. Xu (P. R. China), H.H. Mao (Sweden), Y.F. Yan (P. R. China), T.G. Nieh (USA), Z.P. Lu (P. R. China)	246
Microstructural investigation of thermally aged nickel-based superalloy 718Plus L. Whitmore, M.R. Ahmadi, M. Stockinger, E. Povoden-Karadeniz, E. Kozeschnik, H. Leitner (Austria)	253
Controlled Diffusion Solidification (CDS) of Al–Zn–Mg–Cu (7050): Microstructure, heat treatment and mechanical properties R. Ghiaasiaan, X. Zeng, S. Shankar (Canada)	260
An investigation of the mechanical behaviors of micro-sized tungsten whiskers using nanoindentation G. Liu, M. Song, X. Liu, S. Ni, S. Wang, Y. He, Y. Liu (China)	278
High temperature deformation behaviour of Haynes 188 alloy subjected to high strain rate loading W.-S. Lee, H.-C. Kao (Taiwan)	292
Hot working behavior of a nitrogen-alloyed Fe–18Mn–18Cr–N austenitic stainless steel J. Moon, T.-H. Lee, J.-H. Shin, J.-W. Lee (Republic of Korea)	302
Varying tensile fracture mechanisms of Cu and Cu–Zn alloys with reduced grain size: From necking to shearing instability P. Zhang, S. Qu, M.X. Yang, G. Yang, S.D. Wu, S.X. Li, Z.F. Zhang (PR China)	309
Flake thickness effect of Al ₂ O ₃ /Al biomimetic nanolaminated composites fabricated by flake powder metallurgy W. Zhang, Z. Li, L. Jiang, X. Kai, X. Dai, G. Fan, Q. Guo, D. Xiong, Y. Su, D. Zhang (China)	324
Effect of multi-pass equal channel angular pressing on microstructure and mechanical properties of Mg _{97.1} Zn ₁ Gd _{1.8} Zr _{0.1} alloy F. Lu, A. Ma, J. Jiang, D. Yang, D. Song, Y. Yuan, J. Chen (China)	330
A constitutive and fracture model for AZ31B magnesium alloy in the tensile state F. Feng, S. Huang, Z. Meng, J. Hu, Y. Lei, M. Zhou, Z. Yang (China)	334
Low-temperature bainite in low-carbon steel X.Y. Long, F.C. Zhang, J. Kang, B. Lv, X.B. Shi (China)	344
A unified internal state variable material model for inelastic deformation and microstructure evolution in SS304 R. Liu, M. Salahshoor, S.N. Melkote, T. Marusich (USA)	352
Effects of retained austenite and hydrogen on the rolling contact fatigue behaviours of carbide-free bainitic steel C. Zheng, R. Dan, F. Zhang, B. Lv, Z. Yan, J. Shan, X. Long (China)	364
Development of high chromium ferritic steels strengthened by intermetallic phases B. Kuhn (Germany), M. Talik (Germany, Czech Republic), L. Niewolak, J. Zurek, H. Hattendorf, P.J. Ennis, W.J. Quadackers, T. Beck, L. Singheiser (Germany)	372
Combination between Voce formalism and improved Kocks–Mecking approach to model small strains of flow curves at high temperatures G. Angella, R. Donnini, M. Maldini, D. Ripamonti (Italy)	381
Influence of cooling paths on microstructural characteristics and precipitation behaviors in a low carbon V–Ti microalloyed steel J. Chen, M.-y. Lv, S. Tang, Z.-y. Liu, G.-d. Wang (People's Republic of China)	389
A high-fidelity strain-mapping framework using digital image correlation S. Amini, R.S. Kumar (USA)	394

Rapid communications

The simultaneous occurrence of martensitic transformation and reversion of martensite H.K. Yeddu, T. Lookman, A. Saxena (USA)	48
Fabrication of ultrafine-grained Mg-3Al-1Zn magnesium alloy sheets using a continuous high-ratio differential speed rolling technique W.Y. Kim, W.J. Kim (Republic of Korea)	189
Annealing hardening in detwinning deformation of Mg-3Al-1Zn alloy Y. Xin, X. Zhou, H. Chen (China), J.-F. Nie (China, Australia), H. Zhang, Y. Zhang, Q. Liu (China)	287
Enhancement of TiZr ductility by hcp-fcc martensitic transformation after severe plastic deformation Z. Zhang, M. Li, D. Guo, Y. Shi, X. Zhang (PR China), H.-E. Schaefer (Germany)	321
Author Index	404
Subject Index	406