

FU

M39/25a

Volume 607

23 June 2014

ISSN 0921-5093

ELSEVIER




# MATERIALS SCIENCE & ENGINEERING

Editor in Chief:  
E.J. Lavernia

**A**

**Structural Materials: Properties,  
Microstructure and Processing**

Editors:  
N. Chawla  
J.K. Shang  
M.J. Starink  
E.A. Werner  
J.D. Whittenberger



Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**ScienceDirect**






ELSEVIER

Contents lists available at ScienceDirect

# Materials Science and Engineering A

journal homepage: [www.elsevier.com/locate/msea](http://www.elsevier.com/locate/msea)

## Contents

### Research papers

Effect of stacking fault energy on pulsating fatigue behavior for fcc metals under the fully repeated loading S. Sakaki, M. Yoshida, S. Horibe (Japan) .....	1
Physical and mechanical properties of 7075 sheets produced by EP electro- and electromagnetic cast rolling X. Su, S.J. Wang, X. OuYang, P. Song, G.M. Xu, D.H. Jiang (China) .....	10
Effects of Zn content on microstructures and mechanical properties of Mg–Zn–RE–Sn–Zr–Ca alloys T.J. Chen, D.H. Zhang, W. Wang, Y. Ma, Y. Hao (China) .....	17
Effects of TiB <sub>2</sub> content and alloy elements (Mg, Mo, V) on the compression properties of high-volume-fraction TiB <sub>2</sub> /Al composites L.-J. Zhang, Q.-Q. Xuan, J.-G. Wang, F. Qiu, Q.-C. Jiang (P.R. China) .....	28
The effect of cold rolling and annealing on microstructure and tensile properties of the nanostructured Ni <sub>50</sub> Ti <sub>50</sub> shape memory alloy E.M. Sharifi, F. Karimzadeh, A. Kermanpur (Iran) .....	33
Anisotropic mechanical properties and fracture mechanisms of textured h-BN composite ceramics X. Duan, M. Wang, D. Jia, N. Jing, Z. Wu, Z. Yang, Z. Tian, S. Wang, P. He, Y. Wang, Y. Zhou (China) .....	38
Modeling of the high temperature flow behavior of stabilized 12–27 wt% Cr ferritic stainless steels S.V. Mehtonen, L.P. Karjalainen, D.A. Porter (Finland) .....	44
Influences of crystallography and delamination on anisotropy of Charpy impact toughness in API X100 pipeline steel X.-L. Yang, Y.-B. Xu, X.-D. Tan, D. Wu (People's Republic of China) .....	53
Tensile and impact properties of microwave sintered tungsten heavy alloys G. Prabhu, N. Arvind Kumar, M. Sankaranarayana, T.K. Nandy (India) .....	63
Hydrogen environment embrittlement of solution treated Fe–Cr–Ni super alloys T. Michler, J. Naumann (Germany), M.P. Balogh (USA) .....	71
Microstructural analysis and mechanical characterization of aluminum matrix nanocomposites reinforced with uncoated and Cu-coated alumina particles H. Beygi, S.A. Sajjadi, S.M. Zebarjad (Iran) .....	81
Effects of ZnO coating of whiskers on the tensile properties and aging behaviors of aluminum borate whiskers reinforced 2024Al composite H.Y. Yue, J. Chang, X. Gao (People's Republic of China), S.L. Zhang (Republic of Korea), J.J. Zhang, H. Zhang, W.D. Fei, Z.M. Yu, E.J. Guo, F.W. Kang, L.P. Wang (People's Republic of China) .....	89
Fracture behavior and structural transition of Ni <sub>46</sub> Mn <sub>33</sub> Ga <sub>17</sub> Cu <sub>4-x</sub> Zr <sub>x</sub> alloys B. Tian, F. Chen, Y. Tong, L. Li, Y. Zheng (China), Q. Li (USA) .....	95
The effect of chemical composition on grain structure and texture evolution of hot rough rolled carbon steels F. Haddadi, J.-W. Cho, S.Y. Lee (Republic of Korea) .....	102
Microstructure and mechanical property of directionally solidified NiAl–Cr(Mo)–(Hf, Dy) alloy at different withdrawal rates L. Wang, J. Shen, Z. Shang, J. Zhang, Y. Du, H. Fu (China) .....	113
Microstructure and mechanical properties of TMCP heavy plate microalloyed steel J. Hu, L.-X. Du, H. Xie, X.-H. Gao (China), R.D.K. Misra (USA) .....	122
Work hardening characteristics of gamma-ray irradiated Al-5356 alloy G. Saad, S.A. Fayek, A. Fawzy, H.N. Soliman, E. Nassr (Egypt) .....	132
Microstructural evolution during creep of 316LN stainless steel multi-pass weld joints V.D. Vijayanand, K. Laha, P. Parameswaran, V. Ganesan, M.D. Mathew (India) .....	138
Grain-structure development in heavily cold-rolled alpha-titanium G.S. Dyakonov (Russia), S. Mironov (Japan), S.V. Zherebtsov, S.P. Malysheva, G.A. Salishchev (Russia), A.A. Salem, S.L. Semiatin (USA) .....	145
Mechanical properties of SiC/SiC composites by PIP process with a new precursor at elevated temperature Z. Luo, X. Zhou, J. Yu (China) .....	155
High temperature compressive deformation behavior of ZA27–SiC foam S. Sahu, M.D. Goel, D.P. Mondal, S. Das (India) .....	162

Comparison of microparticles and nanoparticles effects on deformation texture of steel-based composite and nanocomposite fabricated by the ARB process	
R. Jamaati, M.R. Toroghinejad (Iran), M.A. Mohtadi-Bonab (Canada), H. Edris (Iran), J.A. Szpunar (Canada), M.R. Salmani (Iran) . . . . .	173
Fabrication of Al–2 vol% Al <sub>2</sub> O <sub>3</sub> /SiC hybrid composite via accumulative roll bonding (ARB): An investigation of the microstructure and mechanical properties	
M. Reihanian, F.K. Hadadian, M.H. Paydar (Iran) . . . . .	188
Quasi-static and dynamic compressive properties of Ti-based amorphous alloys modified from conventional Ti–6Al–4V alloy	
C. Jeon, C.P. Kim, H.S. Kim, S. Lee (Republic of Korea) . . . . .	197
A mechanism-based model for deformation twinning in polycrystalline FCC steel	
Y.Y. Wang (China, USA), X. Sun (USA), Y.D. Wang (China), X.H. Hu, H.M. Zbib (USA) . . . . .	206
Thixoforging of Al–3.8% Si alloy recycled from aluminum cans	
A.A. Reis, J.R. de Oliveira, R.M. de Oliveira, E.A. Vieira (Brazil) . . . . .	219
Effect of niobium clustering and precipitation on strength of an NbTi-microalloyed ferritic steel	
A.G. Kostryzhev, A. Al Shahrani, C. Zhu, J.M. Cairney, S.P. Ringer, C.R. Killmore, E.V. Pereloma (Australia) . . . . .	226
Mechanical properties of cermet composites with various geometrical tortuosity of metal phase: Fractal characterization	
L.-c. Feng, N. Xie, W.-z. Shao, L. Lv, J. Zhong, L. Zhen (China) . . . . .	236
Influence of tube spinning on formability of friction stir welded aluminum alloy tubes for hydroforming application	
X.S. Wang, Z.L. Hu, S.J. Yuan, L. Hua (China) . . . . .	245
Nondestructive characterization of microstructure and mechanical properties of intercritically annealed dual-phase steel by magnetic Barkhausen noise technique	
S. Ghanei, A. Saheb Alam, M. Kashefi, M. Mazinani (Iran) . . . . .	253
Hot workability analysis of AZ61 Mg alloys with processing maps	
H.-y. Wu, C.-t. Wu, J.-c. Yang, M.-j. Lin (Taiwan) . . . . .	261
Tensile behaviour and microstructure of magnesium AM60-based hybrid composite containing Al <sub>2</sub> O <sub>3</sub> fibres and particles	
X. Zhang, Q. Zhang, H. Hu (Canada) . . . . .	269
Effect of zinc interlayer on ultrasonic spot welded aluminum-to-copper joints	
R. Balasundaram, V.K. Patel, S.D. Bhole, D.L. Chen (Canada) . . . . .	277
Improved mechanical properties of Cu matrix composites reinforced with $\beta$ -Si <sub>3</sub> N <sub>4</sub> whiskers	
J. Yin, D. Yao, H. Hu, Y. Xia, K. Zuo, Y.-P. Zeng (China) . . . . .	287
Effects of Zr addition on the microstructure and mechanical behavior of a fine-grained nickel-based superalloy at elevated temperatures	
Y.-L. Tsai, S.-F. Wang, H.-Y. Bor, Y.-F. Hsu (Taiwan) . . . . .	294
Modeling of critical grain size for shifting plasticity enhancement to decrease by refining grain size	
J. Liu, G. Zhu, W. Mao (China), S.V. Subramanian (Canada) . . . . .	302
Effect of porous Si <sub>3</sub> N <sub>4</sub> preform on the mechanical properties of Si <sub>3</sub> N <sub>4</sub> /Al composites with interpenetrating network structure	
B. Wang, Z.-Y. Xu, W.-Z. Lu, F. Jin, J.-F. Yang (China), K. Niihara (Japan) . . . . .	307
Improving the strength and ductility of Al–Mg–Si–Cu alloys by a novel thermo-mechanical treatment	
Z. Wang, H. Li, F. Miao, B. Fang, R. Song, Z. Zheng (China) . . . . .	313
Uniaxial ratchetting of extruded AZ31 magnesium alloy: Effect of mean stress	
G. Kang, C. Yu, Y. Liu, G. Quan (PR China) . . . . .	318
Rolling contact fatigue in martensitic 100Cr6: Subsurface hardening and crack formation	
J.-H. Kang (UK), R.H. Vegter (The Netherlands), P.E.J. Rivera-Díaz-del-Castillo (UK) . . . . .	328
Preparation of 3D C <sub>f</sub> /ZrC–SiC composites by joint processes of PIP and RMI	
J. Jiang, S. Wang, W. Li, Z. Chen, Y. Zhu (China) . . . . .	334
Mechanical and metallurgical characterisation of electroformed nickel for helicopter erosion shield applications	
D.P. Davies, S.L. Jenkins (UK) . . . . .	341
Surface nanocrystallization of Cu and Ta by sliding friction	
Y.S. Zhang, P.X. Zhang, H.Z. Niu, C. Chen (China), G. Wang (Australia), D.H. Xiao, X.H. Chen, Z.T. Yu, S.B. Yuan, X.F. Bai (China) . . . . .	351
Microstructure evolution in CLAM steel under low cycle fatigue	
X. Hu, L. Huang, W. Yan, W. Wang (China), W. Sha (UK), Y. Shan, K. Yang (China) . . . . .	356
Texture development in Ti/Al filament wires produced by accumulative swaging and bundling	
A. Eschke, J. Scharnweber, C.-G. Oertel, W. Skrotzki, T. Marr, J. Romberg, J. Freudenberger, L. Schultz, I. Okulov, U. Kühn, J. Eckert (Germany) . . . . .	360
Formation of novel flower-like silicon phases and evaluation of mechanical properties of hypereutectic melt-spun Al–20Si–5Fe alloys with addition of V	
O. Uzun, M.F. Kilicaslan, F. Yilmaz (Turkey) . . . . .	368
Creep behaviour of iron–aluminium–chromium intermetallics strengthened by nano-sized oxide particles	
D.G. Morris, M.A. Muñoz-Morris (Spain) . . . . .	376

Influence of rolling speed on microstructure and mechanical properties of AZ31 Mg alloy rolled by large strain hot rolling F. Guo, D. Zhang, X. Yang, L. Jiang, S. Chai, F. Pan (China) .....	383
Convoluting dislocation loops induced by helium irradiation in reduced-activation martensitic steel and their impact on mechanical properties F. Luo (China), Z. Yao (Canada), L. Guo, J. Suo, Y. Wen (China) .....	390
Dynamic recrystallization behavior of new transformation–twinning induced plasticity steel A. Marandi, R. Zarei-Hanzaki, A. Zarei-Hanzaki, H.R. Abedi (Iran) .....	397
Sintering mechanisms of Armstrong prealloyed Ti–6Al–4V powders X. Xu, P. Nash (USA) .....	409
The dynamic response of a $\beta$ titanium alloy to high strain rates and elevated temperatures H. Zhan, D. Kent, G. Wang, M.S. Dargusch (Australia) .....	417
Microstructure and mechanical properties of hybrid fabricated Ti–6.5Al–3.5Mo–1.5Zr–0.3Si titanium alloy by laser additive manufacturing Y. Zhu, J. Li, X. Tian, H. Wang, D. Liu (China) .....	427
Creep behavior of AS41 alloy matrix nano-composites H. Kumar, G.P. Chaudhari (India) .....	435
Microstructure-properties correlation in fiber laser welding of dual-phase and HSLA steels D.C. Saha, D. Westerbaan, S.S. Nayak, E. Biro, A.P. Gerlich, Y. Zhou (Canada) .....	445
Study on improving “self-sharpening” capacity of W–Cu–Zn alloy by the pressureless infiltration method X. Fang, J. Liu, X. Wang, S. Li, L. Zheng (People’s Republic of China) .....	454
Microstructure evolution and mechanical properties of a hot-rolled directly quenched and partitioned steel containing proeutectoid ferrite Y. Xu, X. Tan, X. Yang, Z. Hu, F. Peng, D. Wu, G. Wang (People’s Republic of China) .....	460
Characterisation of microstructural damage evolution during tensile deformation of a near- $\alpha$ titanium alloy: Effects of microtexture S. Punnoose, A. Mukhopadhyay, R. Sarkar, V. Kumar (India) .....	476
Processing of commercial purity titanium by ECAP using a 90 degrees die at room temperature X. Zhao, X. Yang, X. Liu (China), C.T. Wang (USA), Y. Huang (UK), T.G. Langdon (USA, UK) .....	482
Pulse electric current sintering of cubic boron nitride/tungsten carbide–cobalt (cBN/WC–Co) composites: Effect of cBN particle size and volume fraction on their microstructure and properties B. Wang, Y. Qin, F. Jin, J.-F. Yang (China), K. Ishizaki (Japan) .....	490
Compressive properties of Advanced Pore Morphology (APM) foam elements M.A. Sulong (Australia, Malaysia), M. Vesenjak (Slovenia), I.V. Belova, G.E. Murch, T. Fiedler (Australia) .....	498
Enhancement in mechanical properties of bulk nanocrystalline Fe–Ni alloys electrodeposited using propionic acid I. Matsui, H. Mori, T. Kawakatsu, Y. Takigawa, T. Uesugi, K. Higashi (Japan) .....	505
Work hardening behavior of the extruded and equal-channel angularly pressed Mg–Li–Zn alloys under tensile and shear deformation modes M. Karami, R. Mahmudi (Iran) .....	512
Room temperature nanoindentation creep of hot-pressed $B_6O$ R. Machaka, T.E. Derry, I. Sigalas (South Africa) .....	521
Cyclic thermal shock behaviour of a $Cr_2AlC$ ceramic H. Li, S. Li, Y. Zhou (China) .....	525
The equivalent strain in high pressure torsion J.J. Jonas (Canada), C. Ghosh (India), L.S. Toth (France) .....	530
Experimental study on the tensile strength of a sintered porous metal composite Y. Tang, R. Zhou, H. Li, W. Yuan, L. Lu (PR China) .....	536
Effect of carbon content on formation of bimodal microstructure and mechanical properties of low-carbon steels subjected to heavy-reduction single-pass hot/warm deformation H.-W. Park, J. Yanagimoto (Japan) .....	542
Strain rate effects on tensile deformation behaviors for Fe–22Mn–0.6C–(1.5Al) twinning-induced plasticity steel H.K. Yang, Z.J. Zhang, F.Y. Dong, Q.Q. Duan, Z.F. Zhang (China) .....	551
Effect of heat-treatment on-line process temperature on the microstructure and tensile properties of a low carbon Nb-microalloyed steel L. Fan, T. Wang, Z. Fu, S. Zhang, Q. Wang (China) .....	559
Structure–mechanical property relationship in a high strength low carbon alloy steel processed by two-step intercritical annealing and intercritical tempering W.H. Zhou (USA, China), X.L. Wang (China), P.K.C. Venkatsurya (USA), H. Guo, C.J. Shang (China), R.D.K. Misra (USA) .....	569
Improvement of fatigue properties in type 304 stainless steel by annealing treatment in nitrogen gas Y. Bai, M. Akita, Y. Uematsu, T. Kakiuchi, Y. Nakamura, M. Nakajima (Japan) .....	578

An investigation of the tensile and compressive properties of Al6061 and its nanocomposites in as-cast state and in extruded condition H.R. Ezatpour, S.A. Sajjadi, M.H. Sabzevar (Iran), Y.Z. Huang (Singapore).....	589
Experiment and modeling of ultrafast precipitation in an ultrafine-grained Al–Cu–Sc alloy L. Jiang, J.K. Li, P.M. Cheng, G. Liu, R.H. Wang, B.A. Chen, J.Y. Zhang, J. Sun, M.X. Yang, G. Yang (PR China).....	596
The structure and properties of 2024 aluminum composites reinforced with TiO <sub>2</sub> nanoparticles J.H. Shin, H.J. Choi, D.H. Bae (South Korea).....	605
Investigations of twin boundary fatigue cracking in nickel and nitrogen-stabilized cold-worked austenitic stainless steels M.D. Roach, S.I. Wright (USA).....	611
The effect of strain induced ferrite transformation on the microstructural evolutions and mechanical properties of a TRIP-assisted steel A. Mohamadizadeh, A. Zarei-Hanzaki, S. Heshmati-Manesh, A. Imandoust (Iran).....	621
Dynamic recrystallization kinetics of a powder metallurgy Ti–22Al–25Nb alloy during hot compression J. Jia, K. Zhang, Z. Lu (China).....	630
<i>Rapid communications</i>	
Production of Al <sub>2</sub> O <sub>3</sub> –Ti <sub>2</sub> AlN composite with novel combination of high temperature properties J.Y. Li, Q.S. Mei, Y.Y. Cui, R.Yang (China).....	6
<i>Erratum</i>	
Erratum to "Hardening mechanism of Cr5 backup roll material induced by rolling contact fatigue" [Materials Science & Engineering A 600 (2014) 195–199] X.-f. Qin, D.-l. Sun, L.-y. Xie, Q. Wu (China).....	511
Author Index.....	640
Subject Index.....	644