

TM
M39/250

Volume 612

26 August 2014

ISSN 0921-5093






MATERIALS SCIENCE & ENGINEERING

Editor in Chief:
E.J. Lavernia

A



**Structural Materials: Properties,
Microstructure and Processing**

Editors:
N. Chawla
J.K. Shang
M.J. Starink
E.A. Werner
J.D. Whittenberger



Available online at www.sciencedirect.com

ScienceDirect



Contents

Research papers

Simultaneously enhancing fracture toughness and strength in a hierarchical nanolamella-structured alloy M. Li, D. Guo, Q. Zhang, T. Ma, Y. Shi, G. Zhang, X. Li, X. Zhang (PR China)	1
Microstructural characterization and artificial aging of compo-casted hybrid A356/SiC _p /Gr _p composites with graphite macroparticles I. Bobić, J. Ružić, B. Bobić, M. Babić, A. Vencl, S. Mitrović (Serbia)	7
Effect of graphite addition on mechanical behavior of Al6061/TiB ₂ hybrid composite using acoustic emission S. Suresh, N. Shenbaga Vinayaga Moorthi, S.C. Vettivel, N. Selvakumar, G.R. Jinu (India)	16
Strain rate sensitivity of nanolayered Cu/X (X=Cr, Zr) micropillars: Effects of heterophase interface/twin boundary J.Y. Zhang, Y.Q. Wang, K. Wu, P. Zhang, G. Liu, G.J. Zhang, J. Sun (PR China)	28
Effects of dislocation-trapped helium on mechanical properties of Fe Q. Xu, Y. Sugiura, X.Q. Pan, K. Sato, T. Yoshiie (Japan)	41
Designing quadplex (four-phase) microstructures in an ultrahigh carbon steel H. Zhang, D. Ponge, D. Raabe (Germany)	46
Effects of initial microstructure and thermomechanical processing parameters on microstructures and mechanical properties of ultrafine grained dual phase steels Y. Mazaheri, A. Kermanpur, A. Najafizadeh, N. Saeidi (Iran)	54
Precipitation and impact toughness of Nb–V stabilised 18Cr–2Mo ferritic stainless steel during isothermal aging J. Han, H. Li (Australia), F. Barbaro (Australia, Switzerland), L. Jiang (China), Z. Zhu (Australia), H. Xu, L. Ma (China)	63
Constitutive modelling of the flow behaviour of a β titanium alloy at high strain rates and elevated temperatures using the Johnson–Cook and modified Zerilli–Armstrong models H. Zhan, G. Wang, D. Kent, M. Dargusch (Australia)	71
Strain-controlled fatigue properties of linear friction welded dissimilar joints between Ti–6Al–4V and Ti–6.5Al–3.5Mo–1.5Zr–0.3Si alloys G.D. Wen (PR China, Canada), T.J. Ma, W.Y. Li, S.Q. Wang, H.Z. Guo (PR China), D.L. Chen (Canada)	80
High strain rate tensile performance and microstructural evolution of Al/Cu laminated composite under dynamic loading X.B. Li, G.Y. Zu, P. Wang (China)	89
Effect of Zn on microstructure and mechanical property of Mg–3Sn–1Al alloys Y. Chen, L. Jin, Y. Song, H. Liu, R. Ye (PR China)	96
In-situ investigation of microcrack formation and strains in Ag–Cu-based multi-metal matrix composites analysed by synchrotron radiation J. Gussone (Germany), C. Reinhard (United Kingdom), G. Kasperovich, H. Gherekhloo, T. Merzouk, J. Hausmann (Germany)	102
Strain-rate dependence of the compressive strength of WC–Co hard metals K. Mandel, M. Radajewski, L. Krüger (Germany)	115
Microstructure and mechanical properties of a novel 1000 MPa grade TMCP low carbon microalloyed steel with combination of high strength and excellent toughness H. Xie, L.-X. Du, J. Hu (China), R.D.K. Misra (USA)	123
Microstructures and mechanical properties evolution of an Al–Fe–Cu alloy processed by repetitive continuous extrusion forming X. Kong, H. Zhang, X. Ji (China)	131
Role of applied uniaxial stress during creep testing on precipitation in Mg–Nd alloys D. Choudhuri, N. Dendge, S. Nag (USA), M.A. Gibson (Australia), R. Banerjee (USA)	140
Effects of microstructure on fatigue crack growth behavior in cold-rolled dual phase steels S. Li, Y. Kang, S. Kuang (China)	153
Influence of microstructural stability on the creep mechanism of Al–7 wt% Si alloy processed by equal channel angular pressing A. Orozco-Caballero (Spain), S.K. Menon (USA), C.M. Cepeda-Jiménez, P. Hidalgo-Manrique (Spain), T.R. McNelley (USA), O.A. Ruano, F. Carreño (Spain)	162
Enhancement of toughness by grain boundary control in magnesium binary alloys H. Somekawa, A. Singh, T. Inoue (Japan)	172

The influence of Al:Nb ratio on the microstructure and mechanical response of quaternary Ni–Cr–Al–Nb alloys P.M. Mignanelli, N.G. Jones, M.C. Hardy, H.J. Stone (UK)	179
Anomalous multiple pop-in behavior in Cu–Sn-based intermetallic compounds during nanoindentation H. Jun, Y. Kim, S. Lee, N. Kang, K.-B. Kim, M. Kim, S. Hyung Kim, D. Lee (Republic of Korea)	192
Effect of cold pre-forging on the microstructure and mechanical properties of extruded Mg–8Sn–1Al–1Zn alloy S.H. Park, J.H. Lee, H. Yu, J. Yoon, B.S. You (Republic of Korea)	197
Precipitate evolution in the early stages of ageing in Inconel 718 investigated using small-angle x-ray scattering M. Fisk, J. Andersson, R. du Rietz, S. Haas, S. Hall (Sweden)	202
Effect of rolling reduction on microstructure, texture, mechanical properties and mechanical anisotropy of AZ31 magnesium alloys D. Liu, Z. Liu, E. Wang (China)	208
Investigation of the effect of grain size on the strain-induced martensitic transformation in a high-Mn stainless steel using nanoindentation S. Sadeghpour, A. Kermanpur, A. Najafizadeh (Iran)	214
Effect of Ce addition on the microstructure and tensile properties of extruded Mg–Zn–Zr alloys H.Y. Jeong, B. Kim, S. Kim, H.J. Kim, S.S. Park (Republic of Korea)	217
Shear localization and its related microstructural evolution in the ultrafine grained titanium processed by multi-axial compression B. Wang (People's Republic of China, United States), J. Li, J. Sun, X. Wang, Z. Liu (People's Republic of China)	227
Influence of welding parameter on mechanical properties and fracture behavior of friction stir welded Al–Mg–Sc joints Y. Tao, Z. Zhang, D.R. Ni, D. Wang, B.L. Xiao, Z.Y. Ma (China)	236
Enhancement of strength and ductility of Cu–Sn–Zn alloy by iron addition Y. Ye, X. Yang, C. Liu, Y. Shen, X. Zhang (China), T. Sakai (Japan)	246
An investigation of dynamic recrystallization behavior of ZK60–Er magnesium alloy J. Zhang, B. Chen, C. Liu (China)	253
Texture evolution and deformation mechanism in friction stir welding of 2219Al S. Chen, X. Jiang (People's Republic of China)	267
Plastic behavior of AZ80 alloy during low strain rate tension at elevated temperature L. Ren, J. Wu, G. Quan (China)	278
Improving the mechanical properties of pure magnesium by three-roll planetary milling M. Diez, H.-E. Kim (Republic of Korea), V. Serebryany, S. Dobatkin (Russia), Y. Estrin (Russia, Australia)	287
Effect of chemical composition on the microstructure, tensile properties and fatigue behavior of sand-cast Mg–Gd–Y–Zr alloy L. Jiang, W. Liu, G. Wu, W. Ding (China)	293
Micromechanisms of short fatigue crack growth in an Al–Si piston alloy T.O. Mbuya, P.A.S. Reed (UK)	302
Effect of compositional tailoring on the glass-forming ability and mechanical properties of TiZr-based bulk metallic glass matrix composites D.Q. Ma, J. Li, Y.F. Zhang, X.Y. Zhang, M.Z. Ma, R.P. Liu (PR China)	310
Deformation of as-fabricated and helium implanted 100 nm-diameter iron nano-pillars P. Landau (USA), Q. Guo (USA, PR China), P. Hosemann, Y. Wang, J.R. Greer (USA)	316
High temperature compressive creep of spark plasma sintered zirconium (oxy-)carbide G. Antou, M. Gendre, E. Laborde, A. Maître, G. Trolliard (France)	326
Studies on the microstructures and properties in phase transformation of homogenized 7050 alloy P. Jia, Y. Cao, Y. Geng, L. He, N. Xiao, J. Cui (China)	335
Plastic flow behavior of 7017 and 7055 aluminum alloys under different high strain rate test methods B. Mishra, C. Mondal, R. Goyal, P. Ghosal, K.S. Kumar, V. Madhu (India)	343
Influence of high-pressure gaseous hydrogen on the low-cycle fatigue and fatigue crack growth properties of a cast titanium alloy R. Gaddam, M. Hörnqvist, M.-L. Antti, R. Pederson (Sweden)	354
Effect of Gd and Y contents on the microstructural evolution of long period stacking ordered phase and the corresponding mechanical properties in Mg–Gd–Y–Zn–Mn alloys S. Huang, J. Wang, F. Hou, X. Huang, F. Pan (PR China)	363
Combined effect of heat treatment and rolling on pre-strained and SPDed aluminum sheet H. Pouraliakbar, S. Firooz, M.R. Jandaghi, G. Khalaj, A. Amirafshar (Iran)	371
Microstructures and mechanical properties of high performance Mg–6Gd–3Y–2Nd–0.4Zr alloy by indirect extrusion and aging treatment X. Liu, W. Hu, Q. Le, Z. Zhang, L. Bao, J. Cui (People's Republic of China)	380
The role of pore wall microstructure and micropores on the mechanical properties of Cu–Ni–Mo based steel foams N. Bekoz, E. Oktay (Turkey)	387
Influence of overloads on dwell time fatigue crack growth in Inconel 718 J. Saarimäki, J. Moverare, R. Eriksson, S. Johansson (Sweden)	398

Effect of current frequency on the mechanical properties, microstructure and texture evolution in AZ31 magnesium alloy strips during electroplastic rolling X. Li, G. Tang, J. Kuang, X. Li, J. Zhu (PR China)	406
Hot tensile and stress rupture behavior of friction welded alloy 718 in different pre-and post-weld heat treatment conditions R. Damodaram, S. Ganesh Sundara Raman, D.V.V. Satyanarayana, G. Madhusudhan Reddy (India), K. Prasad Rao (USA)	414
The effects of detwinning on the mechanical properties of AZ31B magnesium alloy with different strain rates at 423 K L. Wang (China, Italy), G. Huang, Z. Shi, H. Zhang (China), P. Bassani, M. Vedani (Italy), F. Pan (China)	423
{10-12} Twin variants selection mechanisms during twinning, re-twinning and detwinning A. Chapuis, Y. Xin, X. Zhou, Q. Liu (China)	431
Investigating aluminum alloy reinforced by graphene nanoflakes S.J. Yan, S.L. Dai, X.Y. Zhang, C. Yang, Q.H. Hong, J.Z. Chen, Z.M. Lin (China)	440
Twist channel multi-angular pressing (TCMAP) as a new SPD process: Numerical and experimental study R. Kocich, A. Macháčková, L. Kunčická (Czech Republic)	445
Effect of Zr and Si addition on high temperature mechanical properties of near- α Ti-Al-Zr-Sn based alloys M. Jayaprakash, D.H. Ping, Y. Yamabe-Mitarai (Japan)	456
Hydrogen embrittlement of a carbon segregated $\Sigma 5(310)[001]$ symmetrical tilt grain boundary in α -Fe A.M. Tahir, R. Janisch, A. Hartmaier (Germany)	462
<i>Rapid communications</i>	
Tailoring texture and refining grain of magnesium alloy by differential speed extrusion process Q. Yang, B. Jiang, J. He, B. Song, W. Liu, H. Dong, F. Pan (China)	187
Rapid grain refinement of 2024 Al alloy through recrystallization induced by electropulsing X. Xu, Y. Zhao, B. Ma, J. Zhang, M. Zhang (PR China)	223
Author Index	468
Subject Index	470