

Volume 615

6 October 2014

ISSN 0921-5093




MATERIALS SCIENCE & ENGINEERING

Editor in Chief:
E.J. Lavernia

A

Structural Materials: Properties, Microstructure and Processing

Editors:
N. Chawla
J.K. Shang
M.J. Starink
E.A. Werner
J.D. Whittenberger



Available online at www.sciencedirect.com


ScienceDirect



ELSEVIER

Contents lists available at ScienceDirect

Materials Science and Engineering A

journal homepage: www.elsevier.com/locate/msea

Contents

Research papers

Early precipitation of Ni ₂ (Cr,Mo) phase J.W. Bai, R. Yu, Y.M. Zhu, P.P. Liu, Y.B. Wang, X.S. Xie, Z.B. He, Q. Zhan (China)	1
Effect of equal channel angular pressing on the Portevin–Le Chatelier effect in an Al3Mg alloy T.A. Lebedkina, M.A. Lebyodkin (France), T.T. Lamark (Norway), M. Janeček (Czech Republic), Y. Estrin (Australia, Russia)	7
Prediction of creep rupture life of a V-notched bar in DD6 Ni-based single crystal superalloy D.S. Liu, D.X. Zhang, J.W. Liang, Z.X. Wen, Z.F. Yue (PR China)	14
Size-dependent of compression yield strength and deformation mechanism in titanium single-crystal nanopillars orientated [0001] and [1120] J. Ren, Q. Sun, L. Xiao, X. Ding, J. Sun (PR China)	22
On the role of thermal exposure on the stress controlled fatigue behaviour of a high strength titanium–aluminum alloy Z.W. Huang (PR China, UK), C. Sun (PR China)	29
The construction of constitutive model and identification of dynamic softening mechanism of high-temperature deformation of Ti–5Al–5Mo–5V–1Cr–1Fe alloy H. Liang, H. Guo, Y. Nan, C. Qin, X. Peng, J. Zhang (PR China)	42
Dynamic recrystallization behavior and constitutive analysis of Incoloy 901 under hot working condition A. Momeni, S.M. Abbasi, M. Morakabati, H. Badri (Iran), X. Wang (PR China)	51
<i>In-situ</i> surface hardening of cast iron by surface layer metallurgy S.F. Fischer, S. Muschna, A. Bührig-Polaczek, M. Bünck (Germany)	61
Residual stress redistribution in shot peened samples subject to mechanical loading D.J. Buchanan, R. John (USA)	70
Effect of Gd content on microstructure and mechanical properties of Mg–Gd–Y–Zr alloys under peak-aged condition H.R.J. Nodoshan, W. Liu, G. Wu, Y. Rao, C. Zhou, S. He, W. Ding (China), R. Mahmudi (Iran)	79
Depth dependent strain rate sensitivity and inverse indentation size effect of hardness in body-centered cubic nanocrystalline metals J. Zhao, F. Wang, P. Huang, T.J. Lu, K.W. Xu (People's Republic of China)	87
Effects of grain size and shape on mechanical properties of nanocrystalline copper investigated by molecular dynamics K. Zhou, B. Liu, Y. Yao, K. Zhong (China)	92
Microstructure characteristics and temperature-dependent high cycle fatigue behavior of advanced 9% Cr/CrMoV dissimilarly welded joint Q. Wu, F. Lu, H. Cui, Y. Ding, X. Liu, Y. Gao (PR China)	98
Effect of fresh martensite on the stability of retained austenite in quenching and partitioning steel D. De Knijf (Belgium), R. Petrov (Belgium, The Netherlands), C. Föjer (Belgium), L.A.I. Kestens (Belgium, The Netherlands)	107
Nanostructurization of 316L type austenitic stainless steels by hydrostatic extrusion W. Pachla, J. Skiba, M. Kulczyk, S. Przybysz, M. Przybysz, M. Wróblewska, R. Diduszko, R. Stępnik, J. Bajorek, M. Radomski, W. Fafara (Poland)	116
Microstructure and mechanical behavior of neutron irradiated ultrafine grained ferritic steel A. Alsabbagh, A. Sarkar, B. Miller, J. Burns, L. Squires, D. Porter, J.I. Cole, K.L. Murty (USA)	128
Microstructural evolution of aluminum 6061 alloy through tube channel pressing M.H. Farshidi (Iran, Japan), M. Kazeminezhad (Iran), H. Miyamoto (Japan)	139
Creep of Al–0.2Sc–0.04Zr alloys after different cold-rolling and ageing combinations W.J. Li, B. Cai, Y.C. Wang, Z.X. Liu, S. Yang (PR China)	148
Laves-phase precipitates in a low-carbon 9% Cr martensitic steel during aging and creep at 923 K I. Fedorova, A. Belyakov, P. Kozlov, V. Skorobogatykh, I. Shenkova, R. Kaibyshev (Russia)	153
Thermo-mechanical fatigue test of a wrought Co-based alloy as potential tooling material for die casting N. Tang, Y. Li, P. Tunthawiroon, Y. Koizumi, A. Chiba (Japan)	164
Short fatigue cracks nucleation and growth in lean duplex stainless steel LDX 2101 R. Strubbia, S. Hereñú, I. Alvarez-Armas (Argentina), U. Krupp (Germany)	169

Low cycle fatigue behavior of Sanicro25 steel at room and at elevated temperature J. Polák, R. Petráš, M. Heczko, I. Kuběna, T. Kruml (Czech Republic), G. Chai (Sweden)	175
Processing maps for hot deformation of the extruded 7075 aluminum alloy bar: Anisotropy of hot workability Y. Yang, Z. Xie, Z. Zhang, X. Li, Q. Wang (China), Y. Zhang (United Kingdom)	183
Properties of Inconel 625 mesh structures grown by electron beam additive manufacturing F.A. List, R.R. Dehoff, L.E. Lowe, W.J. Sames (USA)	191
Enhancement of properties in cast Mg–Y–Zn rod processed by severe plastic deformation R. Lapovok, X. Gao, J.-F. Nie, Y. Estrin (Australia), S.N. Mathaudhu (USA)	198
Effects of rolling temperature on hot rolling behaviors and mechanical properties of ABOw/6061Al composites S.C. Xu, L.D. Wang, H.B. Li, C.Q. Qu, W.D. Fei (P.R. China)	208
Phase equilibria of an Al _{0.5} CrFeCoNiCu High Entropy Alloy N.G. Jones, A. Frezza, H.J. Stone (Cambridge)	214
Hot compression behavior of the 1 wt% calcium containing Mg–8Al–0.5Zn (AZ80) alloy fabricated using electromagnetic casting technology T.Y. Kwak, W.J. Kim (Republic of Korea)	222
Effect of short-term annealing on the microstructures and flow properties of an Al–1% Mg alloy processed by high-pressure torsion O. Andreau (France), J. Gubicza (Hungary), N. Xian Zhang, Y. Huang (UK), P. Jenei (Hungary), T.G. Langdon (UK, USA)	231
Improved plasticity of bulk metallic glasses by electrodeposition M. Meng, Z. Gao, L. Ren, H. Yang, S. Ma, Z. Wang, J. Qiao (China)	240
A physical-based constitutive relation to predict flow stress for Cu–0.4Mg alloy during hot working G. Ji, Q. Li, L. Li (China)	247
Role of rolling temperature in the precipitation hardening characteristics of Ti–Mo microalloyed hot-rolled high strength steel Y. Woo Kim, S.-G. Hong, Y.-H. Huh, C.S. Lee (Republic of Korea)	255
Cyclic deformation and fatigue of extruded ZK60 magnesium alloy with aging effects S. Dong (China), Y. Jiang (USA), J. Dong, F. Wang, W. Ding (China)	262
Investigation and modeling of the anomalous yield point phenomenon in pure tantalum D. Colas, E. Finot, S. Flourirot, S. Forest, M. Mazière, T. Paris (France)	283
Effect of arc-bending deformation on amplitude-dependent damping in pure magnesium J. Wang, R. Lu, D. Qin, W. Yang, Z. Wu (PR China)	296
Cyclic stress–strain response and microstructure evolution of polycrystalline Cu under pure compressive cyclic loading condition T.-Y.J. Hsu, Z. Wang (Canada)	302
Effect of forging on the microstructure and tensile properties of 2024Al/Al ₁₈ B ₄ O ₃₃ w composite W.C. Shi, L. Yuan, Z.Z. Zheng, D.B. Shan (PR China)	313
Effects of texture on anisotropy of mechanical properties in annealed Mg–0.6%Zr–1.0%Cd sheets by unidirectional and cross rolling T. Chen, Z. Chen, L. Yi, J. Xiong, C. Liu (China)	324
High temperature processing of brass: Constitutive analysis of hot working of Cu–Zn alloys S. Spigarelli, M.E. Mehtedi, M. Cabibbo, F. Gabrielli, D. Ciccirelli (Italy)	331
Effect of tempering upon the tensile properties of a nanostructured bainitic steel H.S. Hasan (Iraq), M.J. Peet (UK), M.-N. Avettand-Fènoël (France), H.K.D.H. Bhadeshia (UK)	340
Creep life prediction of 9Cr–1Mo steel under multiaxial state of stress S. Goyal, K. Laha (India)	348
Study on a novel double-layered composite membrane of Mg-substituted nano-hydroxyapatite/poly(<i>l</i> -lactide-co- ϵ -caprolactone): Effect of different <i>l</i> -lactide/ ϵ -caprolactone ratios X. Lijuan, J. Liuyun, X. Chengdong, J. Lixin, L. Ye (China)	361
Effects of TC4 foil on the microstructures and mechanical properties of accumulatively roll-bonded aluminium-based metal matrix composites C.Y. Liu, B. Zhang, X. Tang, K. Luo, M.Z. Ma, R.P. Liu (China)	367
Effect of microstructure on the nucleation and initiation of adiabatic shear bands (ASBs) during impact S. Boakye Yiadom, A. Khaliq Khan, N. Bassim (Canada)	373
Decoupling of the softening processes during rapid tempering of a martensitic steel E. Biro, J.R. McDermid, S. Vignier, Y. Norman Zhou (Canada)	395
Influence of cold rolling on microstructure, texture and mechanical properties of low carbon high Mn TWIP steel N.K. Tewary, S.K. Ghosh, S. Bera, D. Chakrabarti, S. Chatterjee (India)	405
Kinetics of strain-induced transformation of dispersed austenite in low-alloy TRIP steels G.N. Haidemenopoulos (Greece), N. Aravas (Greece, Japan), I. Bellas (Greece)	416
Microstructure evolution and mechanical behavior of a new microalloyed high Mn austenitic steel during compressive deformation M. Eskandari (Canada, Iran), A. Zarei-Hanzaki (Iran), J.A. Szpunar, M.A. Mohtadi-Bonab (Canada), A.R. Kamali (United Kingdom), M. Nazarian-Samani (Iran)	424

Study of microstructural evolution and strength–toughness mechanism of heavy-wall induction bend pipe T. Zhou, H. Yu, J. Hu, S. Wang (China)	436
Deformation behavior of open-cell stainless steel foams A.C. Kaya, C. Fleck (Germany)	447
Significant tensile ductility and toughness in an ultrafine-structured $\text{Ti}_{68.8}\text{Nb}_{13.6}\text{Co}_6\text{Cu}_{5.1}\text{Al}_{6.5}$ bi-modal alloy I.V. Okulov, M. Bönisch, U. Kühn, W. Skrotzki, J. Eckert (Germany)	457
A hierarchical and multiphase nanolaminated alloy with an excellent combination of tensile properties Y. Shi, M. Li, D. Guo, G. Zhang, Q. Zhang, X. Li, X. Zhang (PR China)	464
Influence of solution temperature on microstructure and creep property of a directional solidified nickel-based superalloy at intermediate temperatures T. Sugui, T. Ning, Y. Huichen, M. Xianlin, L. Ying (China)	469
Atomistic simulations of pristine and defective hexagonal BN and SiC sheets under uniaxial tension M.-Q. Le, D.-T. Nguyen (Viet Nam)	481
Microstructure stability of as-extruded bimodal size SiCp/AZ91 composite J.-c. Li, K.-b. Nie, K.-k. Deng, S.-j. Shang, S.-s. Zhou, F.-j. Xu, J.-f. Fan (China)	489
Evolution of flow stress and microstructure during isothermal compression of Waspaloy A. Chamanfar, M. Jahazi, J. Gholipour, P. Wanjara, S. Yue (Canada)	497
<i>Rapid communications</i>	
Microstructure, phase transformation and mechanical property of Ni–Mn–Ga particles/Mg composites B. Tian, Y.X. Tong, F. Chen, L. Li, Y.F. Zheng (China)	273
Effects of aging on the structure and damping behaviors of a novel porous CuAlMn shape memory alloy fabricated by sintering–dissolution method Q.Z. Wang, D.M. Lu, C.X. Cui, W.J. Liu, M. Xu, J. Yang (PR China)	278
A novel and rapid route for synthesizing nanocrystalline aluminum Z.-F. Liu, Z.-H. Zhang (PR China), A.V. Korznikov (Russia), J.-F. Lu (PR China), G. Korznikova (Russia), F.-C. Wang (PR China)	320
Author Index	511
Subject Index	514