

174
M39/2SA

Volume 617

3 November 2014

ISSN 0921-5093



MATERIALS SCIENCE & ENGINEERING

Editor in Chief:
E.J. Lavernia



Structural Materials: Properties, Microstructure and Processing

Editors:




N. Chawla

J.K. Shang

M.J. Starink


E.A. Werner

J.D. Whittenberger



Available online at www.sciencedirect.com

ScienceDirect



Contents

Research papers

Microstructure and mechanical properties of newly developed aluminum–lithium alloy 2A97 welded by fiber laser B. Fu, G. Qin, X. Meng, Y. Ji, Y. Zou, Z. Lei (PR China)	1
Size and constraint effects on mechanical and fracture behavior of micro-scale Ni/Sn3.0Ag0.5Cu/Ni solder joints H.B. Qin, X.P. Zhang, M.B. Zhou, J.B. Zeng (China), Y.-W. Mai (Australia)	14
Detwinning behavior of Mg–3Al–1Zn alloy at elevated temperatures H. Yu, Y. Xin, H. Zhou, R. Hong, L. Zhao, Q. Liu (China)	24
Relationship between microstructure and yield strength for plain carbon steel with ultrafine or fine (ferrite+cementite) structure C. Zheng, L. Li, W. Yang, Z. Sun (China)	31
Effect of withdrawal rates on microstructures and room temperature fracture toughness in a directionally solidified Nb–Ti–Cr–Si based alloy B. Guo, X. Guo (China)	39
Effect of Zr addition on the microstructure, phase transformation and mechanical property of Ni ₅₀ Mn ₂₅ Ga ₁₇ Cu ₈ alloy B. Tian, Y.L. Jiang, F. Chen, Y.X. Tong, L. Li, Y.F. Zheng (China)	46
Microstructure evolution and strengthening mechanisms of Fe–23Mn–0.3C–1.5Al TWIP steel during cold rolling P. Kusakin, A. Belyakov (Russia), C. Haase (Germany), R. Kaibyshev (Russia), D.A. Molodov (Germany)	52
Synthesis of bubble dispersion strengthened copper by using pyrolysis gases of Poly (methyl methacrylate) S. Shi, N. Oono, S. Ukai, Y. Abe (Japan)	61
Active brazing of carbon fiber reinforced SiC composite and 304 stainless steel with Ti–Zr–Be D. Fan, J. Huang, Y. Wang, S. Chen, X. Zhao (China)	66
Effects of continuous and discontinuous ultrasonic treatments on mechanical properties and microstructural characteristics of cast Al413–SiC _{np} nanocomposite M.R. Dehnavi, B. Niroumand, F. Ashrafzadeh (Iran), P.K. Rohatgi (USA)	73
Detecting mechanical properties of microstructure units in Ti–6.5Al–3.5Mo–1.5Zr–0.3Si alloy J. Yang, Z.M. Song, L.M. Lei, G.P. Zhang (PR China)	84
Fracture morphology pattern transition dominated by the crack tip curvature radius in brittle metallic glasses M. Gao, D.W. Ding, D.Q. Zhao, H.Y. Bai, W.H. Wang (China)	89
On the elasto-viscoplastic behavior of the Ti5553 alloy M.B. Bettaieb, T.V. Hoof, T. Pardoen, P. Dufour, A. Lenain, P.J. Jacques, A.M. Habraken (Belgium)	97
Improving CNT distribution and mechanical properties of MWCNT reinforced alumina matrix H. Ghobadi, A. Nemati, T. Ebadzadeh, Z. Sadeghian, H. Barzegar-Bafrooei (Iran)	110
Effect of pure Ti thickness on the tensile behavior of laminated Ti–TiBw/Ti composites B.X. Liu, L.J. Huang, B. Wang, L. Geng (China)	115
<i>In-situ</i> observations and quantification of twin boundary mobility in polycrystalline magnesium K.E. Prasad, K.T. Ramesh (USA)	121
A research on the microstructure evolution of austenite stainless steel by surface mechanical attrition treatment S. Liu, S.Y. Gao, Y.F. Zhou, X.L. Xing, X.R. Hou, Y.L. Yang, Q.X. Yang (China)	127
Microstructure, properties and application of YAl ₂ intermetallic compound as particle reinforcements N. Li, Q.Q. Zhang, L.Y. Niu, G.Q. Wu (PR China), W. Sha (UK)	139
Optimization of mechanical properties of Al-metal matrix composite produced by direct fusion of beverage cans C. Carrasco, G. Inzunza, C. Camurri, C. Rodríguez (Chile), L. Radovic (Chile, United States), F. Soldera, S. Suarez (Germany)	146
Degradation of nanostructured bainitic steel under rolling contact fatigue W. Solano-Alvarez, E.J. Pickering, H.K.D.H. Bhadeshia (UK)	156
Simultaneously enhancing the tensile properties and intergranular corrosion resistance of Al–Mg–Si–Cu alloys by a thermo-mechanical treatment H. Li, M. Qingzhong, Z. Wang, F. Miao, B. Fang, R. Song, Z. Zheng (China)	165

Structural changes in amorphous metals from high-strain plastic deformation H.S. Arora (USA), H.S. Grewal (India), S. Mridha (USA), H. Singh (India), S. Mukherjee (USA)	175
Microstructure–property relationships in pressureless-sintered carbon nanotube/alumina composites G. Yamamoto, K. Shirasu, Y. Nozaka, W. Wang, T. Hashida (Japan).....	179
Microstructure characterisation of a low density steel by transmission electron microscopic study W.T. Chao (United Kingdom), R. Rana, C. Liu (The Netherlands).....	187
Can slow-diffusing solute atoms reduce vacancy diffusion in advanced high-temperature alloys? K.N. Goswami, A. Mottura (United Kingdom)	194
Influence of hydrogen on the mechanical properties of some medium-strength Ni–Cr–Mo steels Q. Liu (Australia), B. Irwanto (Switzerland), A. Atrens (Australia)	200
Sinter ageing of equiatomic Al ₂₀ Co ₂₀ Cu ₂₀ Zn ₂₀ Ni ₂₀ high entropy alloy via mechanical alloying S. Mohanty, N.P. Gurao, K. Biswas (India)	211
Effect of Sc/Zr ratio on the microstructure and mechanical properties of new type of Al–Zn–Mg–Sc–Zr alloys G. Li, N. Zhao, T. Liu, J. Li, C. He, C. Shi, E. Liu, J. Sha (China)	219
Crystallographic orientation and boundary effects on misorientation development in austenitic stainless steel S. Chakrabarty, S.K. Mishra, P. Pant (India)	228
In-situ synthesis of MgAl ₂ O ₄ nanowhiskers reinforced 6061 aluminum alloy composites by reaction hot pressing L. Xing, Y. Zhang, C. Shi, Y. Zhou, N. Zhao, E. Liu, C. He (PR China)	235
Microstructure and mechanical properties of semi-continuous cast Mg–Gd–Y–Zr alloy Y.C. Wan, H.C. Xiao, S.N. Jiang, B. Tang, C.M. Liu, Z.Y. Chen, L.W. Lu (China)	243
<i>Corrigendum</i>	
Corrigendum to “A dynamic ductile fracture model on the effects of pressure, Lode angle and strain rate” [Mater. Sci. Eng. A 589 (2014) 262–270] Y.J. Liu, Q. Sun (China)	12
Author Index	249
Subject Index	251