


TUM
M39/250



Volume 618

17 November 2014

ISSN 0921-5093




MATERIALS SCIENCE & ENGINEERING

Editor in Chief:
E.J. Lavernia

A


**Structural Materials: Properties,
Microstructure and Processing**

Editors:
N. Chawla
J.K. Shang
M.J. Starink
E.A. Werner
J.D. Whittenberger



Available online at www.sciencedirect.com

ScienceDirect



Contents

Research papers

High-pressure torsion of palladium: Hydrogen-induced softening and plasticity in ultrafine grains and hydrogen-induced hardening and embrittlement in coarse grains T. Hongo, K. Edalati, H. Iwaoka, M. Arita, J. Matsuda, E. Akiba, Z. Horita (Japan)	1
Unusual Young's modulus behavior in ultrafine-grained and microcrystalline copper wires caused by texture changes during processing and annealing P.P. Pal-Val (Ukraine), Yu.N. Loginov, S.L. Demakov, A.G. Illarionov (Russia), V.D. Natsik, L.N. Pal-Val, A.A. Davydenko, A.P. Rybalko (Ukraine)	9
Microstructural investigation on deformation behavior of high purity Fe–Cr–Ni austenitic alloys during tensile testing at different temperatures P. Behjati, A. Kermanpur, A. Najafizadeh, H. Samaei Baghbadorani (Iran)	16
On the quench sensitivity of 7010 aluminum alloy forgings in the overaged condition M. Tiryakioğlu (USA), J.S. Robinson (Ireland), P.D. Eason (USA)	22
Transformation of shear loop into prismatic loops during bypass of an array of impenetrable particles by edge dislocations S. Groh (Germany)	29
Remarkable improvement of shape memory effect in a Co–31Ni–3Si alloy by training treatment Z.W. Yan, S.L. Wang, J.W. Sun, H.B. Peng, Y.H. Wen (PR China)	41
Microstructure and mechanical properties of Al-alloyed Fe–Cr–Ni–Mn–C stainless steels R. Rahimi (Germany), B.C. De Cooman (South Korea), H. Biermann, J. Mola (Germany)	46
Study on the mechanical properties, microstructure and corrosion behaviors of nano-WC–Co–Ni–Fe hard materials through HIP and hot-press sintering processes S.-H. Chang, P.-Y. Chang (ROC)	56
Effect of austenite deformation in non-recrystallization region on microstructure development in low-silicon content TRIP-assisted steels S.M.K. Hosseini, A. Zaeri-Hanzaki (Iran), S. Yue (Canada)	63
Influence of β phase fraction on deformation of grains in and around shear bands in machining of titanium alloys S. Joshi, P. Pawar, A. Tewari, S.S. Joshi (India)	71
Observation and modeling of physically short fatigue crack closure in terms of in-situ SEM fatigue test M.-L. Zhu, F.-Z. Xuan, S.-T. Tu (PR China)	86
High hardness and toughness of white cast iron: The proposal of a novel process X. Jia, Q. Hao, X. Zuo, N. Chen, Y. Rong (China)	96
Effects of short time electric pulse heat treatment on microstructures and mechanical properties of hot-rolled Ti–6Al–4V alloy L. Gao, J. Liu, X. Cheng, S. Li, Y. Luo, Q. Guo (China)	104
Structure–property relationship in a 960MPa grade ultrahigh strength low carbon niobium–vanadium microalloyed steel: The significance of high frequency induction tempering Z.J. Xie, Y.P. Fang, G. Han, H. Guo (China), R.D.K. Misra (USA), C.J. Shang (China)	112
Comparison of nanoindentation techniques for local mechanical quantification of aluminium alloy V. Králík, J. Němeček (Czech Republic)	118
The influence of hot rolling on oxide development within micro-cracks of aluminum–magnesium alloys O.A. Gali (Canada), M. Shafei, J.A. Hunter (USA), A.R. Riahi (Canada)	129
Multi scale modeling and characterization of inelastic deformation mechanisms in continuous fiber and 2D woven fabric reinforced metal matrix composites B. McWilliams, J. Dibelka, C.-F. Yen (USA)	142
Influence of orientation and temperature on the fatigue crack growth of a nickel-based directionally solidified superalloy X. He, Y. Zhang, H. Shi, J. Gu, C. Li (PR China), K. Kadau (USA), O. Luesebrink (Germany)	153

A generic model to predict the ultimate tensile strength in pearlitic lamellar graphite iron V. Fourlakis, A. Diószegi (Sweden)	161
Microstructure and mechanical properties of high strength and high toughness micro-laminated dual phase steels M.D. Zhang, J. Hu, W.Q. Cao, H. Dong (China)	168
Influence of spark plasma sintering (SPS) processing parameters on microstructure and mechanical properties of nickel T. Borkar, R. Banerjee (USA)	176
Microstructure, mechanical properties and fracture behavior of ultra-high strength dual-phase steel Z. Zhao, T. Tong, J. Liang, H. Yin, A. Zhao, D. Tang (China)	182
Effect of tempering on microstructure evolution and mechanical properties of X12CrMoWVNbN10-1-1 steel X.G. Tao, L.Zh. Han, J.F. Gu (PR China)	189
The strengthening effect of spinodal decomposition and twinning structure in MnCu-based alloy Y. Jiazhen, L. Ning, F. Xu, Z. Ying (PR China)	205
Effects of solution heat treatment on microstructure and mechanical properties of Mg-3Al-1Si-0.3Mn-xSr alloy B. Wang, X. Wang, J. Zhou, G. Zhang, F. Liu (PR China)	210
Effect of normalization temperatures on ductile-brittle transition temperature of a modified 9Cr-1Mo steel A. Chatterjee, D. Chakrabarti, A. Moitra, R. Mitra, A.K. Bhaduri (India)	219
Effect of rolling passes on the microstructures and mechanical properties of Mg-Gd-Y-Zr alloy sheets Z.-B. Chen, C.-M. Liu, H.-C. Xiao, J.-K. Wang, Z.-Y. Chen, S.-N. Jiang, Z.-J. Su (China)	232
Effects of calcium and rare-earth elements on the microstructure and tension-compression yield asymmetry of ZEK100 alloy S. Kamrani, C. Fleck (Germany)	238
Fine-grained AA 7075 processed by different thermo-mechanical processings W. Huo, L. Hou, H. Cui, L. Zhuang, J. Zhang (China)	244
Anomalous deformation twinning in coarse-grained Cu in Ag ₆₀ Cu ₄₀ composites under high strain-rate compressive loading B.P. Eftink, N.A. Mara, O.T. Kingstedt, D.J. Safarik, J. Lambros, I.M. Robertson (USA)	254
Microstructure evolution and mechanical response of extruded AZ31B magnesium alloy sheet at large strains followed by annealing treatment J. Dong, D. Zhang, Y. Dong, S. Chai, F. Pan (China)	262
Microstructure and temperature dependence of intergranular strains on diffractometric macroscopic residual stress analysis J.N. Wagner, M. Hofmann, R. Wimpory, C. Kremaszky (Germany), M. Stockinger (Austria)	271
Mechanical stability of individual austenite grains in TRIP steel studied by synchrotron X-ray diffraction during tensile loading R. Blondé (The Netherlands), E. Jimenez-Melero (United Kingdom), L. Zhao (The Netherlands), J.P. Wright (France), E. Brück, S. van der Zwaag, N.H. van Dijk (The Netherlands)	280
Designed bimodal size lamellar O microstructures in Ti ₂ AlNb based alloy: Microstructural evolution, tensile and creep properties W. Wei, Z. Weidong, X. Chen, L. Xiaobo, Z. Jianwei (China)	288
Effect of Ni on the hot ductility and hot cracking susceptibility of high Mn austenitic cast steel K. Han, J. Yoo, B. Lee, I. Han, C. Lee (Republic of Korea)	295
The effect of the crystallographic texture on intergranular stress corrosion crack paths O. Lavigne, E. Gamboa, V. Luzin, M. Law, M. Giuliani, W. Costin (Australia)	305
Experimental and simulation analysis of texture formation and deformation mechanism of rolled AZ31B magnesium alloy under dynamic loading H. Asgari, J.A. Szpunar, A.G. Odeshi (Canada), L.J. Zeng, E. Olsson (Sweden)	310
Resistance spot welding of AZ series magnesium alloys: Effects of aluminum content on microstructure and mechanical properties S. Niknejad (Canada), L. Liu (China), M.-Y. Lee (South Korea), S. Esmaeili, N.Y. Zhou (Canada)	323
Effects of orientation on hardness, strain accumulation, and fracture K.S. Suresh, T. Kitashima, Y. Yamabe-Mitarai (Japan)	335
The role of grain boundary structure and crystal orientation on crack growth asymmetry in aluminum I. Adlakha, M.A. Tschopp, K.N. Solanki (USA)	345
Microtension behaviour of lenticular martensite structure of Fe-30mass% Ni alloy Y. Mine, H. Takashima, M. Matsuda, K. Takashima (Japan)	359
A phase mixture model for anisotropic creep of forged Al-Cu-Mg-Si alloy K. Naumenko (Germany), E. Gariboldi (Italy)	368
Microstructural refinement and wear property of Al-Si-Cu composite subjected to extrusion and high-pressure torsion C. Gode (Turkey), H. Yilmazer (Japan), I. Ozdemir (Turkey), Y. Todaka (Japan)	377
Anomalous softening behavior in Ti/Ni multilayers with ultra-high hardness J. Shi, Z.H. Cao, M.Z. Wei, G.J. Pan, L.J. Xu, X.K. Meng (People's Republic of China)	385

Tensile deformation behavior and melting property of nano-sized ZnO particles reinforced Sn–3.0Ag–0.5Cu lead-free solder A.A. El-Daly, T.A. Elmosalami, W.M. Desoky, M.G. El-Shaarawy, A.M. Abdraboh (Egypt).....	389
Temperature dependent transition of intragranular plastic to intergranular brittle failure in electrodeposited Cu micro-tensile samples A. Wimmer, M. Smolka, W. Heinz, T. Detzel (Austria), W. Robl, C. Motz (Germany), V. Eyert, E. Wimmer (France), F. Jahnel, R. Treichler, G. Dehm (Germany).....	398
Effect of liquid metal embrittlement on low cycle fatigue properties and fatigue crack propagation behavior of a modified 9Cr–1Mo ferritic–martensitic steel in an oxygen-controlled lead–bismuth eutectic environment at 350°C X. Gong, P. Marmy, L. Qin, B. Verlinden, M. Wevers, M. Seefeldt (Belgium).....	406
Size dependence of fatigue damage in sub-micrometer single crystal gold H. Fang (Japan, China), R. Shiohara, T. Sumigawa, T. Kitamura (Japan).....	416
Highly anisotropic slip-behavior of pyramidal I $\langle c+a \rangle$ dislocations in hexagonal close-packed magnesium Y. Tang (USA, China), J.A. El-Awady (USA).....	424
Spherical indentation of closed-cell aluminum foams: An empirical force–depth relation Z. Li, Z. Zheng, J. Yu, J. Yang, F. Lu (PR China).....	433
Effect of combination treatment on wear resistance and strength of Ti–6Al–4V alloy T. Morita, K. Asakura, C. Kagaya (Japan).....	438
The effect of lanthanum boride on the sintering, sintered microstructure and mechanical properties of titanium and titanium alloys Y.F. Yang, S.D. Luo, M. Qian (Australia).....	447
Digital image correlation analysis of local strain fields on Ti6Al4V manufactured by electron beam melting J. Karlsson, T. Sjögren, A. Snis, H. Engqvist, J. Lausmaa (Sweden).....	456
Effects of metal phases and carbides on the microstructure and mechanical properties of Ti(C,N)-based cermets cutting tool materials H. Zhou, C. Huang, B. Zou, H. Liu, H. Zhu, P. Yao, J. Wang (PR China).....	462
Effects of calcium on mechanical properties of cellular Al–Cu foams L. Huang, H. Wang, D.H. Yang, F. Ye, S.Q. Wang, Z.P. Lu (China).....	471
Micromechanical simulation of fracture behavior of bimodal nanostructured metals X. Guo, R. Ji (China), G.J. Weng (USA), L.L. Zhu (China), J. Lu (Hong Kong).....	479
Evaluating the mechanical behavior of hot rolled Al/alumina composite strips using shear punch test M. Zabihi, M.R. Toroghinejad, A. Shafeyi (Iran).....	490
Improvement of formability of Mg–3Al–1Zn alloy strip by electroplastic-differential speed rolling X. Li, F. Wang, X. Li, G. Tang, J. Zhu (PR China).....	500
Texture inheritance of cold drawn pearlite steel wires after austenitization F. Fang, Y. Zhao, L. Zhou, X. Hu (China), Z. Xie (Australia), J. Jiang (China).....	505
Fabrication and mechanical properties of pressureless melt infiltrated magnesium alloy composites reinforced with TiC and Ti ₂ AlC particles B. Anasori, E.N. Caspi, M.W. Barsoum (USA).....	511
The anisotropy and diverse mechanical properties of rolled Mg–3% Al–1% Zn alloy X. Hua, F. Lv (PR China), H. Qiao (Canada), P. Zhang, Q.Q. Duan, Q. Wang (PR China), P.D. Wu (Canada), S.X. Li, Z.F. Zhang (PR China)	523
Effect of kaolinite, illite and talc on the processing properties and mullite content of porcelain stoneware tiles D. Magagnin, C.M.F. dos Santos, A. Wanderlind, J. Jiusti, A. De Noni Jr. (Brazil).....	533
Improved mechanical properties of AZ31 magnesium alloy plates by pre-rolling followed by warm compression H. Zhang, Y. Yan, J. Fan, W. Cheng (China, PR China), H.J. Roven (Norway, Qatar), B. Xu (China, PR China), H. Dong (UK).....	540
Study of crack propagation mechanisms during Charpy impact toughness tests on both equiaxed and lamellar microstructures of Ti–6Al–4V titanium alloy C. Buirette, J. Huez, N. Gey, A. Vassel, E. Andrieu (France).....	546
Simultaneous improvement of tensile strength and ductility in micro-duplex structure consisting of austenite and ferrite L. Chen, F.P. Yuan, P. Jiang, J.J. Xie, X.L. Wu (PR China).....	563
The investigation of Y doping content effect on the microstructure and microhardness of tungsten materials M. Zhao, Z. Zhou, Q. Ding, M. Zhong, J. Tan (China).....	572
Comparison of microstructural crack paths between hypo-eutectic Al–Si–Cu and Al–Si–Mg cast alloys in high plasticity regimes under rotating bending P. Huter, G. Winter, M. Schwab, P. Renhart, S. Oberfrank, F. Grün, B. Stauder (Austria).....	578
Effect of tempering temperature on resistance to deformation behavior for low carbon bainitic YP960 steels B.-s. Xie, Q.-w. Cai, W. Yu, J.-m. Cao, Y.-f. Yang (China).....	586
On the shock stress, substructure evolution, and spall response of commercially pure 1100-O aluminum C.L. Williams, C.Q. Chen, K.T. Ramesh, D.P. Dandekar (USA).....	596

Evaluation of a serviced turbine blade made of GH4033 wrought superalloy J.Y. Tong, X.F. Ding, M.L. Wang, Y.R. Zheng, K. Yagi, Q. Feng (China)	605
In-situ observation of crack propagation through the nucleation of nanoscale voids in ultra-thin, freestanding Ag films Y. Zhang, F. Wang, P. Zang, J. Wang, S. Mao, X. Zhang, J. Lu (PR China)	614
Effect of strain rate on tensile properties of electric brush-plated nanocrystalline copper J. Hu, S. Han, G. Sun, S. Sun, Z. Jiang, G. Wang, J. Lian (China)	621
Mechanical characterization of WC-10 wt% AISI 304 cemented carbides C.M. Fernandes, L.M. Vilhena, C.M.S. Pinho, F.J. Oliveira, E. Soares, J. Sacramento, A.M.R. Senos (Portugal)	629
Microstructure, texture, and mechanical properties of friction stir spot welded rare-earth containing ZEK100 magnesium alloy sheets R.I. Rodriguez, J.B. Jordon, H.M. Rao, H. Badarinarayan, W. Yuan, H. El Kadiri, P.G. Allison (USA)	637
Edge cracking mechanism in two dual-phase advanced high strength steels Z.K. Teng, X.M. Chen (USA)	645
Texture and anisotropy in the Al-Mg alloy AA 5005 – Part I: Texture evolution during rolling and recrystallization O. Engler (Germany)	654
Texture and anisotropy in the Al-Mg alloy AA 5005 – Part II: Correlation of texture and anisotropic properties O. Engler, J. Aegerter (Germany)	663
<i>Rapid communications</i>	
High-cycle fatigue behavior of Zn-22% Al alloy processed by high-pressure torsion I.-C. Choi (South Korea), B.-G. Yoo, O. Kraft, R. Schwaiger (Germany), M.-Y. Seok, M. Kawasaki (South Korea), T.G. Langdon (USA, UK), J.-i. Jang (South Korea)	37
Abundant long period stacking ordered structure induced by Ni addition into Mg-Gd-Zn alloy D. Wang, W. Zhang, X. Zong, K. Nie, C. Xu, J. Zhang (China)	355
Preparation of density-graded aluminum foam S.-Y. He, Y. Zhang, G. Dai, J.-Q. Jiang (China)	496
Influence of observation plane on twin variant identification in magnesium via trace and misorientation analysis C. Guo, R. Xin, X. Zheng, Y. Xiao, C. Ding, Q. Liu (China)	558
Author Index	672
Subject Index	676