
ПИ, M79/c



Published Twice Monthly January 2013, Volume 33, Number 1








TABLE OF CONTENTS

INSTRUCTIONS TO AUTHORS		
2013 Instructions to Authors (http://mcb.asm.org/site/misc/ifora.xhtml)		
SPOTLIGHT		
Articles of Significant Interest Selected from This Issue by the Editors		1
COMMENTARY		
A-Kinase-Anchoring Protein–Lbc Connects Stress Signaling to Cardiac Hypertrophy	F. Donelson Smith, John D. Scott	2–3
MINIREVIEW		
EKLF/KLF1, a Tissue-Restricted Integrator of Transcriptional Control, Chromatin Remodeling, and Lineage Determination	Yvette Y. Yien, James J. Bieker	4–13
ARTICLES		
A-Kinase-Anchoring Protein–Lbc Anchors IkB Kinase β To Support Interleukin-6-Mediated Cardiomyocyte Hypertrophy	Cosmo Damiano del Vescovo, Susanna Cotecchia, Dario Diviani	14-27
A Complex Containing the CPSF73 Endonuclease and Other Polyadenylation Factors Associates with U7 snRNP and Is Recruited to Histone Pre-mRNA for 3'-End Processing	Xiao-Cui Yang, Ivan Sabath, Jan Dębski, Magdalena Kaus-Drobek, Michał Dadlez, William F. Marzluff, Zbigniew Dominski	28-37
CD2AP Links Cortactin and Capping Protein at the Cell Periphery To Facilitate Formation of Lamellipodia	Jianping Zhao, Serawit Bruck, Saso Cemerski, Lei Zhang, Boyd Butler, Adish Dani, John A. Cooper, Andrey S. Shaw	38-47
An Unusual Two-Step Control of CPEB Destruction by Pin1	Morris Nechama, Chien-Ling Lin, Joel D. Richter	48-58
Tiam1 Regulates the Wnt/Dvl/Rac1 Signaling Pathway and the Differentiation of Midbrain Dopaminergic Neurons	Lukáš Čajánek, Ranjani Sri Ganji, Catarina Henriques-Oliveira, Spyridon Theofilopoulos, Peter Koník, Vítězslav Bryja, Ernest Arenas	59-70
Hsp70 Is a Novel Posttranscriptional Regulator of Gene Expression That Binds and Stabilizes Selected mRNAs Containing AU-Rich Elements	Aparna Kishor, Bishal Tandukar, Yann V. Ly, Eric A. Toth, Yvelisse Suarez, Gary Brewer, Gerald M. Wilson	71–84
Fbw7 α and Fbw7 γ Collaborate To Shuttle Cyclin E1 into the Nucleolus for Multiubiquitylation	Nimesh Bhaskaran, Frank van Drogen, Hwee-Fang Ng, Raman Kumar, Susanna Ekholm-Reed, Matthias Peter, Olle Sangfelt, Steven I. Reed	85–97
Defective Autophagy and mTORC1 Signaling in Myotubularin Null Mice	Kristina M. Fetalvero, Yenyen Yu, Margaret Goetschkes, Guiqing Liang, Reginald A. Valdez, Ty Gould, Ellen Triantafellow, Sebastian Bergling, Joseph Loureiro, John Eash, Victor Lin, Jeffrey A. Porter, Peter M. Finan, Kenneth Walsh, Yi Yang, Xiaohong Mao, Leon O. Murphy	98-110
Systematic Identification of Functional Residues in Mammalian Histone H2AX	Wei-Ta Chen, Amir Alpert, Courtney Leiter, Fade Gong, Stephen P. Jackson, Kyle M. Miller	111–126

JANUARY 2013 • VOLUME 33 • NUMBER 1

p38α Mitogen-Activated Protein Kinase Depletion and Repression of Signal Transduction to Translation Machinery by miR-124 and -128 in Neurons	Sarah K. Lawson, Elena Y. Dobrikova, Mayya Shveygert, Matthias Gromeier	127–135
Molecular Mechanisms of <i>N</i> -Formyl-Methionyl-Leucyl-Phenylalanine-Induced Superoxide Generation and Degranulation in Mouse Neutrophils: Phospholipase D Is Dispensable	Takanobu Sato, Tsunaki Hongu, Megumi Sakamoto, Yuji Funakoshi, Yasunori Kanaho	136-145
A Discrete Ubiquitin-Mediated Network Regulates the Strength of NOD2 Signaling	Justine T. Tigno-Aranjuez, Xiaodong Bai, Derek W. Abbott	146-158
Piccolo NuA4-Catalyzed Acetylation of Nucleosomal Histones: Critical Roles of an Esa1 Tudor/Chromo Barrel Loop and an Epl1 Enhancer of Polycomb A (EPcA) Basic Region	Jiehuan Huang, Song Tan	159-169
Effects of the Paf1 Complex and Histone Modifications on snoRNA 3'-End Formation Reveal Broad and Locus-Specific Regulation	Brett N. Tomson, Elia M. Crisucci, Lawrence E. Heisler, Marinella Gebbia, Corey Nislow, Karen M. Arndt	170-182

Cover photograph (Copyright © 2013. American Society for Microbiology. All rights reserved.): Cardiomyocyte hypertrophy and sarcomere reorganization induced by phenylephrine. Shown is an immunofluorescence image of a rat neonatal ventricular myocyte infected with lentiviruses encoding green fluorescent protein (green). Forty-eight hours after infection, the cardiomyocyte was stimulated for 24 h with 10^{-4} M phenylephrine to induce hypertrophy and finally stained using anti-ZASP monoclonal antibodies (red) to visualize the sarcomere. (See related article on p. 14.)