






polymer





Polymer Vol. 54, No. 10, 26 April 2013

Contents

FEATURE ARTICLE

Amyloids: From molecular structure to mechanical properties

pp 2473–2488

Michael Schlee^a, Corianne C. vandenAkker^b, Tanja Deckert-Gaudig^c, Volker Deckert^{c,d}, Krassimir P. Velikov^{e,f}, Gijssje Koenderink^b, Mischa Bonn^{a,*}

^aMax Planck Institute for Polymer Research, Department of Molecular Spectroscopy, Ackermannweg 10, 55128 Mainz, Germany


^bFOM Institute AMOLF, Science Park 104, 1098 XG, Amsterdam, The Netherlands

^cInstitute of Photonic Technology, Albert-Einstein-Str. 9, 07745 Jena, Germany

^dInstitute for Physical Chemistry & Abbe School of Photonics, University of Jena, Helmholzweg 4, 07743 Jena, Germany

^eUnilever R&D Vlaardingen, Olivier van Noortlaan 120, 3133 AT Vlaardingen, The Netherlands

^fSoft Condensed Matter, Debye Institute for Nanomaterials Science, Department of Physics and Astronomy, Utrecht University, Princetonplein 5, 3584 CC Utrecht, The Netherlands



POLYMER COMMUNICATIONS

Strain-induced reversible isotropic–anisotropic structural transition of imogolite hydrogels


pp 2489–2492

Kazuhiro Shikinaka^a, Yumi Koizumi^a, Keisuke Kaneda^a, Yoshihito Osada^b, Hiroyasu Masunaga^c, Kiyotaka Shigehara^{a,*}

^aGraduate School of Engineering, Tokyo University of Agriculture and Technology, Koganei 184-8588, Japan

^bAdvanced Science Institute, RIKEN, Wako 351-0198, Japan


^cExperimental Research Division, SPring-8, Japan Synchrotron Radiation Research Institute, Sayo-ku 679-5198, Japan



Controlling sol–gel polymerization to create bowl-shaped polysilsesquioxane particles with a kippah structure


pp 2493–2497

Jiaojie Cao, Qingzeng Zhu*, Jintao Dou, Chunxiao Li, Weikai Chen, Zhengqiang Li

Key Laboratory of Special Functional Aggregated Materials, Ministry of Education, School of Chemistry and Chemical Engineering, Shandong University, Jinan 250100, China**POLYMER PAPERS****A novel main chain benzoxazine polymer with the ability of UV-induced self-surface modification**


pp 2498–2505

Jing Bai, Zixing Shi*, Jie Yin

School of Chemistry & Chemical Engineering, State Key Laboratory of Metal Matrix Composite Materials, Shanghai Jiao Tong University, 800 Dongchuan Road, Shanghai 200240, China**Novel supramolecular CT polymer employing disparate pseudorotaxanes as relevant monomers**


pp 2506–2510

Ruyi Sun, Qiwei Zhang, Qiaochun Wang, Xiang Ma*

Key Labs for Advanced Materials and Institute of Fine Chemicals, East China University of Science & Technology, Shanghai 200237, PR China**Design and formulation of soybean oil derived flexible polyurethane foams and their underlying polymer structure/property relationships**

pp 2511–2520

Mark F. Sonnenschein*, Benjamin L. Wendt


The Dow Chemical Co., Corporate Research and Development, Midland, MI 48674, USA

Complexation of DNA with poly-(L-lysine) and its copolymers in dimethylformamide

pp 2521–2527

Jihan Zhou, Fuyou Ke, Yuqiong Xia, Jianbo Sun, Ning Xu, Zi-Chen Li^{**}, Dehai Liang^{*}

Beijing National Laboratory for Molecular Sciences and the Key Laboratory of Polymer Chemistry and Physics of Ministry of Education, College of Chemistry and Molecular Engineering, Peking University, Beijing 100871, China

**Transition from two-stage to direct melt-crystallization in isotactic random butene-1/propene copolymers**

pp 2528–2534


René Androsch^{a,*}, Rona Hohlfeld^b, Willy Frank^b, Michael Nase^c, Dario Cavallo^d

^a Martin-Luther-University Halle-Wittenberg, Center of Engineering Sciences, D-06099 Halle/Saale, Germany

^b University of Applied Sciences Merseburg, Department of Engineering and Natural Sciences, D-06217 Merseburg, Germany

^c Orbita Film GmbH, D-06369 Weißandt-Götzau, Germany


^d Eindhoven University of Technology, 5600 MB Eindhoven, The Netherlands

**DFT study of electronic band structure of alternating triphenylamine-fluorene copolymers**

pp 2535–2543

Lin Ling, Jolanta B. Lagowski^{*}

Department of Physics and Physical Oceanography, Memorial University of Newfoundland, St. John's, NL, Canada A1B 3X7

**Relationship between the rigid amorphous phase and mesophase in electrospun fibers**


pp 2544–2554

Qian Ma^a, Marek Pyda^{a,b,c}, Bin Mao^a, Peggy Cebe^{a,*}

^a Department of Physics and Astronomy, Center for Nanoscopic Physics, Tufts University, Medford, MA 02155, USA

^b Department of Chemistry, Rzeszow University of Technology, Rzeszow, Poland

^c ATHAS-MP Company, Knoxville, TN 37922, USA




Effect of polymer solvent on the mechanical properties of entangled polymer gels: Coarse-grained molecular simulation pp 2555–2564

 Yelena R. Sliozberg^a, Randy A. Mrozek^a, Jay D. Schieber^{b,c,d}, Martin Kröger^e, Joseph L. Lenhart^a, Jan W. Andzelm^{a,*}
^aU.S. Army Research Laboratory, Aberdeen Proving Ground, MD 21005-5069, USA

^bDepartment of Chemical and Biological Engineering, Illinois Institute of Technology, 10 West 33rd St., Chicago, IL 60616, USA


^cDepartment of Physics, Illinois Institute of Technology, 3101 S. Dearborn St., Chicago, IL 60616, USA

^dCenter for Molecular Study of Condensed Soft Matter, Illinois Institute of Technology, 3440 S. Dearborn St., Chicago, IL 60616, USA

^ePolymer Physics, Department of Materials, ETH Zurich, CH-8093 Zurich, Switzerland

Role of nanoparticle dispersion and filler-matrix interface on the matrix dominated failure of rigid C₆₀-PE nanocomposites: A molecular dynamics simulation study pp 2565–2576

Sheikh F. Ferdous, Md. Farzad Sarker, Ashfaq Adnan*

Department of Mechanical and Aerospace Engineering, University of Texas at Arlington, Arlington, TX 76019, USA


Porosity enhancement in β nucleated isotactic polypropylene stretched films by thermal annealing pp 2577–2589

 Grant T. Offord^a, Shannon R. Armstrong^b, Benny D. Freeman^a, Eric Baer^b, Anne Hiltner^b, John S. Swinnea^a, Donald R. Paul^{a,*}
^aUniversity of Texas at Austin, Center for Energy and Environmental Resources, Department of Chemical Engineering, and Texas Materials Institute, 10100 Burnet Road, Building 133, Austin, TX 78758, USA

^bCase Western Reserve University, Department of Macromolecular Science and Engineering, Cleveland, OH 44106-7202, USA
