



# polymer





**Polymer Vol. 55, No. 14, 19 June 2014**

**Contents**


**POLYMER COMMUNICATIONS**

**Ultrasound-assisted Suzuki coupling reaction for rapid synthesis of polydihexylfluorene**

pp 3083–3086

Xu Gao, Ping Lu\*, Yuguang Ma

State Key Laboratory of Supramolecular Structure and Materials, Jilin University, Changchun 130012, People's Republic of China




**Primary nucleation of polyethylene: Embryogenesis from a semidilute solution**

pp 3087–3092

Yi-Kang Lan, An-Chung Su\*

Department of Chemical Engineering, National Tsing Hua University, Hsinchu 30013, Taiwan






## POLYMER PAPERS

Thieno[3,2-b]thiophene as  $\pi$ -bridge at different acceptor systems for electrochromic applications

pp 3093–3099

Sinem Toksabay<sup>a</sup>, Serife O. Hacioglu<sup>a</sup>, Naime A. Unlu<sup>a</sup>, Ali Cirpan<sup>a,b,c,d</sup>, Levent Toppare<sup>a,b,c,e,\*</sup><sup>a</sup>Department of Chemistry, Middle East Technical University, 06800 Ankara, Turkey<sup>b</sup>Department of Polymer Science and Technology, Middle East Technical University, 06800 Ankara, Turkey<sup>c</sup>The Center for Solar Energy Research and Application (GÜNAM), Middle East Technical University, 06800

Ankara, Turkey


<sup>d</sup>Department of Micro and Nanotechnology, Middle East Technical University, Ankara 06800, Turkey<sup>e</sup>Department of Biotechnology, Middle East Technical University, 06800 Ankara, Turkey

## Isothermal ternary phase diagram of the polylactic acid-dichloromethane-hexane system

pp 3100–3106

Ehsan Rezabeigi, Paula M. Wood-Adams\*, Robin A.L. Drew

Department of Mechanical and Industrial Engineering, Concordia University, Montreal, QC H3G 1M8, Canada



## Effect of ultraviolet/ozone treatment on the surface and bulk properties of poly(dimethyl siloxane) and poly(vinylmethyl siloxane) networks

pp 3107–3119


A. Evren Özçam, Kirill Efimenko, Jan Genzer\*

Department of Chemical &amp; Biomolecular Engineering, NC State University, Raleigh, NC 27695-7905, USA



## Noncovalent solubilization of multi-walled carbon nanotubes in common low-polarity organic solvents with branched Pd–diimine polyethylenes: Effects of polymer chain topology, molecular weight and terminal pyrene group

pp 3120–3129

Lixin Xu<sup>a</sup>, Zhibin Ye<sup>a,\*</sup>, Stefan Siemann<sup>b</sup>, Zhiyong Gu<sup>c</sup><sup>a</sup>Bharti School of Engineering, Laurentian University, Sudbury, Ontario P3E 2C6, Canada<sup>b</sup>Department of Chemistry and Biochemistry, Laurentian University, Sudbury, Ontario P3E 2C6, Canada<sup>c</sup>Department of Chemical Engineering, University of Massachusetts Lowell, Lowell, MA 01854, USA

Why can branched Pd–diimine polyethylenes without any functionalities effectively solubilize MWCNTs in organic solvents?

**Regenerated cellulose nanocomposites reinforced with exfoliated graphite nanosheets using BMIMCL ionic liquid**


pp 3130–3138

Mohammad Soheilmoghaddam<sup>a</sup>, Pooria Pasbakhsh<sup>b</sup>, Mat Uzir Wahit<sup>c,\*</sup>, Hossein Cheraghi Bidsorkhi<sup>a</sup>, Raheleh Heidar Pour<sup>a</sup>, Wong Tuck Whye<sup>a</sup>, R.T. De Silva<sup>b</sup>

<sup>a</sup> Department of Polymer Engineering, Faculty of Chemical Engineering, Universiti Teknologi Malaysia (UTM), Johor, Malaysia

<sup>b</sup> Mechanical Engineering Discipline, School of Engineering, Monash University, Jalan Lagoon Selatan, Bandar Sunway, 46150 Selangor Darul Ehsan, Malaysia

<sup>c</sup> Center for Composites, Universiti Teknologi Malaysia (UTM), 81310 Skudai, Johor, Malaysia




**Molecular weight driven structure formation of PEG based e-spun polymer blend fibres**

pp 3139–3148

Giuseppino Fortunato\*, Anne Géraldine Guex, Ana Maria Popa, René Michel Rossi, Rudolf Hufenus

Empa, Swiss Federal Laboratories for Materials Science and Technology, Lerchenfeldstr. 5, 9014 St. Gallen, Switzerland




**Gas transport properties of electrospun polymer nanofibers**

pp 3149–3155

Dahua Shou<sup>a</sup>, Lin Ye<sup>a,\*</sup>, Jintu Fan<sup>b</sup>

<sup>a</sup> Centre for Advanced Materials Technology (CAMT), School of Aerospace, Mechanical and Mechatronic Engineering, The University of Sydney, NSW 2006, Australia

<sup>b</sup> Department of Fiber Science & Apparel Design, College of Human Ecology, Cornell University, Ithaca, NY, USA




**The impact of new crystalline lamellae formation during annealing on the properties of polypropylene based films and membranes**

pp 3156–3167

Amir Saffar<sup>a</sup>, Abdellah Ajjir<sup>a,\*</sup>, Pierre J. Carreau<sup>a</sup>, Musa R. Kamal<sup>b</sup>


<sup>a</sup> Research Center for High Performance Polymer and Composite Systems (CREPEC), Chemical Engineering Department, Polytechnique Montreal, PO Box 6079, Stn Centre-Ville, Montreal, Quebec, Canada H3C 3A7

<sup>b</sup> CREPEC, Department of Chemical Engineering, McGill University, 3610 University Street, Montreal, Quebec, Canada H3A 2B2




### Probing conformational transitions of polymer chains by microrheology

pp 3168–3177

Chih-Hsing Huang<sup>a</sup>, Yen-Ching Li<sup>a</sup>, Yi-Qi Yeh<sup>b</sup>, U-Ser Jeng<sup>b</sup>, Hsien-Hung Wei<sup>a,\*</sup>, Jeng-Shiung Jan<sup>a,\*</sup><sup>a</sup>Department of Chemical Engineering, National Cheng Kung University, Tainan 701, Taiwan<sup>b</sup>National Synchrotron Radiation Research Center, Hsinchu 300, Taiwan


### Towards optimization of electrical network and mechanical property of polymer nanocomposites with grafted nanoparticles

pp 3178–3185

Yancong Feng<sup>a,b</sup>, Nanying Ning<sup>a,b</sup>, Zhaoyang Wei<sup>a,b</sup>, Liqun Zhang<sup>a,b</sup>, Ming Tian<sup>a,b,\*</sup>, Hua Zou<sup>a,b</sup>, Jianguo Mi<sup>a,\*</sup><sup>a</sup>State Key Laboratory of Organic–Inorganic Composites, Beijing 100029, China<sup>b</sup>Key Laboratory of Beijing City on Preparation and Processing of Novel Polymer Materials, Beijing University of Chemical Technology, Beijing 100029, China

### Melting behaviors of polyethylene crystals: An application of fast-scan DSC

pp 3186–3194

Akihiko Toda<sup>a,\*</sup>, Ken Taguchi<sup>a</sup>, Koji Nozaki<sup>b</sup>, Misuzu Konishi<sup>c</sup><sup>a</sup>Graduate School of Integrated Arts and Sciences, Hiroshima University, Higashi-Hiroshima 739-8521, Japan<sup>b</sup>Graduate School of Science and Engineering, Yamaguchi University, Yamaguchi 753-8512, Japan<sup>c</sup>Mettler-Toledo K.K., Tokyo 110-0008, Japan

---

\*Corresponding author

---

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**ScienceDirect**

Full text of this journal is available, on-line from **ScienceDirect**. Visit [www.sciencedirect.com](http://www.sciencedirect.com) for more information.

---

Abstracted/indexed in: AGRICOLA, Beilstein, BIOSIS Previews, CAB Abstracts, Chemical Abstracts, Current Contents: Life Sciences, Current Contents: Physical, Chemical and Earth Sciences, Current Contents Search, Derwent Drug File, Ei compendex, EMBASE/ Excerpta Medica, Medline, PASCAL, Research Alert, Science Citation Index, SciSearch. Also covered in the abstract and citation database SCOPUS<sup>®</sup>. Full text available on ScienceDirect<sup>®</sup>



ELSEVIER

ISSN 0032-3861