


# Science of the Total Environment

An International Journal for Scientific Research into  
the Environment and its Relationship with Humankind





## Contents

Risk factors for direct heat-related hospitalization during the 2009 Adelaide heatwave: A case crossover study Y. Zhang, M. Nitschke and P. Bi (Australia) . . . . .	1
Silica uptake from nanoparticles and silica condensation state in different tissues of <i>Phragmites australis</i> J. Schaller, C. Brackhage, S. Paasch, E. Brunner, E. Bäucker and E.G. Dudel (Germany) . . . . .	6
Exploring global <i>Cryptosporidium</i> emissions to surface water N. Hofstra, A.F. Bouwman, A.H.W. Beusen and G.J. Medema (The Netherlands) . . . . .	10
15-F <sub>2t</sub> isoprostane as biomarker of oxidative stress induced by tobacco smoke and occupational exposure to formaldehyde in workers of plastic laminates V. Romanazzi, V. Pirro, V. Bellisario, G. Mengozzi, M. Peluso, M. Pazzi, M. Bugiani, G. Verlato and R. Bono (Italy) . . . . .	20
Removal of diethyl phthalate from water solution by adsorption, photo-oxidation, ozonation and advanced oxidation process (UV/H <sub>2</sub> O <sub>2</sub> , O <sub>3</sub> /H <sub>2</sub> O <sub>2</sub> and O <sub>3</sub> /activated carbon) N.A. Medellin-Castillo, R. Ocampo-Pérez, R. Leyva-Ramos, M. Sanchez-Polo, J. Rivera-Utrilla and J.D. Méndez-Díaz (Mexico, Spain) . . . . .	26
Climate sensitivity of allergenic taxa in Central Europe associated with new climate change related forces Á.J. Deák, L. Makra, I. Matyasovszky, Z. Csépe and B. Muladi (Hungary) . . . . .	36
Total blood mercury and rubella antibody concentrations in US children aged 6–11 years, NHANES 2003–2004 C.M. Gallagher, D.M. Smith, M.G. Golightly and J.R. Meliker (United States) . . . . .	48
Necessity and approach to integrated nanomaterial legislation and governance J. Wang, J.D. Gerlach, N. Savage and G.P. Cobb (USA) . . . . .	56
Nutrient and dissolved organic carbon removal from natural waters using industrial by-products L.A. Wendling, G.B. Douglas, S. Coleman and Z. Yuan (Australia) . . . . .	63
Effect of rainfall on the diurnal variations of CH <sub>4</sub> , CO <sub>2</sub> , and N <sub>2</sub> O fluxes from a municipal solid waste landfill H. Zhang, X. Yan, Z. Cai and Y. Zhang (PR China) . . . . .	73
Spatial distribution and sources identification of elements in PM <sub>2.5</sub> among the coastal city group in the Western Taiwan Strait region, China L. Xu, Y. Yu, J. Yu, J. Chen, Z. Niu, L. Yin, F. Zhang, X. Liao and Y. Chen (China) . . . . .	77
Traffic-related trace element fate and uptake by plants cultivated in roadside soils in Toronto, Canada C.L.S. Wiseman, F. Zereini and W. Püttmann (Canada, Germany) . . . . .	86
Safe-water shortages, gender perspectives, and related challenges in developing countries: The case of Uganda D. Baguma, J.H. Hashim, S.M. Aljunid and W. Loiskandl (Malaysia, Austria) . . . . .	96
Comparison of phosphorus (P) removal properties of materials proposed for the control of sediment p release in UK lakes B.M. Spears, S. Meis, A. Anderson and M. Kellou (UK) . . . . .	103
Investigation of desert subsoil nitrate in Northeastern Badia of Jordan A.A. Al-Taani and K.A. Al-Qudah (Jordan) . . . . .	111
Assessment of the effects of oil sands naphthenic acids on the growth and morphology of <i>Chlamydomonas reinhardtii</i> using microscopic and spectromicroscopic techniques K.L. Goff, J.V. Headley, J.R. Lawrence and K.E. Wilson (Canada) . . . . .	116
Subsurface urban heat islands in German cities K. Menberg, P. Bayer, K. Zosseder, S. Rumohr and P. Blum (Germany, Switzerland) . . . . .	123
Clarification of olive mill and winery wastewater by means of clay-polymer nanocomposites G. Rytwo, R. Lavi, Y. Rytwo, H. Monchase, S. Dultz and T.N. König (Israel, Germany) . . . . .	134
A comparison of arsenic accumulation and tolerance among four populations of <i>Pteris vittata</i> from habitats with a gradient of arsenic concentration X.-m. Wan, M. Lei, Y.-r. Liu, Z.-c. Huang, T.-b. Chen and D. Gao (China) . . . . .	143
Algal 'greening' and the conservation of stone heritage structures N.A. Cutler, H.A. Viles, S. Ahmad, S. McCabe and B.J. Smith (UK) . . . . .	152
Profile distribution and temporal changes of sulphate and nitrate contents and related soil properties under beech and spruce forests V. Tejnecký, M. Bradová, L. Borůvka, K. Němeček, O. Šebek, A. Nikodem, J. Zenáhlíková, J. Rejzek and O. Drábek (Czech Republic) . . . . .	165
The lag effects and seasonal differences of air pollutants on allergic rhinitis in Beijing F. Zhang, T. Krafft, B. Ye, F. Zhang, J. Zhang, H. Luo, M. Li, Y. Zhang, L. Zhou, J. Xu and W. Wang (China, The Netherlands) . . . . .	172

Bioaccessible arsenic in soils of former sugar cane plantations, Island of Hawaii W.G. Cutler, R.C. Brewer, A. El-Kadi, N.V. Hue, P.G. Niemeyer, J. Peard and C. Ray (USA) . . . . .	177
Sedimentary records of metal deposition in Japanese alpine lakes for the last 250 years: Recent enrichment of airborne Sb and In in East Asia M. Kuwae, N.K. Tsugeki, T. Agusa, K. Toyoda, Y. Tani, S. Ueda, S. Tanabe and J. Urabe (Japan) . . . . .	189
Seasonal mercury concentrations and $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ values of benthic macroinvertebrates and sediments from a historically polluted estuary in south central Chile M. Díaz-Jaramillo, C. Muñoz, I. Rudolph, M. Servos and R. Barra (Chile, Canada) . . . . .	198
Application of excitation-emission fluorescence matrices and UV/Vis absorption to monitoring the photocatalytic degradation of commercial humic acid S. Valencia, J.M. Marín, G. Restrepo and F.H. Frimmel (Colombia, Deutschland) . . . . .	207
Regional water footprint evaluation in China: A case of Liaoning H. Dong, Y. Geng, J. Sarkis, T. Fujita, T. Okadera and B. Xue (China, USA, Japan) . . . . .	215
Using Life Cycle Assessment methodology to assess UHT milk production in Portugal S. González-García, É.G. Castanheira, A.C. Dias and L. Arroja (Portugal, Spain) . . . . .	225
Estimating the soil organic carbon content for European NUTS2 regions based on LUCAS data collection P. Panagos, C. Ballabio, Y. Yigini and M.B. Dunbar (Italy) . . . . .	235
Retting of jute grown in arsenic contaminated area and consequent arsenic pollution in surface water bodies A. Majumder, M.D. Bairagya, B. Basu, P.C. Gupta and S. Sarkar (India) . . . . .	247
Sorption of pesticides by a mineral sand mining by-product, neutralised used acid (NUA) D.P. Oliver, Y.F. Pan, J.S. Anderson, T.F. Lin, R.S. Kookana, G.B. Douglas and L.A. Wendling (Australia, Taiwan) . . . . .	255
Downstream approaches to phosphorus management in agricultural landscapes: Regional applicability and use R. Kröger, E.J. Dunne, J. Novak, K.W. King, E. McLellan, D.R. Smith, J. Strock, K. Boomer, M. Tomer and G.B. Noe (USA) . . . . .	263
Relationship between heat index and mortality of 6 major cities in Taiwan T.-I. Sung, P.-C. Wu, S.-C. Lung, C.-Y. Lin, M.-J. Chen and H.-J. Su (Taiwan) . . . . .	275
Is nanotechnology revolutionizing the paint and lacquer industry? A critical opinion J.-P. Kaiser, S. Zuin and P. Wick (Switzerland, Italy) . . . . .	282
Reconstructing historical atmospheric mercury deposition in Western Europe using: Misten peat bog cores, Belgium M. Allan, G. Le Roux, J.E. Sonke, N. Piotrowska, M. Streef and N. Fagel (Belgium, France, Poland) . . . . .	290
Chlorine disinfection of dye wastewater: Implications for a commercial azo dye mixture F.I. Vacchi, A.F. Albuquerque, J.A. Vendemiatti, D.A. Morales, A.B. Ormond, H.S. Freeman, G.J. Zocolo, M.V.B. Zanoni and G. Umbuzeiro (Brazil, USA) . . . . .	302
Seasonal variation of endocrine disrupting compounds, pharmaceuticals and personal care products in wastewater treatment plants Y. Yu, L. Wu and A.C. Chang (USA) . . . . .	310
Removal of quinolone antibiotics from wastewaters by sorption and biological degradation in laboratory-scale membrane bioreactors N. Dorival-García, A. Zafra-Gómez, A. Navalón, J. González and J.L. Vílchez (Spain) . . . . .	317
New insights into mercury bioaccumulation in deep-sea organisms from the NW Mediterranean and their human health implications S. Koenig, M. Solé, C. Fernández-Gómez and S. Díez (Spain) . . . . .	329
In vivo bioaccumulation of contaminants from historically polluted sediments – Relation to bioavailability estimates A. Ruus, I.J. Allan, S. Øxnevad, M.T. Schaanning, K. Borgå, T. Bakke and K. Næs (Norway) . . . . .	336
Towards an integrative soil health assessment strategy: A three tier (integrative biomarker response) approach with <i>Eisenia fetida</i> applied to soils subjected to chronic metal pollution V. Asensio, A. Rodríguez-Ruiz, L. Garmendia, J. Andre, P. Kille, A.J. Morgan, M. Soto and I. Marigómez (Spain, UK) . . . . .	344
Accumulation of brominated flame retardants and polychlorinated biphenyls in human breast milk and scalp hair from the Philippines: Levels, distribution and profiles G. Malarvannan, T. Isobe, A. Covaci, M. Prudente and S. Tanabe (Japan, Belgium, Philippines) . . . . .	366
Prediction of concentration levels of metformin and other high consumption pharmaceuticals in wastewater and regional surface water based on sales data M. Oosterhuis, F. Sacher and T.L. ter Laak (The Netherlands, Germany) . . . . .	380
Assessing the infection risk of <i>Giardia</i> and <i>Cryptosporidium</i> in public drinking water delivered by surface water systems in Sao Paulo State, Brazil M.I.Z. Sato, A.T. Galvani, J.A. Padula, A.C. Nardocci, M.d.S. Lauretto, M.T.P. Razzolini and E.M. Hachich (Brazil) . . . . .	389
Predicting soil respiration from peatlands J.G. Rowson, F. Worrall and M.G. Evans (UK) . . . . .	397
Climate change impacts on crop production in Iran's Zayandeh-Rud River Basin A. Gohari, S. Eslamian, J. Abedi-Koupaei, A. Massah Bavani, D. Wang and K. Madani (Iran, USA) . . . . .	405
A catchment scale evaluation of multiple stressor effects in headwater streams J.J. Rasmussen, U.S. McKnight, M.C. Loinaz, N.I. Thomsen, M.E. Olsson, P.L. Bjerg, P.J. Binning and B. Kronvang (Denmark) . . . . .	420
Response of rice genotype to straighthead disease as influenced by arsenic level and water management practices in soil B. Hua, W. Yan and J. Yang (United States) . . . . .	432
Risk assessment of land-applied biosolids-borne triclocarban (TCC) E.H. Snyder and G.A. O'Connor (United States) . . . . .	437
Associations between vitamins A and E and legacy POP levels in highly contaminated Greenland sharks ( <i>Somniosus microcephalus</i> ) K. Molde, T.M. Ciesielski, A.T. Fisk, C. Lydersen, K.M. Kovacs, E.G. Sørmo and B.M. Jenssen (Norway, Canada) . . . . .	445
Temporal trend of green space coverage in China and its relationship with urbanization over the last two decades J. Zhao, S. Chen, B. Jiang, Y. Ren, H. Wang, J. Vause and H. Yu (China) . . . . .	455
City breathability as quantified by the exchange velocity and its spatial variation in real inhomogeneous urban geometries: An example from central London urban area I. Panagiotou, M.K.-A. Neophytou, D. Hamlyn and R.E. Britter (Cyprus, UK, USA) . . . . .	466

Appropriate drinking water treatment processes for organic micropollutants removal based on experimental and model studies – A multi-criteria analysis study	
S. Sudhakaran, S. Lattemann and G.L. Amy (Saudi Arabia) . . . . .	478
Stochastic approach to municipal solid waste landfill life based on the contaminant transit time modeling using the Monte Carlo (MC) simulation	
B. Bieda (Poland) . . . . .	489
Organic carbon content effects on bioavailability of pyrethroid insecticides and validation of Solid Phase Extraction with Poly (2,6-diphenyl-p-phenylene oxide) Polymer by <i>Daphnia magna</i> toxicity tests	
M.L. Feo, C. Corcellas, C. Barata, A. Ginebreda, E. Eljarrat and D. Barceló (Spain, Saudi Arabia) . . . . .	497
Kresoxim methyl deposition, drift and runoff in a vineyard catchment	
M. Lefrancq, G. Imfeld, S. Payraudeau and M. Millet (France) . . . . .	503
Metal and physico-chemical variations at a hydroelectric reservoir analyzed by Multivariate Analyses and Artificial Neural Networks: Environmental management and policy/decision-making tools	
Y.L. Cavalcante, R.A. Hauser-Davis, A.C.F. Saraiva, I.L.S. Brandão, T.F. Oliveira and A.M. Silveira (Brazil) . . . . .	509
A solution to the water resources crisis in wetlands: Development of a scenario-based modeling approach with uncertain features	
Y. Lv, G. Huang and W. Sun (Canada) . . . . .	515
Wind observations above an urban river using a new lidar technique, scintillometry and anemometry	
C.R. Wood, L. Pauscher, H.C. Ward, S. Kotthaus, J.F. Barlow, M. Gouvea, S.E. Lane and C.S.B. Grimmond (United Kingdom, Finland) . . . . .	527
The use of protozoa in ecotoxicology: Application of multiple endpoint tests of the ciliate <i>E. crassus</i> for the evaluation of sediment quality in coastal marine ecosystems	
A. Gomiero, A. Dagnino, C. Nasci and A. Viarengo (Italy) . . . . .	534
Using indicator kriging for the evaluation of arsenic potential contamination in an abandoned mining area (Portugal)	
I.M.H.R. Antunes and M.T.D. Albuquerque (Portugal) . . . . .	545
Comments on “Foster KR, Trottier L, Comments on “Mortality by neoplasia and cellular telephone base stations in the Belo Horizonte municipality, Minas Gerais state, . . .,” Sci Total Environ (2012), doi: 10.1016/j.scitotenv.2012.06.007”	
A.C. Dode, M.M.D. Leão and F.d.A.F. Tejo (Brazil) . . . . .	553