



Special Section
How to do with less - Shaping the
Future of Natural Resources (Part 1)



Science of the Total Environment

An International Journal for Scientific Research into
the Environment and its Relationship with Humankind





ELSEVIER

Contents lists available at SciVerse ScienceDirect

Science of the Total Environment

journal homepage: www.elsevier.com/locate/scitotenv

Contents

Regular Articles

- Removal of natural hormones in dairy farm wastewater using reactive and sorptive materials
K. Cai, D.H. Phillips, C.T. Elliott, M. Muller, M.-L. Scippo and L. Connolly (United Kingdom, Belgium) 1
- Dynamics of CO₂ fluxes and environmental responses in the rain-fed winter wheat ecosystem of the Loess Plateau, China
W. Wang, Y. Liao, X. Wen and Q. Guo (China) 10
- Characterisation of Fe-oxide nanoparticles coated with humic acid and Suwannee River natural organic matter
L. Chekli, S. Phuntsho, M. Roy and H.K. Shon (Australia) 19
- Rainwater runoff retention on an aged intensive green roof
A.F. Speak, J.J. Rothwell, S.J. Lindley and C.L. Smith (UK) 28
- Light-induced catalytic transformation of ofloxacin by solar Fenton in various water matrices at a pilot plant: Mineralization and characterization of major intermediate products
I. Michael, E. Hapeshi, J. Aceña, S. Perez, M. Petrović, A. Zapata, D. Barceló, S. Malato and D. Fatta-Kassinos (Cyprus, Spain) 39
- Benzophenone-type UV filters in urine and blood from children, adults, and pregnant women in China: Partitioning between blood and urine as well as maternal and fetal cord blood
T. Zhang, H. Sun, X. Qin, Q. Wu, Y. Zhang, J. Ma and K. Kannan (China, USA) 49
- Practical procedures for selected biomarkers in mussels, *Mytilus galloprovincialis* – Implications for marine pollution monitoring
L. Vidal-Liñán and J. Bellas (Spain) 56
- Genetic diversity and antimicrobial resistance of *Escherichia coli* from Tagus estuary (Portugal)
A. Pereira, A. Santos, M. Tacão, A. Alves, I. Henriques and A. Correia (Portugal) 65
- Characterisation of atmospheric deposited particles during a dust storm in urban areas of Eastern Australia
J. Gunawardena, A.M. Ziyath, T.E. Bostrom, L.K. Bekessy, G.A. Ayoko, P. Egodawatta and A. Goonetilleke (Australia) 72
- Terrestrial ecosystem recovery following removal of a PCB point source at a former pole vault line radar station in Northern Labrador
S.A. Ficko, C. Luttmer, B.A. Zeeb and K. Reimer (Canada) 81
- Occurrence of brominated flame retardants and perfluoroalkyl substances in fish from the Czech aquatic ecosystem
V. Hloušková, D. Lanková, K. Kalachová, P. Hrádková, J. Poustka, J. Hajšlová and J. Pulkrabová (Czech Republic) 88
- Elucidating the structural properties that influence the persistence of PCBs in humans using the National Health and Nutrition Examination Survey (NHANES) dataset
D. Megson, G. O'Sullivan, S. Comber, P.J. Worsfold, M.C. Lohan, M.R. Edwards, W.J. Shields, C.D. Sandau and D.G. Patterson Jr. (UK, Canada, USA) 99
- The influence of pH on iron speciation in podzol extracts: Iron complexes with natural organic matter, and iron mineral nanoparticles
E. Neubauer, W.D.C. Schenkeveld, K.L. Plathe, C. Rentenberger, F. von der Kammer, S.M. Kraemer and T. Hofmann (Austria, Switzerland) 108
- Assessing levels of halogenated organic compounds in mass-stranded long-finned pilot whales (*Globicephala melas*) from Australia
L. Weijs, D. Tibax, A.C. Roach, T.M. Manning, J.C. Chapman, K. Edge, R. Blust and A. Covaci (Belgium, Australia) 117
- Strategies based on silica monoliths for removing pollutants from wastewater effluents: A review
D. Rodrigues, T.A.P. Rocha-Santos, A.C. Freitas, A.M.P. Gomes and A.C. Duarte (Portugal) 126
- Dust fallout in Kuwait city: Deposition and characterization
J.M. Al-Awadhi and A.A. AlShuaibi (Kuwait) 139
- Spatiotemporal modeling of soil organic carbon stocks across a subtropical region
C.W. Ross, S. Grunwald and D.B. Myers (USA) 149
- Science-based decision-making on complex issues: Marcellus shale gas hydrofracking and New York City water supply
T.T. Eaton (USA) 158
- Systemic solutions for multi-benefit water and environmental management
M. Everard and R. McInnes (UK) 170
- Relationship between polycyclic aromatic hydrocarbons (PAHs) and particle size in dated core sediments in Lake Lianhuan, Northeast China
L. Sun and S. Zang (PR China) 180
- Organochlorine accumulation on a highly consumed bivalve (*Scrobicularia plana*) and its main implications for human health
T.F. Grilo, P.G. Cardoso, P. Pato, A.C. Duarte and M.A. Pardal (Portugal) 188
- Toxic effects, bioconcentration and depuration of verapamil in the early life stages of common carp (*Cyprinus carpio* L.)
C. Steinbach, G. Fedorova, M. Prokes, K. Grabicova, J. Machova, R. Grabic, O. Valentova and H.K. Kroupova (Czech Republic) 198

| | |
|--|-----|
| A multi-level model of blood lead as a function of air lead J. Richmond-Bryant, Q. Meng, J.A. Davis, J. Cohen, D. Svendsgaard, J.S. Brown, L. Tuttle, H. Hubbard, J. Rice, E. Kirrane, L. Vinikoor-Imler, D. Kotchmar, E. Hines and M. Ross (USA) | 207 |
| Urinary paraben concentrations among pregnant women and their matching newborn infants of Korea, and the association with oxidative stress biomarkers S. Kang, S. Kim, J. Park, H.-J. Kim, J. Lee, G. Choi, S. Choi, S. Kim, S.Y. Kim, H.-B. Moon, S. Kim, Y.L. Kho and K. Choi (Republic of Korea) . . . | 214 |
| Maternal diet, prenatal exposure to dioxins and other persistent organic pollutants and anogenital distance in children E. Papadopoulou, M. Vafeiadi, S. Agramunt, K. Mathianaki, P. Karakosta, A. Spanaki, H. Besselink, H. Kiviranta, P. Rantakokko, Katerina Sarri, A. Koutis, L. Chatzi and M. Kogevinas (Spain, Greece, UK, The Netherlands, Finland) | 222 |
| Occurrence and potential combined toxicity of dissolved organic contaminants in the Forth estuary and Firth of Forth, Scotland assessed using passive samplers and an algal toxicity test E.S. Emelogu, P. Pollard, P. Dymond, C.D. Robinson, L. Webster, C. McKenzie, J. Dobson, E. Bresnan and C.F. Moffat (UK) | 230 |
| Modeling the cadmium balance in Australian agricultural systems in view of potential impacts on food and water quality W. de Vries and M.J. McLaughlin (The Netherlands, Australia) | 240 |
| Occurrence and behavior of natural and anthropogenic (emerging and historical) halogenated compounds in marine biota from the Coast of Concepcion (Chile) E. Barón, I. Rudolph, G. Chiang, R. Barra, E. Eljarrat and D. Barceló (Spain, Chile) | 258 |
| Chemical and biological treatment technologies for leather tannery chemicals and wastewaters: A review G. Lofrano, S. Meriç, G.E. Zengin and D. Orhon (Italy, Turkey) | 265 |
| Pollution of surface waters by metalaxyl and nitrate from non-point sources A. Bermúdez-Couso, D. Fernández-Calviño, M.A. Álvarez-Enjo, J. Simal-Gándara, J.C. Nóvoa-Muñoz and M. Arias-Estévez (Spain) . . . | 282 |
| Mass balance evaluation of polybrominated diphenyl ethers in landfill leachate and potential for transfer from e-waste M.N. Danon-Schaffer, A. Mahecha-Botero, J.R. Grace and M. Ikononou (Canada) | 290 |
| Contribution of hospital effluents to the load of pharmaceuticals in urban wastewaters: Identification of ecologically relevant pharmaceuticals L.H.M.L.M. Santos, M. Gros, S. Rodriguez-Mozaz, C. Delerue-Matos, A. Pena, D. Barceló and M.C.B.S.M. Montenegro (Portugal, Spain) . . . | 302 |
| Occupational exposures of airborne trichloramine at indoor swimming pools in Taipei T.-S. Chu, S.-F. Cheng, G.-S. Wang and S.-W. Tsai (Taiwan) | 317 |
| Application of green zero-valent iron nanoparticles to the remediation of soils contaminated with ibuprofen S. Machado, W. Stawiński, P. Slonina, A.R. Pinto, J.P. Grosso, H.P.A. Nouws, J.T. Albergaria and C. Delerue-Matos (Portugal, Poland) | 323 |
| Bacteria diversity and arsenic mobilization in rock biofilm from an ancient gold and arsenic mine K. Tomczyk-Żak, S. Kaczanowski, Ł. Drewniak, Ł. Dmoch, A. Skłodowska and U. Zielenkiewicz (Poland) | 330 |
| Studying the effects of polycyclic aromatic hydrocarbons on peripheral arterial disease in the United States X. Xu, H. Hu, G.D. Kearney, H. Kan and D.S. Sheps (United States, China) | 341 |
| An artificial sweetener and pharmaceutical compounds as co-tracers of urban wastewater in groundwater D.R. Van Stempvoort, J.W. Roy, J. Grabuski, S.J. Brown, G. Bickerton and E. Sverko (Canada) | 348 |
| Evaluation of chemical parameters and ecotoxicity of a soil developed on <i>gossan</i> following application of polyacrylates and growth of <i>Spergularia purpurea</i> E.S. Santos, M.M. Abreu, A. de Varennes, F. Macías, S. Leitão and M.J. Cerejeira (Portugal, Spain) | 360 |
| Impact of selected wastewater constituents on the removal of sulfonamide antibiotics via ultrafiltration and micellar enhanced ultrafiltration K. Exall, V.K. Balakrishnan, J. Toito and R. McFadyen (Canada) | 371 |
| Variability in operation-based NO _x emission factors with different test routes, and its effects on the real-driving emissions of light diesel vehicles T. Lee, J. Park, S. Kwon, J. Lee and J. Kim (Republic of Korea) | 377 |
| Prenatal urinary phthalate metabolites levels and neurodevelopment in children at two and three years of age M.M. Téllez-Rojo, A. Cantoral, D.E. Cantonwine, L. Schnaas, K. Peterson, H. Hu and J.D. Meeker (Mexico, United States, Canada) . . . | 386 |
| Polybrominated diphenyl ethers (PBDEs) in a conventional wastewater treatment plant (WWTP) from Shanghai, the Yangtze River Delta: Implication for input source and mass loading N. Xiang, X. Zhao, X.-Z. Meng and L. Chen (China) | 391 |
| Inferring wavelength dependence of AOD and Ångström exponent over a sub-tropical station in South Africa using AERONET data: Influence of meteorology, long-range transport and curvature effect K.R. Kumar, V. Sivakumar, R.R. Reddy, K.R. Gopal and A.J. Adesina (South Africa, India) | 397 |
| Economic valuation of environmental benefits of removing pharmaceutical and personal care products from WWTP effluents by ozonation M. Molinos-Senante, R. Reif, M. Garrido-Baserba, F. Hernández-Sancho, F. Omil, M. Poch and R. Sala-Garrido (Spain) | 409 |
| Metal cycling during sediment early diagenesis in a water reservoir affected by acid mine drainage E. Torres, C. Ayora, C.R. Canovas, E. García-Robledo, L. Galván and A.M. Sarmiento (Spain, Denmark) | 416 |
| Bacteria distribution and dynamics in constructed wetlands based on modelling results R. Samsó and J. García (Spain) | 430 |
| The presence of EU priority substances mercury, hexachlorobenzene, hexachlorobutadiene and PBDEs in wild fish from four English rivers M.D. Jürgens, A.C. Johnson, K.C. Jones, D. Hughes and A.J. Lawlor (UK) | 441 |
| Urban streets functionality as a tool for urban pollution management G.R. Gozalo, J.M.B. Morillas and V.G. Escobar (Spain) | 453 |
| Gold nanoparticle exposure induces growth and yield enhancement in <i>Arabidopsis thaliana</i> V. Kumar, P. Guleria, V. Kumar and S.K. Yadav (India) | 462 |
| Microbiological and mycological beach sand quality in a volcanic environment: Madeira archipelago, Portugal E. Pereira, C. Figueira, N. Aguiar, R. Vasconcelos, S. Vasconcelos, G. Calado, J. Brandão and S. Prada (Portugal) | 469 |
| Treatment of micropollutants in municipal wastewater: Ozone or powdered activated carbon? J. Margot, C. Kienle, A. Magnet, M. Weil, L. Rossi, L.F. de Alencastro, C. Abegglen, D. Thonney, N. Chèvre, M. Schärer and D.A. Barry (Switzerland, Germany) | 480 |

| | |
|--|-----|
| Spatial and temporal trends in estimates of nutrient and suspended sediment loads in the Ishikari River, Japan, 1985 to 2010 W. Duan, K. Takara, B. He, P. Luo, D. Nover and Y. Yamashiki (Japan, USA) | 499 |
| Modelling nitrogen leaching from sewage sludge application to arable land in the Lombardy region (northern Italy) M. Fumagalli, A. Perego and M. Acutis (Italy) | 509 |
| Widespread occurrence of neuro-active pharmaceuticals and metabolites in 24 Minnesota rivers and wastewaters J.H. Writer, I. Ferrer, L.B. Barber and E.M. Thurman (United States) | 519 |
| Integrated modelling to assess long-term water supply capacity of a meso-scale Mediterranean catchment L. Collet, D. Ruelland, V. Borrell-Estupina, A. Dezetter and E. Servat (France) | 528 |
| CFD modelling of the aerodynamic effect of trees on urban air pollution dispersion J.H. Amorim, V. Rodrigues, R. Tavares, J. Valente and C. Borrego (Portugal) | 541 |
| Assessing the tolerance of the terrestrial moss <i>Pseudoscleropodium purum</i> to high levels of atmospheric heavy metals: A reciprocal transplant study M.T. Boquete, J.Á. Fernández, A. Carballeira and J.R. Aboal (Spain) | 552 |
| Comparative studies of multi-walled carbon nanotubes (MWNTs) and octadecyl (C ₁₈) as sorbents in passive sampling devices for biomimetic uptake of polycyclic aromatic hydrocarbons (PAHs) from soils S. Li, T.A. Anderson, J.D. Maul, B. Shrestha, M.J. Green and J.E. Cañas-Carrell (USA) | 560 |
| Vertical distribution profiles and diagenetic fate of synthetic surfactants in marine and freshwater sediments C. Corada-Fernández, P.A. Lara-Martín, L. Candela and E. González-Mazo (Spain) | 568 |
| NOEC and LOEC as merely concessive expedients: Two unambiguous alternatives and some criteria to maximize the efficiency of dose-response experimental designs M.A. Murado and M.A. Prieto (Spain) | 576 |
| Local landscape predictors of maximum stream temperature and thermal sensitivity in the Columbia River Basin, USA H. Chang and M. Psaris (United States) | 587 |
| Impact of elevated CO ₂ and temperature on soil C and N dynamics in relation to CH ₄ and N ₂ O emissions from tropical flooded rice (<i>Oryza sativa</i> L.) P. Bhattacharyya, K.S. Roy, S. Neogi, P.K. Dash, A.K. Nayak, S. Mohanty, M.J. Baig, R.K. Sarkar and K.S. Rao (India) | 601 |
| Biological monitoring of PCDD/Fs and PCBs in the City of Mataró. A population-based cohort study (1995–2012) J. Parera, M. Serra-Prat, E. Palomera, L. Mattioli, M. Abalos, J. Rivera and E. Abad (Spain) | 612 |
| Occurrence of perfluorooctane sulfonate (PFOS) and perfluorooctanoate (PFOA) in N.E. Spanish surface waters and their removal in a drinking water treatment plant that combines conventional and advanced treatments in parallel lines C. Flores, F. Ventura, J. Martín-Alonso and J. Caixach (Spain) | 618 |
| Relationships between cold-temperature indices and all causes and cardiopulmonary morbidity and mortality in a subtropical island Y.-K. Lin, Y.-C. Wang, P.-L. Lin, M.-H. Li and T.-J. Ho (USA, Taiwan) | 627 |
| Dynamics of antibiotic resistance genes and their relationships with system treatment efficiency in a horizontal subsurface flow constructed wetland H. Nõlvak, M. Truu, K. Tiirik, K. Oopkaup, T. Sildvee, A. Kaasik, Ü. Mander and J. Truu (Estonia) | 636 |
| Modelling inorganic and organic biocide leaching from CBA-amine (Copper-Boron-Azole) treated wood based on characterisation leaching tests M. Lupsea, L. Tiruta-Barna, N. Schiopu and U. Schoknecht (France, Germany) | 645 |
| Organohalogenated contaminants (OHCs) in human serum of mothers and children from Pakistan with urban and rural residential settings N. Ali, S.A.M.A.S. Eqani, R.N. Malik, H. Neels and A. Covaci (Belgium, Pakistan) | 655 |
| Contribution of the aquitard to the regional groundwater hydrochemistry of the underlying confined aquifer in the Pearl River Delta, China Y. Wang, J.J. Jiao, J.A. Cherry and C.M. Lee (PR China, Canada) | 663 |
| Spatio-temporal distributions and the ecological and health risks of phthalate esters (PAEs) in the surface water of a large, shallow Chinese lake W. He, N. Qin, X. Kong, W. Liu, Q. He, H. Ouyang, C. Yang, Y. Jiang, Q. Wang, B. Yang and F. Xu (PR China) | 672 |
| The influence of forest management systems on the environmental impacts for Douglas-fir production in France S. González-García, V. Bonnesoeur, A. Pizzi, G. Feijoo and M.T. Moreira (Portugal, Spain, France, Saudi Arabia) | 681 |
| Transport of particle-associated elements in two agriculture-dominated boreal river systems H. Marttila, T. Saarinen, A. Celebi and B. Kløve (Finland, Turkey) | 693 |
| In the shadow of the Cosmetic Directive – Inconsistencies in EU environmental hazard classification requirements for UV-filters A. Sobek, S. Bejgarn, C. Rudén, L. Molander and M. Breitholtz (Sweden) | 706 |
| Presence of illicit drugs and metabolites in influents and effluents of 25 sewage water treatment plants and map of drug consumption in France T. Nefau, S. Karolak, L. Castillo, V. Boireau and Y. Levi (France) | 712 |
| Pathogen reduction requirements for direct potable reuse in Antarctica: Evaluating human health risks in small communities S.F. Barker, M. Packer, P.J. Scales, S. Gray, I. Snape and A.J. Hamilton (Australia) | 723 |
| Chronology of Pu isotopes and ²³⁶ U in an Arctic ice core C.C. Wendel, D.H. Oughton, O.C. Lind, L. Skipperud, L.K. Fifield, E. Isaksson, S.G. Tims and B. Salbu (Norway, Australia) | 734 |
| Differential response of archaeal groups to land use change in an acidic red soil J.-P. Shen, P. Cao, H.-W. Hu and J.-Z. He (China, Australia) | 742 |
| Using conditional tree forests and life history traits to assess specific risks of stream degradation under multiple pressure scenario C.P. Mondy and P. Usseglio-Polatera (Switzerland, France) | 750 |
| Size-resolved aerosol trace elements at a rural mountainous site in Northern China: Importance of regional transport Y. Pan, Y. Wang, Y. Sun, S. Tian and M. Cheng (China) | 761 |
| Erratum to “Quality control in bio-monitoring networks, Spanish Aerobiology Network” [Sci. Total Environ. 443 (2013) 559–565] J. Oteros, C. Galán, P. Alcázar and E. Domínguez-Vilches (Spain) | 772 |
| Special Section: Natural Resources(Part 1) | |
| Editorial | |
| C. Ludwig, M. Lehmann and X. Edelmann | 773 |

| | |
|---|-----|
| Critical materials and dissipative losses: A screening study T. Zimmermann and S. Gößling-Reisemann (Germany) | 774 |
| Uncovering the end uses of the rare earth elements X. Du and T.E. Graedel (Switzerland, USA) | 781 |
| Sustainable governance of scarce metals: The case of lithium T. Prior, P.A. Wäger, A. Stamp, R. Widmer and D. Giurco (Switzerland, Australia) | 785 |
| The end of cheap uranium M. Dittmar (Switzerland) | 792 |
| Sustainable use of phosphorus: A finite resource R.W. Scholz, A.E. Ulrich, M. Eilittä and A. Roy (Switzerland, USA) | 799 |
| Assessing global resource utilization efficiency in the industrial sector M.A. Rosen (Canada) | 804 |
| Towards a dynamic assessment of raw materials criticality: Linking agent-based demand – With material flow supply modelling approaches C. Knoeri, P.A. Wäger, A. Stamp, H.-J. Althaus and M. Weil (UK, Switzerland, Germany) | 808 |
| A Footprint Family extended MRIO model to support Europe's transition to a One Planet Economy A. Galli, J. Weinzettel, G. Cranston and E. Ercin (Switzerland, Norway, The Netherlands) | 813 |
| Sustainable resource use requires “clean cycles” and safe “final sinks” U. Kral, K. Kellner and P.H. Brunner (Austria) | 819 |
| Eco-innovations for waste prevention – Best practices, drivers and barriers H. Wilts, G. Dehoust, D. Jepsen and F. Knappe (Germany) | 823 |
| Secondary resources and recycling in developing economies L. Raghupathy and A. Chaturvedi (India) | 830 |
| Effective management of combined renewable energy resources in Tajikistan K.S. Karimov, K.M. Akhmedov, M. Abid and G.N. Petrov (Pakistan, Tajikistan) | 835 |
| Urban infrastructure and natural resource flows: Evidence from Cape Town K. Hyman (South Africa) | 839 |