


Volumes 463–464 • 1 October 2013 • ISSN 0048-9697

Published in 28 issues each year

Special Section  
Emerging Chemicals of Concern:  
Risk Assessment and Human Health

# Science of the Total Environment

An International Journal for Scientific Research into  
the Environment and its Relationship with Humankind





## Contents

### **Regular Articles**

Effects of pollution sources and soil properties on distribution of polycyclic aromatic hydrocarbons and risk assessment J. Zhang, J.-c. Yang, R.-q. Wang, H. Hou, X.-m. Du, S.-k. Fan, J.-s. Liu and J.-l. Dai (China)	1
Differences in prenatal exposure to mercury in South African communities residing along the Indian Ocean K. Channa, J.Ø. Odland, T. Kootbodien, P. Theodorou, I. Naik, T.M. Sandanger and H.B. Röllin (Norway, South Africa)	11
Short-term effects of PM <sub>2.5</sub> , PM <sub>10</sub> and PM <sub>2.5–10</sub> on daily mortality in the Netherlands N.A.H. Janssen, P. Fischer, M. Marra, C. Ameling and F.R. Cassee (The Netherlands)	20
Licit and illicit drugs in a wastewater treatment plant in Verona, Italy C. Repice, M.D. Grande, R. Maggi and R. Pedrazzani (Italy)	27
Hazard-ranking of agricultural pesticides for chronic health effects in Yuma County, Arizona A.J. Sugeng, P.I. Beamer, E.A. Lutz and C.B. Rosales (United States)	35
Riparian swallows as integrators of landscape change in a multiuse river system: Implications for aquatic-to-terrestrial transfers of contaminants J.M. Alberts, S.M.P. Sullivan and A. Kautza (United States)	42
Soil biochemical properties and microbial resilience in agroforestry systems: Effects on wheat growth under controlled drought and flooding conditions D. Rivest, M. Lorente, A. Olivier and C. Messier (Canada)	51
Mercury and selenium concentrations in leatherback sea turtles ( <i>Dermochelys coriacea</i> ): Population comparisons, implications for reproductive success, hazard quotients and directions for future research J.R. Perrault, D.L. Miller, J. Garner and J. Wyneken (USA, U.S. Virgin Islands)	61
Environmental-benefit analysis of two urban waste collection systems A. Aranda Usón, G. Ferreira, D. Zambrana Vásquez, I. Zabalza Bribián and E. Llera Sastresa (Spain)	72
Decrease of concentration and colloidal fraction of organic carbon and trace elements in response to the anomalously hot summer 2010 in a humic boreal lake L.S. Shirokova, O.S. Pokrovsky, O.Yu. Moreva, A.V. Chupakov, S.A. Zabelina, S.I. Klimov, N.V. Shorina and T.Ya. Vorobieva (Russia, France)	78
Origin and fate of copper in a small Mediterranean vineyard catchment: New insights from combined chemical extraction and δ <sup>65</sup> Cu isotopic composition D. El Azzi, J. Viers, M. Guiresse, A. Probst, D. Aubert, J. Caparros, F. Charles, K. Guizien and J.L. Probst (France)	91
Biomarkers of human exposure to personal care products: Results from the Flemish Environment and Health Study (FLEHS 2007–2011) E. Den Hond, M. Paulussen, T. Geens, L. Bruckers, W. Baeyens, F. David, E. Dumont, I. Loots, B. Morrens, B.N. de Bellevaux, V. Nelen, G. Schoeters, N. Van Larebeke and A. Covaci (Belgium)	102
Effects of different algaecides on the photosynthetic capacity, cell integrity and microcystin-LR release of <i>Microcystis aeruginosa</i> S. Zhou, Y. Shao, N. Gao, Y. Deng, J. Qiao, H. Ou and J. Deng (China, United States)	111
Transport of silver nanoparticles in saturated columns of natural soils G. Cornelis, L. Pang, C. Doolette, J.K. Kirby and M.J. McLaughlin (Australia, New Zealand)	120
Quantitative determination of metal and metalloid spatial distribution in hydrated and fresh roots of cowpea using synchrotron-based X-ray fluorescence microscopy P. Wang, N.W. Menzies, E. Lombi, B.A. McKenna, M.D. de Jonge, E. Donner, F.P.C. Blamey, C.G. Ryan, D.J. Paterson, D.L. Howard, S.A. James and P.M. Kopittke (Australia)	131
Aquatic photochemistry, abiotic and aerobic biodegradability of thalidomide: Identification of stable transformation products by LC–UV–MS <sup>n</sup> W.M.M. Mahmoud, C. Trautwein, C. Leder and K. Kümmeler (Germany, Egypt)	140
The availability and mobility of arsenic and antimony in an acid sulfate soil pasture system M. Tighe, P.V. Lockwood, P.M. Ashley, R.D. Murison and S.C. Wilson (Australia)	151
In silico models for predicting ready biodegradability under REACH: A comparative study F. Pizzo, A. Lombardo, A. Manganaro and E. Benfenati (Italy)	161
Abiotic formation of methyl iodide on synthetic birnessite: A mechanistic study S. Allard and H. Gallard (France)	169

Reducing indoor air pollution by air conditioning is associated with improvements in cardiovascular health among the general population L.-Y. Lin, H.-C. Chuang, I.-J. Liu, H.-W. Chen and K.-J. Chuang (Taiwan) . . . . .	176
Efficiencies of freshwater and estuarine constructed wetlands for phenolic endocrine disruptor removal in Taiwan C.-Y. Hsieh, L. Yang, W.-C. Kuo and Y.-P. Zen (Taiwan) . . . . .	182
Synthesis, characterization, and CO <sub>2</sub> capture study of micro-nano carbonaceous composites Y. Kong, L. Jin and J. Qiu (PR China) . . . . .	192
Contribution of tap water to chloride and perchlorate intake: A market basket study M. Asami, N. Yoshida, K. Kosaka, K. Ohno and Y. Matsui (Japan) . . . . .	199
Impact of anthropogenic and natural processes on the evolution of groundwater chemistry in a rapidly urbanized coastal area, South China G. Huang, J. Sun, Y. Zhang, Z. Chen and F. Liu (China) . . . . .	209
Antimony migration trends from a small arms firing range compared to lead, copper, and zinc W.A. Martin, L.S. Lee and P. Schwab (USA) . . . . .	222
The sensitivity of single air parcel trajectory calculations to starting elevation R.O. Saunders, E. Scotty and J.D.W. Kahl (USA) . . . . .	229
Disposal of pesticide waste from agricultural production in the Al-Batinah region of Northern Oman S. Al Zadjali, S. Morse, J. Chenoweth and M. Deadman (Oman, UK) . . . . .	237
Phototransformation of the sunlight filter benzophenone-3 (2-hydroxy-4-methoxybenzophenone) under conditions relevant to surface waters D. Vione, R. Caringella, E. De Laurentiis, M. Pazzi and C. Minero (Italy) . . . . .	243
Distribution of polychlorinated biphenyls in an urban riparian zone affected by wastewater treatment plant effluent and the transfer to terrestrial compartment by invertebrates J. Yu, T. Wang, S. Han, P. Wang, Q. Zhang and G. Jiang (China) . . . . .	252
Competitive sorption between 1,2,4-trichlorobenzene/tetrachloroethene and 1,2,4,5-tetrachlorobenzene by soils/sediments from South China Y. Shu, P. Liu, Q. Zhang and D. Wei (China) . . . . .	258
Dietary exposure to DDTs in two coastal cities and an inland city in China Y.B. Man, J.K.Y. Chan, S.C. Wu, C.K.C. Wong and M.H. Wong (Hong Kong, PR China) . . . . .	264
Insights into solar TiO <sub>2</sub> -assisted photocatalytic oxidation of two antibiotics employed in aquatic animal production, oxolinic acid and oxytetracycline J.H.O.S. Pereira, A.C. Reis, D. Queirós, O.C. Nunes, M.T. Borges, V.J.P. Vilar and R.A.R. Boaventura (Portugal) . . . . .	274
A new approach to predicting environmental transfer of radionuclides to wildlife: A demonstration for freshwater fish and caesium N.A. Beresford, T.L. Yankovich, M.D. Wood, S. Fesenko, P. Andersson, M. Muikku and N.J. Willey (United Kingdom, Canada, Austria, Sweden, Finland) . . . . .	284
Comparison of microwave assisted, ultrasonic assisted and Soxhlet extractions of N-nitrosamines and aromatic amines in sewage sludge, soils and sediments B. Jurado-Sánchez, E. Ballesteros and M. Gallego (Spain) . . . . .	293
Noise-induced hearing loss in workers exposed to urban stressors T. Caciari, M.V. Rosati, T. Casale, B. Loreti, A. Sancini, R. Riservato, H.A. Nieto, P. Frati, F. Tomei and G. Tomei (Italy, Argentina) . . . . .	302
High accumulation of PCDD, PCDF, and PCB congeners in marine mammals from Brazil: A serious PCB problem P.R. Dorneles, P. Sanz, G. Eppe, A.F. Azevedo, C.P. Bertozzi, M.A. Martínez, E.R. Secchi, L.A. Barbosa, M. Cremer, M.B. Alonso, J.P.M. Torres, J. Lailson-Brito, O. Malm, E. Eljarrat, D. Barceló and K. Das (Brazil, Spain, Belgium) . . . . .	309
Polymorphisms in glutathione-related genes modify mercury concentrations and antioxidant status in subjects environmentally exposed to methylmercury G.R.M. Barcelos, D. Grotto, K.C. de Marco, J. Valentini, A. van Helvoort Lengert, A.Á.S.d. Oliveira, S.C. Garcia, G.Ú.L. Braga, K. Schläwicke Engström, I.M.d.S. Cólus, K. Broberg and F. Barbosa Jr. (Brazil, Sweden) . . . . .	319
Determination of polychlorinated biphenyls in soil and sediment by selective pressurized liquid extraction with immunochemical detection J.M. Van Emon, J.C. Chuang, A. Bronshtein and M. Altstein (USA, Israel) . . . . .	326
Sub-lethal increases in salinity affect reproduction in fathead minnows Z. Hoover, J.N. Weisgerber, M.S. Pollock, D.P. Chivers and M.C.O. Ferrari (Canada) . . . . .	334
Nitrate source apportionment in a subtropical watershed using Bayesian model L. Yang, J. Han, J. Xue, L. Zeng, J. Shi, L. Wu and Y. Jiang (People's Republic of China) . . . . .	340
Differential in vitro bioaccessibility of residual As in a field-aged former smelter site and its implication for potential risk S. Jeong, H.S. Moon and K. Nam (Republic of Korea) . . . . .	348
Impact of certain household micropollutants on bacterial behavior. Toxicity tests/study of extracellular polymeric substances in sludge L. Pasquini, C. Merlin, L. Hassenboehler, J.-F. Munoz, M.-N. Pons and T. Görner (France) . . . . .	355
Sildenafil and tadalafil in simulated chlorination conditions: Ecotoxicity of drugs and their derivatives F. Temussi, M. DellaGreca, P. Pistillo, L. Previtera, A. Zarrelli, E. Criscuolo, M. Lavorgna, C. Russo and M. Isidori (Italy) . . . . .	366
Quantification of total element concentrations in soils using total X-ray fluorescence spectroscopy (TXRF) E.K. Towett, K.D. Shepherd and G. Cadisch (Germany, Kenya) . . . . .	374
Residential characteristics and household risk factors and respiratory diseases in Chinese women: The Seven Northeast Cities (SNEC) Study G.-H. Dong, Z. (Min) Qian, J. Wang, E. Trevathan, W. Ma, W. Chen, P.K. Xaverius, S. Buckner-Petty, A. Ray, M.-M. Liu, D. Wang, W.-H. Ren, B. Emo and J.-J. Chang (China, USA) . . . . .	389
Chlordecone fate and mineralisation in a tropical soil (andosol) microcosm under aerobic conditions J.D. Fernández-Bayo, C. Saison, M. Voltz, U. Disko, D. Hofmann and A.E. Berns (France, Germany) . . . . .	395
Provenance of inorganic aerosol using single-particle analysis: A case study A. Lettino and S. Fiore (Italy) . . . . .	404

River flow changes related to land and water management practices across the conterminous United States K. Eng, D.M. Wolock and D.M. Carlisle (United States) . . . . .	414
Comparative study of the photodegradation of bisphenol A by HO <sup>•</sup> , SO <sub>4</sub> <sup>2-</sup> and CO <sub>3</sub> <sup>2-</sup> /HCO <sub>3</sub> <sup>•</sup> radicals in aqueous phase M. Sánchez-Polo, M.M. Abdel daiem, R. Ocampo-Pérez, J. Rivera-Utrilla and A.J. Mota (Spain, Egypt, Mexico) . . . . .	423
Comparison of pesticide leaching potential to groundwater under EU FOCUS and site specific conditions H. Labite, N.M. Holden, K.G. Richards, G. Kramers, A. Premrov, C.E. Coxon and E. Cummins (Ireland) . . . . .	432
Scientific commentary: Strategic analysis of environmental policy risks—heat maps, risk futures and the character of environmental harm G. Prpic, J. Dagonneau, S.A. Rocks, F. Lickorish and S.J.T. Pollard (UK) . . . . .	442
Ecotoxicologically based marine acute water quality criteria for metals intended for protection of coastal areas I. Durán and R. Beiras (Spain) . . . . .	446
Constructed wetlands with light expanded clay aggregates for agricultural wastewater treatment A. Dordio and A.J.P. Carvalho (Portugal) . . . . .	454
Long-term variation of the levels, compositions and sources of size-resolved particulate matter in a megacity in China Y.-Z. Tian, J.-H. Wu, G.-L. Shi, J.-Y. Wu, Y.-F. Zhang, L.-D. Zhou, P. Zhang and Y.-C. Feng (China) . . . . .	462
Assessment of toxicity thresholds in aquatic environments: Does benthic growth of diatoms affect their exposure and sensitivity to herbicides? F. Larras, B. Montuelle and A. Bouchez (France) . . . . .	469
Ultrafine particles dispersion modeling in a street canyon: Development and evaluation of a composite lattice Boltzmann model G. Habilomatis and A. Chaloulakou (Greece) . . . . .	478
Sewage pollution in urban stormwater runoff as evident from the widespread presence of multiple microbial and chemical source tracking markers J.P.S. Sidhu, W. Ahmed, W. Gernjak, R. Aryal, D. McCarthy, A. Palmer, P. Kolotelo and S. Toze (Australia) . . . . .	488
Chemical fingerprint and impact of shipping emissions over a western Mediterranean metropolis: Primary and aged contributions J. Pey, N. Pérez, J. Cortés, A. Alastuey and X. Querol (Spain, France, Italy) . . . . .	497
Particulate matter pollution over a Mediterranean urban area St. Pateraki, V.D. Assimakopoulos, Th. Maggos, K.M. Fameli, V. Kotroni and Ch. Vasilakos (Greece) . . . . .	508
Inactivation of <i>Aspergillus flavus</i> in drinking water after treatment with UV irradiation followed by chlorination H.M. Al-Gabr, T. Zheng and X. Yu (China) . . . . .	525
Human health risk assessment of heavy metals in soil–vegetable system: A multi-medium analysis X. Liu, Q. Song, Y. Tang, W. Li, J. Xu, J. Wu, F. Wang and P.C. Brookes (China) . . . . .	530
Anaerobic digestion of different feedstocks: Impact on energetic and environmental balances of biogas process J. Bacenetti, M. Negri, M. Fiala and S. González-García (Italy, Portugal, Spain) . . . . .	541
Dryness of ephemeral lakes and consequences for dust activity: The case of the Hamoun drainage basin, southeastern Iran A. Rashki, D.G. Kaskaoutis, A.S. Goudie and R.A. Kahn (Iran, India, UK, USA) . . . . .	552
Transport of aluminum oxide nanoparticles in saturated sand: Effects of ionic strength, flow rate, and nanoparticle concentration T. Rahman, J. George and H.J. Shipley (USA) . . . . .	565
Assessment of the dissolved pollutant flux of the Odiel River (SW Spain) during a wet period L. Galván, M. Olías, J.C. Cerón, C.R. Cánovas, R. Pérez-López and J.M. Nieto (Spain) . . . . .	572
The distribution and stratification of persistent organic pollutants and fatty acids in bottlenose dolphin ( <i>Tursiops truncatus</i> ) blubber D. Ellisor, W. McLellan, H. Koopman, L. Schwacke, W. McFee and J. Kucklick (United States) . . . . .	581
Use of raw or incubated organic wastes as amendments in reducing pesticide leaching through soil columns J.M. Marín-Benito, C.D. Brown, E. Herrero-Hernández, M. Arienzzo, M.J. Sánchez-Martín and M.S. Rodríguez-Cruz (Spain, UK, Italy) . . . . .	589
Occurrence and risk screening of alcohol ethoxylate surfactants in three U.S. river sediments associated with wastewater treatment plants H. Sanderson, R. van Compernolle, S.D. Dyer, B.B. Price, A.M. Nielsen, M. Selby, D. Ferrer and K. Stanton (Denmark, USA, United Kingdom) . . . . .	600
Trace element (Al, As, B, Ba, Cr, Mo, Ni, Se, Sr, Tl, U and V) distribution and seasonality in compartments of the seagrass <i>Cymodocea nodosa</i> P. Malea and T. Kevrekidis (Greece) . . . . .	611
Supporting non-experts in judging the credibility of risk assessments (CORA) P.M. Wiedemann, F. Boerner, G. Dürrenberger, J. Estenberg, S. Kandel, E. van Rongen and E. Vogel (Germany, Switzerland, Sweden, Israel, The Netherlands) . . . . .	624
Occurrence of antimicrobials and antimicrobial resistance genes in beef cattle storage ponds and swine treatment lagoons Y. Zhang, C. Zhang, D.B. Parker, D.D. Snow, Z. Zhou and X. Li (United States, Singapore) . . . . .	631
Healthy environment – indoor air quality of Brazilian elementary schools nearby petrochemical industry R.H.M. Godoi, A.F.L. Godoi, S.J. Gonçalves Junior, S.L. Paralovo, G.C. Borillo, C. Gonçalves Gregório Barbosa, M.G. Arantes, R.C. Charello, N.A. Rosário Filho, M.T. Grassi, C.I. Yamamoto, S. Potgieter-Vermaak, G.G. Rotondo, K. De Wael and R. van Grieken (Brazil, UK, Belgium) . . . . .	639
Fish exposure to nano-TiO <sub>2</sub> under different experimental conditions: Methodological aspects for nanoecotoxicology investigations Z. Clemente, V.L. Castro, L.O. Feitosa, R. Lima, C.M. Jonsson, A.H.N. Maia and L.F. Fraceto (Brazil) . . . . .	647
Vision and perception of community on the use of recycled water for household laundry: A case study in Australia B. Mainali, T.T.N. Pham, H.H. Ngo, W. Guo, C. Miechel, K. O'Halloran, M. Muthukaruppan and A. Listowski (Australia) . . . . .	657
Trace metal biogeochemistry in mangrove ecosystems: A comparative assessment of acidified (by acid sulfate soils) and non-acidified sites B. Nath, G. Birch and P. Chaudhuri (Australia, India) . . . . .	667
Hydrology-driven ecosystem respiration determines the carbon balance of a boreal peatland M. Gažović, I. Forbrich, D.F. Jager, L. Kutzbach, C. Wille and M. Wilming (Germany) . . . . .	675
Iron concentrations are increasing in surface waters from forested headwater catchments in eastern Finland S. Sarkkola, M. Nieminen, H. Koivusalo, A. Laurén, P. Kortelainen, T. Mattsson, M. Palviainen, S. Piirainen, M. Starr and L. Finér (Finland) . . . . .	683

Response of <i>Gammarus pulex</i> and <i>Baetis rhodani</i> to springtime acid episodes in humic brooks C.M. Andrén and A.-K. Eriksson Wiklund (Sweden) . . . . .	690
Water-sanitation-hygiene mapping: An improved approach for data collection at local level R. Giné-Garriga, A.J.-F. de Palencia and A. Pérez-Foguet (Spain) . . . . .	700
Assessing the biosafety risks of pig manure for use as a feedstock for composting G. McCarthy, P.G. Lawlor, M. Gutierrez and G.E. Gardiner (Ireland) . . . . .	712
Pesticide residues in human breast milk: Risk assessment for infants from Punjab, India J.S. Bedi, J.P.S. Gill, R.S. Aulakh, P. Kaur, A. Sharma and P.A. Pooni (India) . . . . .	720
Distinguishing metal bioconcentration from particulate matter in moss tissue: Testing methods of removing particles attached to the moss surface V. Spagnuolo, S. Giordano, A. Pérez-Llamazares, A. Ares, A. Carballeira, J.A. Fernández and J.R. Aboal (Italy, Spain) . . . . .	727
The impact of nitrogen contamination and river modification on a Mississippi River floodplain lake I. Karthic, R.B. Brugam, W. Retzlaff and K. Johnson (United States) . . . . .	734
Coal and tire burning mixtures containing ultrafine and nanoparticulate materials induce oxidative stress and inflammatory activation in macrophages J. Gasparotto, N. Somensi, F.F. Caregnato, T.K. Rabelo, K. DaBoit, M.L.S. Oliveira, J.C.F. Moreira and D.P. Gelain (Brazil) . . . . .	743
Uncertainty in biogenic isoprene emissions and its impacts on tropospheric chemistry in East Asia K.M. Han, R.S. Park, H.K. Kim, J.H. Woo, J. Kim and C.H. Song (Republic of Korea) . . . . .	754
Effect of acanthocephalan infection on metal, total protein and metallothionein concentrations in European chub from a Sava River section with low metal contamination V. Filipović Marijić, I. Vardić Smržlić and B. Raspor (Croatia) . . . . .	772
Validation of quantitative structure–activity relationship models to predict water-solubility of organic compounds C.I. Cappelli, S. Manganelli, A. Lombardo, A. Gissi and E. Benfenati (Italy) . . . . .	781
Chemical-based risk assessment and <i>in vitro</i> models of human health effects induced by organic pollutants in soils from the Olona valley D. Baderna, A. Colombo, G. Amodei, S. Cantù, F. Teoldi, F. Cambria, G. Rotella, F. Natolino, M. Lodi and E. Benfenati (Italy) . . . . .	790
Direct and indirect photodegradation of estriol in the presence of humic acid, nitrate and iron complexes in water solutions Y. Chen, K. Zhang and Y. Zuo (United States, China) . . . . .	802
Modifying the Soil and Water Assessment Tool to simulate cropland carbon flux: Model development and initial evaluation X. Zhang, R.C. Izaurralde, J.G. Arnold, J.R. Williams and R. Srinivasan (USA) . . . . .	810
Yeast and bacterial diversity along a transect in an acidic, As–Fe rich environment revealed by cultural approaches F. Delavat, M.-C. Lett and D. Lièvremont (France) . . . . .	823
In situ application of stir bar sorptive extraction as a passive sampling technique for the monitoring of agricultural pesticides in surface waters A. Assoumani, S. Lissalde, C. Margoum, N. Mazzella and M. Coquery (France) . . . . .	829
Essential and toxic element concentrations in blood and urine and their associations with diet: Results from a Norwegian population study including high-consumers of seafood and game B.E. Birgisdottir, H.K. Knutsen, M. Haugen, I.M. Gjelstad, M.T.S. Jenssen, D.G. Ellingsen, Y. Thomassen, J. Alexander, H.M. Meltzer and A.L. Brantsæter (Norway) . . . . .	836
A comparison of fractal methods and probability plots in identifying and mapping soil metal contamination near an active mining area, Iran H. Geranian, A.R. Mokhtari and D.R. Cohen (Iran, Australia) . . . . .	845
Pla a_1 Aeroallergen immunodetection related to the airborne <i>Platanus</i> pollen content M. Fernández-González, A. Guedes, I. Abreu and F.J. Rodríguez-Rajo (Spain, Portugal) . . . . .	855
A coupled biogeochemical-Dynamic Energy Budget model as a tool for managing fish production ponds D. Serpa, P. Pousão-Ferreira, M. Caetano, L. Cancela da Fonseca, M.T. Dinis and P. Duarte (Portugal) . . . . .	861
Neural network model for the prediction of PM <sub>10</sub> daily concentrations in two sites in the Western Mediterranean G. de Gennaro, L. Trizio, A. Di Gilio, J. Pey, N. Pérez, M. Cusack, A. Alastuey and X. Querol (Italy, Spain) . . . . .	875
Biomarkers of occupational exposure to air pollution, inflammation and oxidative damage in taxi drivers N. Brucker, A.M. Moro, M.F. Charão, J. Durgante, F. Freitas, M. Baierle, S. Nascimento, B. Gauer, R.P. Bulcão, G.B. Bubols, P.D. Ferrari, F.V. Thiesen, A. Gioda, M.M.M.F. Duarte, I. de Castro, P.H. Saldiva and S.C. Garcia (Brazil) . . . . .	884
Distributions and sources of polychlorinated biphenyls in the coastal East China Sea sediments X. Duan, Y. Li, X. Li, M. Li and D. Zhang (China) . . . . .	894
Field validation of a new low-cost method for determining occurrence and duration of combined sewer overflows A. Montserrat, O. Gutierrez, M. Poch and Ll. Corominas (Spain) . . . . .	904
Spatiotemporal distribution of <sup>137</sup> Cs in the sea surrounding Japanese Islands in the decades before the disaster at the Fukushima Daiichi Nuclear Power Plant in 2011 T. Watabe, S. Oikawa, N. Isoyama, C. Suzuki, J. Misonoo and S. Morizono (Japan) . . . . .	913
Exposure assessment for trihalomethanes in municipal drinking water and risk reduction strategy S. Chowdhury (Saudi Arabia) . . . . .	922
Associations between ambient air pollution and daily mortality among elderly persons in Montreal, Quebec M.S. Goldberg, R.T. Burnett, D.M. Stieb, J.M. Brophy, S.S. Daskalopoulou, M.-F. Valois and J.R. Brook (Canada) . . . . .	931
Pretreated cheese whey wastewater management by agricultural reuse: Chemical characterization and response of tomato plants <i>Lycopersicon esculentum</i> Mill. under salinity conditions A.R. Prazeres, F. Carvalho, J. Rivas, M. Patanita and J. Dôres (Portugal, Spain) . . . . .	943
A novel passive dosing system for determining the toxicity of phenanthrene to early life stages of zebrafish J.D. Butler, T.F. Parkerton, D.J. Letinski, G.E. Bragin, M.A. Lampi and K.R. Cooper (United States, Belgium) . . . . .	952
Microbiological evaluation of water during the 2011 flood crisis in Thailand Y. Chaturongkasumrit, P. Techaruvichit, H. Takahashi, B. Kimura and S. Keeratipibul (Japan, Thailand) . . . . .	959

Toxicity assessment of metoprolol and its photodegradation mixtures obtained by using different type of TiO <sub>2</sub> catalysts in the mammalian cell lines	968
D.D. Ćetоjević-Simin, S.J. Armaković, D.V. Šoјиć and B.F. Abramović (Serbia)	
Interspecific comparison of polycyclic aromatic hydrocarbons and persistent organochlorines bioaccumulation in bivalves from a Mediterranean coastal lagoon	975
V.M. León, R. Moreno-González, E. González, F. Martínez, V. García and J.A. Campillo (Spain)	
Silicone rubber passive samplers for measuring pore water and exchangeable concentrations of polycyclic aromatic hydrocarbons concentrations in sediments	975
K. Yates, P. Pollard, I. Davies, L. Webster and C. Moffat (UK)	988
Simple and simultaneous determination of glutathione, thioacetamide and refractory organic matter in natural waters by DP-CSV	
B. Pernet-Coudrier, M. Waeles, M. Filella, F. Quentel and R.D. Riso (France, Switzerland, Luxembourg)	997
Arsenic-tolerant, arsenite-oxidising bacterial strains in the contaminated soils of West Bengal, India	
A. Majumder, K. Bhattacharyya, S. Bhattacharyya and S.C. Kole (India)	1006
Climate change scenarios for temperature and precipitation in Aragón (Spain)	
J. Ribalaygua, M.R. Pino, J. Pórtoles, E. Roldán, E. Gaitán, D. Chinarro and L. Torres (Spain)	1015
Air-pollution emission control in China: Impacts on soil acidification recovery and constraints due to drought	
L. Duan, J. Liu, Y. Xin and T. Larssen (China, Norway)	1031
Toxicity of new generation flame retardants to <i>Daphnia magna</i>	
S.L. Waaijers, J. Hartmann, A.M. Soeter, R. Helmus, S.A.E. Kools, P. de Voogt, W. Admiraal, J.R. Parsons and M.H.S. Kraak (The Netherlands)	1042
Processes and impacts of acid discharges on a natural substratum under a landfill	
M. Regadio, I.S. de Soto, M. Rodríguez-Rastrero, A.I. Ruiz, M.J. Gismara and J. Cuevas (Spain)	1049
Effects of highland land-use over lowlands of the Brazilian Pantanal	
I. Bergier (Brazil)	1060
Contribution of primary and secondary treatment on the removal of benzothiazoles, benzotriazoles, endocrine disruptors, pharmaceuticals and perfluorinated compounds in a sewage treatment plant	
A.S. Stasinakis, N.S. Thomaidis, O.S. Arvaniti, A.G. Asimakopoulos, V.G. Samaras, A. Ajibola, D. Mamaïs and T.D. Lekkas (Greece)	1067
<b>Special Section: Emerging Chemicals</b>	
Contaminants of emerging concern	
R. Naidu and M.H. Wong (Australia, Hong Kong, China)	1077
Illicit drugs and the environment – A review	
R. Pal, M. Megharaj, K.P. Kirkbride and R. Naidu (Australia)	1079
A review of environmental and human exposure to persistent organic pollutants in the Pearl River Delta, South China	
K. Zhang, Y.-L. Wei and E.Y. Zeng (China)	1093
A review of environmental fate, body burdens, and human health risk assessment of PCDD/Fs at two typical electronic waste recycling sites in China	
J.K.Y. Chan and M.H. Wong (Hong Kong, China)	1111
Toxic metals in WEEE: Characterization and substance flow analysis in waste treatment processes	
M. Oguchi, H. Sakanakura and A. Terazono (Japan)	1124
Persistent toxic substances released from uncontrolled e-waste recycling and actions for the future	
M. Man, R. Naidu and M.H. Wong (Hong Kong, Australia)	1133
Dietary intake of PBDEs of residents at two major electronic waste recycling sites in China	
J.K.Y. Chan, Y.B. Man, S.C. Wu and M.H. Wong (Hong Kong, China)	1138
Handling e-waste in developed and developing countries: Initiatives, practices, and consequences	
S. Sthiannopkao and M.H. Wong (Republic of Korea, Hong Kong, China)	1147
Phosphorus–arsenic interactions in variable-charge soils in relation to arsenic mobility and bioavailability	
N. Bolan, S. Mahimairaja, A. Kunhikrishnan and G. Choppala (Australia, India, Republic of Korea)	1154
Polybrominated diphenyl ethers (PBDEs) in the surface sediments and suspended particulate matter (SPM) from Lake Chaohu, a large shallow Chinese lake	
W. He, N. Qin, X. Kong, W. Liu, Q. He, H. Ouyang, Q. Wang, B. Yang, C. Yang, Y. Jiang and F. Xu (PR China)	1163
Assessment of toxicity of polycyclic aromatic hydrocarbons in sediments of Kaohsiung Harbor, Taiwan	
C.-F. Chen, C.-W. Chen, C.-D. Dong and C.-M. Kao (Taiwan)	1174
Serum estrogenicity and biological responses in African catfish raised in wastewater ponds in Ghana	
S. Asem-Hiablie, C.D. Church, H.A. Elliott, N.W. Shappell, H.L. Schoenfuss, P. Drechsel, C.F. Williams, A.L. Knopf and M.Y. Dabie (USA, Sri Lanka, Ghana)	1182
Dietary exposure to polychlorinated dibenzo- <i>p</i> -dioxins and dibenzofurans via fish consumption and dioxin-like activity in fish determined by H4IIE-luc bioassay	
J.K.Y. Chan, Y.B. Man, G.H. Xing, S.C. Wu, M.B. Murphy, Y. Xu and M.H. Wong (Hong Kong, PR China)	1192
Exposure assessment and distribution of polychlorinated biphenyls (PCBs) contained in indoor and outdoor dusts and the impacts of particle size and bioaccessibility	
W. Wang, M.-J. Huang, J.-S. Zheng, K.C. Cheung and M.H. Wong (Hong Kong, P.R. China)	1201
Hair arsenic levels and prevalence of arsenicosis in three Cambodian provinces	
J.H. Hashim, R.S.M. Radzi, S.M. Aljunid, A.M. Nur, A. Ismail, D. Baguma, S. Sthiannopkao, K. Phan, M.H. Wong, V. Sao and M.S.M. Yasin (Malaysia, Republic of Korea, Hong Kong, China, Cambodia)	1210
Water consumption patterns and factors contributing to water consumption in arsenic affected population of rural West Bengal, India	
M.A. Hossain, M.M. Rahman, M. Murrill, B. Das, B. Roy, S. Dey, D. Maity and D. Chakraborti (India, Bangladesh)	1217

Plasma mercury levels in Hong Kong residents: In relation to fish consumption P. Liang, Y.-Y. Qin, C. Zhang, J. Zhang, Y. Cao, S.-C. Wu, C.K.C. Wong and M.H. Wong (PR China, Hong Kong, China) . . . . .	1225
Levels of PCDDs, PCDFs, and dioxin-like PCBs in human milk among Hong Kong mothers T.W. Wong, A.H.S. Wong, E.A.S. Nelson, H. Qiu and S.Y.K. Ku (Hong Kong). . . . .	1230