





Volumes 466–467 • 1 January 2014 • ISSN 0048-9697  
Published in 28 issues each year

# Science of the Total Environment

An International Journal for Scientific Research into  
the Environment and its Relationship with Humankind





## Contents

Estrogenic effects of nonylphenol and octylphenol isomers <i>in vitro</i> by recombinant yeast assay (RYA) and <i>in vivo</i> with early life stages of zebrafish E. Puy-Azurmendi, A. Olivares, A. Vallejo, M. Ortiz-Zarragoitia, B. Piña, O. Zuloaga and M.P. Cajaraville (Spain) . . . . .	1
A Ni hyperaccumulator and a congeneric non-accumulator reveal equally effective defenses against herbivory L. Vilas Boas, S.C. Gonçalves, A. Portugal, H. Freitas and M.T. Gonçalves (Portugal) . . . . .	11
Quantification of long-term wastewater fluxes at the surface water/groundwater-interface: An integrative model perspective using stable isotopes and acesulfame I. Engelhardt, J.A.C. Barth, R. Bol, M. Schulz, T.A. Ternes, C. Schüth and R. van Geldern (Germany) . . . . .	16
Spores of lichen-forming fungi in the myco-aerosol and their relationships with climate factors S.E. Favero-Longo, S. Sandrone, E. Matteucci, L. Appolonia and R. Piervittori (Italy) . . . . .	26
Effects of lead shot ingestion on bone mineralization in a population of red-legged partridge ( <i>Alectoris rufa</i> ) P. Álvarez-Lloret, A.B. Rodríguez-Navarro, C.S. Romanek, P. Ferrandis, M. Martínez-Haro and R. Mateo (Spain, USA, Portugal) . . . . .	34
A quantitative model to assess Social Responsibility in Environmental Science and Technology M. Valcárcel and R. Lucena (Spain) . . . . .	40
Scale-dependent effects of land cover on water physico-chemistry and diatom-based metrics in a major river system, the Adour-Garonne basin (South Western France) L. Tudesque, C. Tisseuil and S. Lek (France) . . . . .	47
Long-range transport of biomass burning emissions based on organic molecular markers and carbonaceous thermal distribution M.-S. Bae, J.-S. Shin, K.-Y. Lee, K.-H. Lee and Y.J. Kim (Republic of Korea) . . . . .	56
Combined effects of clay immobilized <i>Azospirillum brasilense</i> and <i>Pantoea dispersa</i> and organic olive residue on plant performance and soil properties in the revegetation of a semiarid area M. Schoebitz, C. Mengual and A. Roldán (Spain) . . . . .	67
Regulators as agents: Modelling personality and power as evidence is brokered to support decisions on environmental risk G.J. Davies, G. Kendall, E. Soane, J. Li, S.A. Rocks, S.R. Jude and S.J.T. Pollard (UK, Malaysia) . . . . .	74
The efficiency of combined CaO/electrochemical treatment in removal of acid mine drainage induced toxicity and genotoxicity S. Radić, V. Vujčić, Ž. Cvetković, P. Cvjetko and V. Oreščanin (Croatia) . . . . .	84
Speciation and toxicity of arsenic in mining-affected lake sediments in the Quinsam watershed, British Columbia M.M. Moriarty, V.W.-M. Lai, I. Koch, L. Cui, C. Combs, E.M. Krupp, J. Feldmann, W.R. Cullen and K.J. Reimer (Canada, United Kingdom) . . . . .	90
Essential metal contents in indigenous gammarids related to exposure levels at the river basin scale: Metal-dependent models of bioaccumulation and geochemical correlations J.D. Lebrun, E. Uher, M.-H. Tusseau-Vuillemin and C. Gourlay-Francé (France) . . . . .	100
Concentrations and distributions of metals in tissues of stranded green sea turtles ( <i>Chelonia mydas</i> ) from the southern Atlantic coast of Brazil C.C. da Silva, A.S. Varela Jr., I.F. Barcarolli and A. Bianchini (Brazil) . . . . .	109
Development of a decision support system to manage contamination in marine ecosystems A. Dagnino and A. Viarengo (Italy) . . . . .	119
Genotypic diversity and antibiotic resistance in <i>Sphingomonadaceae</i> isolated from hospital tap water C. Narciso-da-Rocha, I. Vaz-Moreira and C.M. Manaia (Portugal) . . . . .	127
Polychlorinated biphenyls (PCBs), polychlorinated diphenyl ethers (PBDEs) and organochlorine pesticides in selected cereals available on the Polish retail market M. Roszko, R. Jędrzejczak and K. Szymczyk (Poland) . . . . .	136
Trophic transfer of microcystins through the lake pelagic food web: Evidence for the role of zooplankton as a vector in fish contamination B. Sotton, J. Guillard, O. Anneville, M. Maréchal, O. Savichtcheva and I. Domaizon (France) . . . . .	152
Do cover crops enhance N <sub>2</sub> O, CO <sub>2</sub> or CH <sub>4</sub> emissions from soil in Mediterranean arable systems? A. Sanz-Cobena, S. García-Marco, M. Quemada, J.L. Gabriel, P. Almendros and A. Vallejo (Spain, Belgium) . . . . .	164
Accumulation and detoxification of metals and arsenic in tissues of cattle ( <i>Bos taurus</i> ), and the risks for human consumption S. Roggeman, G. de Boeck, H. De Cock, R. Blust and L. Bervoets (Belgium) . . . . .	175
A field study on solar-induced chlorophyll fluorescence and pigment parameters along a vertical canopy gradient of four tree species in an urban environment S. Van Wittenbergh, L. Alonso, J. Verrelst, I. Hermans, R. Valcke, F. Veroustraete, J. Moreno and R. Samson (Belgium, Spain) . . . . .	185

Emissions from a generator fueled by blends of diesel, biodiesel, acetone, and isopropyl alcohol: Analyses of emitted PM, particulate carbon, and PAHs J.-H. Tsai, S.-J. Chen, K.-L. Huang, W.-Y. Lin, W.-J. Lee, C.-C. Lin, L.-T. Hsieh, J.-Y. Chiu and W.-C. Kuo (Taiwan, ROC) . . . . .	195
Comparison and implications of PM <sub>2.5</sub> carbon fractions in different environments C.-S. Zhu, J.-J. Cao, C.-J. Tsai, Z.-X. Shen, Y.-M. Han, S.-X. Liu and Z.-Z. Zhao (China, Taiwan) . . . . .	203
Green synthesis of Fe nanoparticles using eucalyptus leaf extracts for treatment of eutrophic wastewater T. Wang, X. Jin, Z. Chen, M. Megharaj and R. Naidu (China, Australia) . . . . .	210
Aquaculture-derived enrichment of hexachlorocyclohexanes (HCHs) and dichlorodiphenyltrichloroethanes (DDTs) in coastal sediments of Hong Kong and adjacent mainland China H.-S. Wang, Z.-J. Chen, Z. Cheng, J. Du, Y.-B. Man, H.-M. Leung, J.P. Giesy, C.K.C. Wong and M.-H. Wong (China, Hong Kong SAR, Canada) . . . . .	214
An analytical model for solute transport through a GCL-based two-layered liner considering biodegradation C. Guan, H.J. Xie, Y.Z. Wang, Y.M. Chen, Y.S. Jiang and X.W. Tang (China) . . . . .	221
Silver nanoparticles and silver nitrate induce high toxicity to <i>Pseudokirchneriella subcapitata</i> , <i>Daphnia magna</i> and <i>Danio rerio</i> F. Ribeiro, J.A. Gallego-Urrea, K. Jurkschat, A. Crossley, M. Hassellöv, C. Taylor, A.M.V.M. Soares and S. Loureiro (Portugal, Sweden, UK) . . . . .	232
Site specific risk assessment of an energy-from-waste/thermal treatment facility in Durham Region, Ontario, Canada. Part B: Ecological risk assessment C.A. Ollson, M.L. Whitfield Aslund, L.D. Knopper and T. Dan (Canada) . . . . .	242
Reducing future nutrient inputs to the Black Sea M.P. Stokal, C. Kroeze, V.A. Kopilevych and L.V. Voytenko (The Netherlands, Ukraine) . . . . .	253
Trait-based structure of invertebrates along a gradient of sediment colmation: Benthos versus hyporheos responses S. Descloux, T. Detry and P. Usseglio-Polatera (France) . . . . .	265
Evaluating vehicle re-entrained road dust and its potential to deposit to Lake Tahoe: A bottom-up inventory approach D. Zhu, H.D. Kuhns, J.A. Gillies and A.W. Gertler (United States) . . . . .	277
A socioeconomic profile of vulnerable land to desertification in Italy L. Salvati (Italy) . . . . .	287
Removal of chlortetracycline from spiked municipal wastewater using a photoelectrocatalytic process operated under sunlight irradiations R. Daghrir, P. Drogui, N. Delegan and M.A. El Khakani (Canada) . . . . .	300
Multi pesticide and PCB residues in Nile tilapia and catfish in Assiut city, Egypt D. Yahia and E.E. Elsharkawy (Egypt) . . . . .	306
The Matthew Effect and widely prescribed pharmaceuticals lacking environmental monitoring: Case study of an exposure-assessment vulnerability C.G. Daughton (USA) . . . . .	315
Changing patterns and determinants of natural capital in the Yangtze River Delta of China 2000–2010 X. Xu, Y. Tan, S. Chen and G. Yang (China, Australia) . . . . .	326
Early-life residential exposure to soil components in rural areas and childhood respiratory health and allergy G. Devereux, N. Tagiyeva, S.W. Turner, J.G. Ayres, A. Seaton, G. Hudson, R.L. Hough, C.D. Campbell and C.A. Shand (UK, Sweden) . . . . .	338
Site specific risk assessment of an energy-from-waste thermal treatment facility in Durham Region, Ontario, Canada. Part A: Human health risk assessment C.A. Ollson, L.D. Knopper, M.L. Whitfield Aslund and R. Jayasinghe (Canada) . . . . .	345
Airborne particulate polycyclic aromatic hydrocarbon (PAH) pollution in a background site in the North China Plain: Concentration, size distribution, toxicity and sources Y. Zhu, L. Yang, Q. Yuan, C. Yan, C. Dong, C. Meng, X. Sui, L. Yao, F. Yang, Y. Lu and W. Wang (China) . . . . .	357
High levels of PAH-metabolites in urine of e-waste recycling workers from Agbogbloshie, Ghana T. Feldt, J.N. Fobil, J. Wittsiepe, M. Wilhelm, H. Till, A. Zoufaly, G. Burchard and T. Göen (Germany, Ghana) . . . . .	369
Life cycle and human health risk assessments as tools for decision making in the design and implementation of nanofiltration in drinking water treatment plants G. Ribera, F. Clarens, X. Martínez-Lladó, I. Jubany, V. Martí and M. Rovira (Spain) . . . . .	377
Differential arsenic binding in the sediments of two sites in Chile's lower Loa River basin M.P. Bugueño, S.E. Acevedo, C.A. Bonilla, G.E. Pizarro and P.A. Pasten (Chile) . . . . .	387
Prospective study of acute health effects in relation to exposure to cyanobacteria B. Lévesque, M.-C. Gervais, P. Chevalier, D. Gauvin, E. Anassour-Laouan-Sidi, S. Gingras, N. Fortin, G. Brisson, C. Greer and D. Bird (Canada) . . . . .	397
Detection of vancomycin-resistant enterococci (VRE) at four U.S. wastewater treatment plants that provide effluent for reuse R.E. Rosenberg Goldstein, S.A. Micallef, S.G. Gibbs, A. George, E. Claye, A. Sapkota, S.W. Joseph and A.R. Sapkota (USA) . . . . .	404
Effects of fungicides and biofungicides on population density and community structure of soil oribatid mites A.-N.I.M. Al-Assiuty, M.A. Khalil, A.-W.A. Ismail, N.M. van Straalen and M.F. Ageba (Egypt, The Netherlands) . . . . .	412
Investigation of PPCPs in wastewater treatment plants in Greece: Occurrence, removal and environmental risk assessment C.I. Kosma, D.A. Lambropoulou and T.A. Albanis (Greece) . . . . .	421
Impacts on particles and ozone by transport processes recorded at urban and high-altitude monitoring stations J.F. Nicolás, J. Crespo, E. Yubero, R. Soler, A. Carratalá and E. Mantilla (Spain) . . . . .	439
Soil as a source of dioxin contamination in eggs from free-range hens on a Polish farm J. Piskorska-Pliszczynska, S. Mikolajczyk, M. Warenik-Bany, S. Maszewski and P. Strucinski (Poland) . . . . .	447
Improvement of the R-SWAT-FME framework to support multiple variables and multi-objective functions Y. Wu and S. Liu (United States) . . . . .	455
An exploratory study on the influence of socio-demographic characteristics on water end uses inside buildings C. Matos, C.A. Teixeira, R. Bento, J. Varajão and I. Bentes (Portugal) . . . . .	467

Spring geochemistry in an active volcanic environment (São Miguel, Azores): Source and fluxes of inorganic solutes P. Freire, C. Andrade, R. Coutinho and J.V. Cruz (Portugal) . . . . .	475
Natural attenuation process via microbial oxidation of arsenic in a high Andean watershed E.D. Leiva, C.d.P. Rámila, I.T. Vargas, C.R. Escarriaza, C.A. Bonilla, G.E. Pizarro, J.M. Regan and P.A. Pasten (Chile, USA) . . . . .	490
Effects of nano-TiO <sub>2</sub> on the agronomically-relevant <i>Rhizobium</i> -legume symbiosis R. Fan, Y.C. Huang, M.A. Grusak, C.P. Huang and D.J. Sherrier (United States) . . . . .	503
Sediments in urban river basins: Identification of sediment sources within the Lago Paranoá catchment, Brasilia DF, Brazil – using the fingerprint approach C. Franz, F. Makeschin, H. Weiß and C. Lorz (Germany) . . . . .	513
Polybrominated diphenyl ethers in farmland soils: Source characterization, deposition contribution and apportionment Y. Dong, L. Li, P. Bie, S. Jia, Q. Wang, Z. Huang, X. Qiu, J. Zhang and J. Hu (China) . . . . .	524
Single-walled carbon nanotubes alter soil microbial community composition L. Jin, Y. Son, J.L. DeForest, Y.J. Kang, W. Kim and H. Chung (Republic of Korea, USA) . . . . .	533
Traffic noise mapping of the city of Santiago de Chile E. Suárez and J.L. Barros (Chile) . . . . .	539
pH and temperature effects on the hydrolysis of three $\beta$ -lactam antibiotics: Ampicillin, cefalotin and cefoxitin S.M. Mitchell, J.L. Ullman, A.L. Teel and R.J. Watts (USA) . . . . .	547
Physiological responses to nanoCuO in fungi from non-polluted and metal-polluted streams A. Pradhan, S. Seena, D. Dobritzsch, S. Helm, K. Gerth, M. Dobritzsch, G.-J. Krauss, D. Schlosser, C. Pascoal and F. Cássio (Portugal, Germany) . . . . .	556
Temporal trends in “legacy” organochlorine contaminants in blubber of ringed seals ( <i>Phoca hispida</i> ) from Ulukhaktok, NT, Canada between 1972 and 2010 R.F. Addison, D.C. Muir, M.G. Ikononou, L. Harwood, T.G. Smith and J. Alikamik (Canada) . . . . .	564
The impact of solution chemistry of electrolyte on the sorption of pentachlorophenol and phenanthrene by natural hematite nanoparticles F. Zeng, Y. He, Z. Lian and J. Xu (China) . . . . .	577
A review of background dioxin concentrations in urban/suburban and rural soils across the United States: Implications for site assessments and the establishment of soil cleanup levels J.D. Urban, D.S. Wikoff, A.T.G. Bunch, M.A. Harris and L.C. Haws (United States) . . . . .	586
Submerged arc furnace process superior to the Waelz process in reducing PCDD/F emission during thermal treatment of electric arc furnace dust F.-Q. Xu, S.-B. Huang, W.-T. Liao, L.-C. Wang, Y.-C. Chang and G.-P. Chang-Chien (PR China, Taiwan) . . . . .	598
Influence of ions on the coagulation and removal of fullerene in aqueous phase L. Zhang, Q. Zhao, S. Wang, H. Mashayekhi, X. Li and B. Xing (China, USA) . . . . .	604
The human body burden of polybrominated diphenyl ethers and their relationships with thyroid hormones in the general population in Northern China F. Huang, S. Wen, J. Li, Y. Zhong, Y. Zhao and Y. Wu (PR China) . . . . .	609
Balancing effluent quality, economic cost and greenhouse gas emissions during the evaluation of (plant-wide) control/operational strategies in WWTPs X. Flores-Alsina, M. Arnell, Y. Amerlinck, L. Corominas, K.V. Gernaey, L. Guo, E. Lindblom, I. Nopens, J. Porro, A. Shaw, L. Snip, P.A. Vanrolleghem and U. Jeppsson (Sweden, Denmark, Belgium, Spain, Canada, USA) . . . . .	616
A pilot neighborhood study towards establishing a benchmark for reducing electromagnetic field levels within single family residential dwellings R. Richman, A.J. Munroe and Y. Siddiqui (Canada) . . . . .	625
Biological early warning system based on the responses of aquatic organisms to disturbances: A review M.-J. Bae and Y.-S. Park (Republic of Korea) . . . . .	635
Spatial and seasonal variabilities of dissolved hydrocarbons in surface waters from the Northwestern Mediterranean Sea: Results from one year intensive sampling C. Guigue, M. Tedetti, N. Garcia, L. Méjanelle and M. Goutx (France) . . . . .	650
The microbial communities and potential greenhouse gas production in boreal acid sulphate, non-acid sulphate, and reedy sulphidic soils M. Šimek, S. Virtanen, A. Simojoki, A. Chroňáková, D. Elhottová, V. Křišťůfek and M. Yli-Halla (Czech Republic, Finland) . . . . .	663
Validity of using annual mean particulate matter concentrations as measured at fixed site in assessing personal exposure: An exposure assessment study in Japan T. Michikawa, S. Nakai, H. Nitta and K. Tamura (Japan) . . . . .	673
Effect of long term organic amendments and vegetation of vineyard soils on the microscale distribution and biogeochemistry of copper A. Navel and J.M.F. Martins (France) . . . . .	681
Trophic transfer of polychlorinated biphenyls (PCB) in a boreal lake ecosystem: Testing of bioaccumulation models K. Figueiredo, K. Mäenpää, M.T. Leppänen, M. Kiljunen, M. Lyttikäinen, J.V.K. Kukkonen, H. Koponen, C. Biasi and P.J. Martikainen (Finland) . . . . .	690
Fungal-bacterial consortia increase diuron degradation in water-unsaturated systems L. Ellegaard-Jensen, B.E. Knudsen, A. Johansen, C.N. Albers, J. Aamand and S. Rosendahl (Denmark) . . . . .	699
Association between thyroid function and selected organochlorine pesticides: Data from NHANES 2001–2002 R.B. Jain (United States) . . . . .	706
qPCR standard operating procedure for measuring microorganisms in dust from dwellings in large cohort studies E. Scherer, S. Rocchi, G. Reboux, S. Vandentorren, S. Rousset, M. Vacheyrou, C. Raheison and L. Millon (France) . . . . .	716
Size-selective assessment of agricultural workers' personal exposure to airborne fungi and fungal fragments S.-A. Lee and C.-H. Liao (Taiwan, ROC) . . . . .	725
Seasonal surveillance of airborne PCDD/Fs, PCBs and PCNs using passive samplers to assess human health risks L. Vilavert, M. Nadal, M. Schuhmacher and J.L. Domingo (Spain) . . . . .	733

Quantifying the hydrological impact of simulated changes in land use on peak discharge in a small catchment Z. Kalantari, S.W. Lyon, L. Folkesson, H.K. French, J. Stolte, P.-E. Jansson and M. Sassner (Sweden, Norway) . . . . .	741
Profile and behavior of antiviral drugs in aquatic environments of the Pearl River Delta, China X. Peng, C. Wang, K. Zhang, Z. Wang, Q. Huang, Y. Yu and W. Ou (China) . . . . .	755
Combined use of WEPS and Models-3/CMAQ for simulating wind erosion source emission and its environmental impact L. Chen, H. Zhao, B. Han and Z. Bai (China) . . . . .	762
Prenatal exposure to hexachlorobenzene (HCB) and reproductive effects in a multicentre birth cohort in Spain M. Basterrechea, A. Lertxundi, C. Iñiguez, M. Mendez, M. Murcia, I. Mozo, F. Goñi, J. Grimalt, M. Fernández, M. Guxens and On behalf of the INMA project (Spain) . . . . .	770
Concentration and characteristics of dissolved carbon in the Sanjiang Plain influenced by long-term land reclamation from marsh Y.D. Guo, Y.Z. Lu, Y.Y. Song, Z.M. Wan and A.X. Hou (China, USA) . . . . .	777
Predicting the toxicity of metal mixtures L.S. Balistrieri and C.A. Mebane (United States) . . . . .	788
Phototoxicity of TiO <sub>2</sub> nanoparticles to a freshwater benthic amphipod: Are benthic systems at risk? S. Li, L.K. Wallis, H. Ma and S.A. Diamond (USA) . . . . .	800
Emission inventories and modeling requirements for the development of air quality plans. Application to Madrid (Spain) R. Borge, J. Lumbreras, J. Pérez, D. de la Paz, M. Vedrenne, J.M. de Andrés and M.E. Rodríguez (Spain) . . . . .	809
Contamination by hazardous substances in the Gulf of Naples and nearby coastal areas: A review of sources, environmental levels and potential impacts in the MSFD perspective V. Tornero and M. Ribera d'Alcalà (Italy) . . . . .	820
Banded applications are highly effective in minimising herbicide migration from furrow-irrigated sugar cane D.P. Oliver, J.S. Anderson, A. Davis, S. Lewis, J. Brodie and R. Kookana (Australia) . . . . .	841
Relative importance of phosphorus, fish biomass, and watershed land use as drivers of phytoplankton abundance in shallow lakes M.W. Gorman, K.D. Zimmer, B.R. Herwig, M.A. Hanson, R.G. Wright, S.R. Vaughn and J.A. Younk (USA) . . . . .	849
Warming-induced changes in denitrifier community structure modulate the ability of phototrophic river biofilms to denitrify S. Boulêtreau, E. Lyautey, S. Dubois, A. Compin, C. Delattre, A. Touron-Bodilis, S. Mastroiello and F. Garabetian (France) . . . . .	856
Colloidal stability of nanoparticles derived from simulated cloud-processed mineral dusts E. Kadar, A. Fisher, B. Stolpe, S. Calabrese, J. Lead, E. Valsami-Jones and Z. Shi (UK, Italy, USA) . . . . .	864
Developing a flow control strategy to reduce nutrient load in a reclaimed multi-reservoir system using a 2D hydrodynamic and water quality model Y. Park, K.H. Cho, J.-H. Kang, S.W. Lee and J.H. Kim (South Korea) . . . . .	871
Changes in the planktonic microbial community during residence in a surface flow constructed wetland used for tertiary wastewater treatment B.T.M. Mulling, A.M. Soeter, H.G. van der Geest and W. Admiraal (The Netherlands) . . . . .	881
Sanitation ability of anaerobic digestion performed at different temperature on sewage sludge B. Scaglia, G. D'Imporzano, G. Garuti, M. Negri and F. Adani (Italy) . . . . .	888
The role of metallothionein and selenium in metal detoxification in the liver of deep-sea fish from the NW Mediterranean Sea R. Siscar, S. Koenig, A. Torreblanca and M. Solé (Spain) . . . . .	898
Effect of soil organic amendments on the behavior of bentazone and tricyclazole M. García-Jaramillo, L. Cox, J. Cornejo and M.C. Hermosín (Spain) . . . . .	906
Spatiotemporal statistical modelling of long-term change in river nutrient concentrations in England & Wales C. Miller, A. Magdalena, R.I. Willows, A.W. Bowman, E.M. Scott, D. Lee, C. Burgess, L. Pope, F. Pannullo and R. Haggarty (UK, Ireland) . . . . .	914
Nitrogen inputs to a river course in a heavily impacted watershed: A combined hydrochemical and isotopic evaluation (Oglio River Basin, N Italy) C.A. Delconte, E. Sacchi, E. Racchetti, M. Bartoli, J. Mas-Pla and V. Re (Italy, Spain) . . . . .	924
Analysis and occurrence of endocrine-disrupting compounds and estrogenic activity in the surface waters of Central Spain S. Esteban, M. Gorga, M. Petrovic, S. González-Alonso, D. Barceló and Y. Valcárcel (Spain) . . . . .	939
Fractionation and characterization of humic acids from organic amended rice paddy soils P. Pramanik and P.J. Kim (South Korea) . . . . .	952
Ozonation of ibuprofen: A degradation and toxicity study M.J. Quero-Pastor, M.C. Garrido-Perez, A. Acevedo and J.M. Quiroga (Spain) . . . . .	957
Sediment desiccation as a driver of phosphate availability in the water column of Mediterranean wetlands J.D. Gilbert, F. Guerrero and I. de Vicente (Spain) . . . . .	965
Comparison of contaminants of emerging concern removal, discharge, and water quality hazards among centralized and on-site wastewater treatment system effluents receiving common wastewater influent B. Du, A.E. Price, W.C. Scott, L.A. Kristofco, A.J. Ramirez, C.K. Chambliss, J.C. Yelderman and B.W. Brooks (USA) . . . . .	976
Temperature and daily mortality in Suzhou, China: A time series analysis C. Wang, R. Chen, X. Kuang, X. Duan and H. Kan (China) . . . . .	985
Environmental evaluation of eicosapentaenoic acid production by <i>Phaeodactylum tricornutum</i> P. Pérez-López, S. González-García, C. Allewaert, A. Verween, P. Murray, G. Feijoo and M.T. Moreira (Spain, Belgium, Ireland) . . . . .	991
Redistribution and persistence of microorganisms and steroid hormones after soil-injection of swine slurry M.M.G. Amin, T.B. Bech, A. Forslund, M. Hansen, S.O. Petersen and M. Lægdsmand (Denmark) . . . . .	1003
Reduced risk estimations after remediation of lead (Pb) in drinking water at two US school districts S. Triantafyllidou, T. Le, D. Gallagher and M. Edwards (USA) . . . . .	1011
Predicting the variation in <i>Echinogammarus marinus</i> at its southernmost limits under global warming scenarios: Can the sex-ratio make a difference? A. Guerra, N. Leite, J.C. Marques, A.T. Ford and I. Martins (Portugal, UK) . . . . .	1022
Atmospheric polychlorinated naphthalenes (PCNs) in India and Pakistan Y. Xu, J. Li, P. Chakraborty, J.H. Syed, R.N. Malik, Y. Wang, C. Tian, C. Luo, G. Zhang and K.C. Jones (China, India, Pakistan, PR China, UK) . . . . .	1030

Toxicity of tributyltin (TBT) to terrestrial organisms and its species sensitivity distribution P.V. Silva, A.R.R. Silva, S. Mendo and S. Loureiro (Portugal) . . . . .	1037
Antimicrobial nanomaterials as water disinfectant: Applications, limitations and future perspectives F. Hossain, O.J. Perales-Perez, S. Hwang and F. Román (Puerto Rico) . . . . .	1047
Radon emanation fractions from concretes containing fly ash and metakaolin S.C. Taylor-Lange, M.C.G. Juenger and J.A. Siegel (USA, Canada) . . . . .	1060
Environmental assessment of two different crop systems in terms of biomethane potential production J. Bacenetti, A. Fusi, M. Negri, R. Guidetti and M. Fiala (Italy) . . . . .	1066
Environmental monitoring of pesticide residues from farms at a neighbouring primary and pre-school in the Western Cape in South Africa M.A. Dalvie, M.B. Sosan, A. Africa, E. Cairncross and L. London (South Africa) . . . . .	1078
Discharges of produced waters from oil and gas extraction via wastewater treatment plants are sources of disinfection by-products to receiving streams M.L. Hladik, M.J. Focazio and M. Engle (USA) . . . . .	1085
Facilitated attachment of nanoparticles at primary minima by nanoscale roughness is susceptible to hydrodynamic drag under unfavorable chemical conditions C. Shen, Y. Jin, B. Li, W. Zheng and Y. Huang (China, USA) . . . . .	1094
Occurrence and quantification of fungi and detection of mycotoxigenic fungi in drinking water in Xiamen City, China H. Moh. Al-gabr, T. Zheng and X. Yu (China) . . . . .	1103
Response to "Comment on Specific binding of hydroxylated polychlorinated biphenyl metabolites and other substances to bovine calf uterine estrogen receptor: Structure-binding relationships [Kramer and Giesy, <i>Sci Total Environ</i> 1999;233:141-61]" V.J. Kramer and J.P. Giesy (United States) . . . . .	1112
Corrigendum to "Description of a novel viral tool to identify and quantify ovine fecal pollution in the environment" [ <i>Sci. Total Environ.</i> 458-460(2013) 355-360] M. Rusiñol, A. Carratalà, A. Hundesa, A. Bach, A. Kern, A. Vantarakis, R. Girones and S. Bofill-Mas (Spain, Hungary, Greece) . . . . .	1114
Corrigendum to "Modelling of micropollutant removal in biological wastewater treatments: A review" [ <i>Sci. Total Environ.</i> 443 (2013) 733-748] M. Pomiès, J.M. Choubert, C. Wisniewski and M. Coquery . . . . .	1115