



174/
S40/te

Published in 36 issues each year
Volumes 485-486 • 1 JULY 2014 • ISSN 0048-9697

Special Section:
Groundwater-Soil Systems and Water Resource Management
Special Issue related to the AquaConSoil conference held in Barcelona April 2013

Science OF THE Total Environment





Contents

| | |
|---|-----|
| Satellite data regarding the eutrophication response to human activities in the plateau lake Dianchi in China from 1974 to 2009 C. Huang, X. Wang, H. Yang, Y. Li, Y. Wang, X. Chen and L. Xu (China) | 1 |
| Shallow hydrostratigraphy in an arsenic affected region of Bengal Basin: Implication for targeting safe aquifers for drinking water supply A. Biswas, P. Bhattacharya, A. Mukherjee, B. Nath, H. Alexanderson, A.K. Kundu, D. Chatterjee and G. Jacks (Sweden, India, Australia) | 12 |
| Models of science–policy interaction: Exploring approaches to Bisphenol A management in the EU O. Udovyk (Sweden) | 23 |
| Evaluation of air sparging and vadose zone aeration for remediation of iron and manganese-impacted groundwater at a closed municipal landfill S. Pleasant, A. O'Donnell, J. Powell, P. Jain and T. Townsend (USA) | 31 |
| Temperature and mortality on the roof of the world: A time-series analysis in three Tibetan counties, China L. Bai, Cirendunzhu, A. Woodward, Dawa, Xiraoruodeng and Q. Liu (PR China, New Zealand) | 41 |
| Short-term effects of air temperature on mortality and effect modification by air pollution in three cities of Bavaria, Germany: A time-series analysis S. Breitner, K. Wolf, R.B. Devlin, D. Diaz-Sanchez, A. Peters and A. Schneider (Germany, USA) | 49 |
| A network-based approach for estimating pedestrian journey-time exposure to air pollution G. Davies and J.D. Whyatt (UK) | 62 |
| The use of cluster analysis for plant grouping by their tolerance to soil contamination with hydrocarbons at the germination stage K. Potashev, N. Sharonova and I. Breus (Russian Federation) | 71 |
| Combination of magnetic parameters and heavy metals to discriminate soil-contamination sources in Yinchuan — A typical oasis city of Northwestern China D. Xia, B. Wang, Y. Yu, J. Jia, Y. Nie, X. Wang and S. Xu (China) | 83 |
| Effects of vegetation on runoff generation, sediment yield and soil shear strength on road-side slopes under a simulation rainfall test in the Three Gorges Reservoir Area, China Y.-J. Liu, T.-W. Wang, C.-F. Cai, Z.-X. Li and D.-B. Cheng (China) | 93 |
| On the water-soluble organic nitrogen concentration and mass size distribution during the fog season in the Po Valley, Italy G. Montero-Martínez, M. Rinaldi, S. Gilardoni, L. Giulianelli, M. Paglione, S. Decesari, S. Fuzzi and M.C. Facchini (Mexico, Italy) | 103 |
| Soil losses in rural watersheds with environmental land use conflicts F.A.L. Pacheco, S.G.P. Varandas, L.F. Sanches Fernandes and R.F. Valle Junior (Portugal) | 110 |
| Environmental levels of PCDD/Fs and metals around a cement plant in Catalonia, Spain, before and after alternative fuel implementation. Assessment of human health risks J. Rovira, M. Nadal, M. Schuhmacher and J.L. Domingo (Spain) | 121 |
| Response of pore water Al, Fe and S concentrations to waterlogging in a boreal acid sulphate soil S. Virtanen, A. Simojoki, H. Hartikainen and M. Yli-Halla (Finland) | 130 |
| Application of Ant-Colony-Optimization algorithm for improved management of first flush effects in urban wastewater systems M. Verdaguer, N. Clara, O. Gutiérrez and M. Poch (Spain) | 143 |
| Exposure to house dust phthalates in relation to asthma and allergies in both children and adults Y. Ait Bamai, E. Shibata, I. Saito, A. Araki, A. Kanazawa, K. Morimoto, K. Nakayama, M. Tanaka, T. Takigawa, T. Yoshimura, H. Chikara, Y. Saijo and R. Kishi (Japan) | 153 |
| Environmental conditions and human drivers for changes to north Ethiopian mountain landscapes over 145 years J. Nyssen, A. Frankl, M. Haile, H. Hurni, K. Descheemaeker, D. Crummey, A. Ritler, B. Portner, B. Nievergelt, J. Moeyersons, N. Munro, J. Deckers, P. Billi and J. Poesen (Belgium, Ethiopia, Switzerland, The Netherlands, USA, UK, Italy) | 164 |
| A wintertime investigation of atmospheric deposition of metals and polycyclic aromatic hydrocarbons in the Athabasca Oil Sands Region, Canada M.A. Bari, W.B. Kindzierski and S. Cho (Canada) | 180 |
| Simulation of the fate of selected pharmaceuticals and personal care products in a highly impacted reach of a Canadian watershed M.J. Arlos, L.M. Bragg, M.R. Servos and W.J. Parker (Canada) | 193 |
| Sedimentary records of $\delta^{13}\text{C}$, $\delta^{15}\text{N}$ and organic matter accumulation in lakes receiving nutrient-rich mine waters A. Widerlund, S. Chlot and B. Öhlander (Sweden) | 205 |
| Estrogenic activity and cytotoxicity of six anticancer drugs detected in water systems A. Parrella, M. Lavorgna, E. Criscuolo, C. Russo and M. Isidori (Italy) | 216 |
| Cadmium and other heavy metal concentrations in bovine kidneys in the Republic of Ireland M.J. Canty, A. Scanlon, D.M. Collins, G. McGrath, T.A. Clegg, E. Lane, M.K. Sheridan and S.J. More (Ireland) | 223 |

| | |
|---|-----|
| Exchangeable and secondary mineral reactive pools of aluminium in coastal lowland acid sulfate soils Y.A.M. Yvanes-Giuliani, T.D. Waite and R.N. Collins (Australia, France) | 232 |
| Compiling and using input–output frameworks through collaborative virtual laboratories M. Lenzen, A. Geschke, T. Wiedmann, J. Lane, N. Anderson, T. Baynes, J. Boland, P. Daniels, C. Dey, J. Fry, M. Hadjikakou, S. Kenway, A. Malik, D. Moran, J. Murray, S. Nettleton, L. Poruschi, C. Reynolds, H. Rowley, J. Ugon, D. Webb and J. West (Australia, Norway) | 241 |
| Tracing sources of organic matter in adjacent urban streams having different degrees of channel modification S. Duan, R.M.W. Amon and R.L. Brinkmeyer (USA) | 252 |
| Photocatalytic degradation of carbamazepine in wastewater by using a new class of whey-stabilized nanocrystalline TiO ₂ and ZnO D.P. Mohapatra, S.K. Brar, R. Daghrir, R.D. Tyagi, P. Picard, R.Y. Surampalli and P. Drogui (Canada, USA) | 263 |
| Natural and anthropogenic sources and processes affecting water chemistry in two South Korean streams W.-J. Shin, J.-S. Ryu, B. Mayer, K.-S. Lee and S.-W. Lee (Republic of Korea, Canada) | 270 |
| Changes in acidity and metal geochemistry in soils, groundwater, drain and river water in the Lower Murray River after a severe drought L.M. Mosley, R.W. Fitzpatrick, D. Palmer, E. Leyden and P. Shand (Australia) | 281 |
| Finite mixture models to characterize and refine air quality monitoring networks Á. Gómez-Losada, A. Lozano-García, R. Pino-Mejías and J. Contreras-González (Spain) | 292 |
| Behaviour of nonsteroidal anti-inflammatory drugs and eight of their metabolites during wastewater treatment studied by hollow fibre liquid phase microextraction and liquid chromatography mass spectrometry E. Larsson, S. al-Hamimi and J.Å. Jönsson (Sweden) | 300 |
| Importance of heterogeneous aggregation for NP fate in natural and engineered systems M. Therezien, A. Thill and M.R. Wiesner (USA, France) | 309 |
| Future trends in soil cadmium concentration under current cadmium fluxes to European agricultural soils L. Six and E. Smolders (Belgium) | 319 |
| Front gardens to car parks: Changes in garden permeability and effects on flood regulation J.R. Warhurst, K.E. Parks, L. McCulloch and M.D. Hudson (United Kingdom) | 329 |
| Obesity-mediated association between exposure to brominated trihalomethanes and type II diabetes mellitus: An exploratory analysis S.S. Andra, P. Charisiadis and K.C. Makris (Cyprus, USA) | 340 |
| A combined chemical and biological assessment of industrial contamination in an estuarine system in Kerala, India L. Dsikowitzky, I. Nordhaus, C.H. Sujatha, P.S. Akhil, K. Soman and J. Schwarzbauer (Germany, India) | 348 |
| Remediation of polybrominated diphenyl ethers in soil using Ni/Fe bimetallic nanoparticles: Influencing factors, kinetics and mechanism Y. Xie, Z. Fang, W. Cheng, P.E. Tsang and D. Zhao (China, USA) | 363 |
| Assessment of anticoagulant rodenticide exposure in six raptor species from the Canary Islands (Spain) N. Ruiz-Suárez, L.A. Henríquez-Hernández, P.F. Valerón, L.D. Boada, M. Zumbado, M. Camacho, M. Almeida-González and O.P. Luzardo (Spain) | 371 |
| A twenty-one year temporal trend of persistent organic pollutants in St. Lawrence Estuary beluga, Canada M. Lebeuf, L. Measures, M. Noël, M. Raach and S. Trottier (Canada) | 377 |
| Health risk assessment linked to filling coastal quarries with treated dredged seaport sediments Y. Perrodin, G. Donguy, E. Emmanuel and T. Winiarski (France, Haïti) | 387 |
| Public health benefits of reducing air pollution in Shanghai: A proof-of-concept methodology with application to BenMAP A.S. Voorhees, J. Wang, C. Wang, B. Zhao, S. Wang and H. Kan (United States, PR China) | 396 |
| Metal(loid) allocation and nutrient retranslocation in <i>Pinus halepensis</i> trees growing on semiarid mine tailings I. Parraga-Aguado, J.-I. Querejeta, M.N. González-Alcaraz and H.M. Conesa (Spain) | 406 |
| Enantioselective toxicity, bioaccumulation and degradation of the chiral insecticide fipronil in earthworms (<i>Eisenia fetida</i>) H. Qu, P. Wang, R.-x. Ma, X.-x. Qiu, P. Xu, Z.-q. Zhou and D.-h. Liu (PR China) | 415 |
| Determining the relative sensitivity of benthic diatoms to atrazine using rapid toxicity testing: A novel method R.J. Wood, S.M. Mitrovic and B.J. Kefford (Australia) | 421 |
| Lead in rice: Analysis of baseline lead levels in market and field collected rice grains G.J. Norton, P.N. Williams, E.E. Adomako, A.H. Price, Y. Zhu, F.-J. Zhao, S. McGrath, C.M. Deacon, A. Villada, A. Sommella, Y. Lu, L. Ming, P.M.C.S. De Silva, H. Brammer, T. Dasgupta, M.R. Islam and A.A. Meharg (UK, Ghana, China, Sri Lanka, India, Bangladesh) | 428 |
| Heterogeneity in ragweed pollen exposure is determined by plant composition at small spatial scales D.S.W. Katz and T.S. Carey (USA) | 435 |
| Metal and nanoparticle occurrence in biosolid-amended soils Y. Yang, Y. Wang, P. Westerhoff, K. Hristovski, V.L. Jin, M.-V.V. Johnson and J.G. Arnold (United States) | 441 |
| Nitrogen deposition in Spain: Modeled patterns and threatened habitats within the Natura 2000 network H. García-Gómez, J.L. Garrido, M.G. Vivanco, L. Lassaletta, I. Rábago, A. Àvila, S. Tsyro, G. Sánchez, A. González Ortiz, I. González-Fernández and R. Alonso (Spain, France, Norway) | 450 |
| Pathways and consequences of contaminant flux to Acadian flycatchers (<i>Empidonax vireescens</i>) in urbanizing landscapes of Ohio, USA L.M. Rowse, A.D. Rodewald and S.M.P. Sullivan (United States) | 461 |
| Sprinkler irrigation of rice fields reduces grain arsenic but enhances cadmium E. Moreno-Jiménez, A.A. Meharg, E. Smolders, R. Manzano, D. Becerra, J. Sánchez-Llerena, Á. Albarrán and A. López-Piñero (Spain, UK, Belgium) | 468 |
| Integrated hydrological and water quality model for river management: A case study on Lena River A. Fonseca, C. Botelho, R.A.R. Boaventura and V.J.P. Vilar (Portugal) | 474 |
| Bioaccumulation and effects of metals and trace elements from aquatic disposal of coal combustion residues: Recent advances and recommendations for further study C.L. Rowe (United States) | 490 |
| Studies into the formation of PBDEs and PBDD/Fs in the iron ore sintering process D.S. Drage, E. Aries and S. Harrad (UK) | 497 |

| | |
|--|-----|
| 'Core species' in three sources of indoor air belonging to the human micro-environment to the exclusion of outdoor air C. Gaüzère, J.-J. Godon, H. Blanquart, S. Ferreira, S. Moullat, E. Robine and M. Moletta-Denat (France) | 508 |
| Spectroscopic measurements of estuarine dissolved organic matter dynamics during a large-scale Mississippi River flood diversion P.E. Kolic, E.D. Roy, J.R. White and R.L. Cook (USA) | 518 |
| Long-term sampling of dioxin-like substances from a clinker kiln stack using alternative fuels J. Rivera-Austrui, K. Martinez, L. Marco-Almagro, M. Abalos and E. Abad (Spain) | 528 |
| Urban stormwater inputs to an adapted coastal wetland: Role in water treatment and impacts on wetland biota J.A. Howitt, J. Mondon, B.D. Mitchell, T. Kidd and B. Eshelman (Australia) | 534 |
| Effects of Barcelona harbor sediments in biological responses of the polychaete <i>Capitella teleta</i> I.D.L. Gomes, M.F.L. Lemos, A.M.V.M. Soares, S. Díez, C. Barata and M. Faria (Spain, Portugal) | 545 |
| Environmental impact of intensive aquaculture: Investigation on the accumulation of metals and nutrients in marine sediments of Greece E.G. Farmaki, N.S. Thomaidis, I.N. Pasiás, C. Baulard, L. Papaharisis and C.E. Efstathiou (Greece) | 554 |
| Evaluation of observation-fused regional air quality model results for population air pollution exposure estimation G. Chen, J. Li, Q. Ying, S. Sherman, N. Perkins, S. Rajeshwari and P. Mendola (United States) | 563 |
| The thermal consequences of river-level variations in an urban groundwater body highly affected by groundwater heat pumps A. García-Gil, E. Vázquez-Suñe, E.G. Schneider, J.Á. Sánchez-Navarro and J. Mateo-Lázaro (Spain) | 575 |
| Resolution of the mediators of <i>in vitro</i> oxidative reactivity in size-segregated fractions that may be masked in the urban PM ₁₀ cocktail H.D. Price, T.P. Jones and K.A. BéruBé (UK) | 588 |
| Effect of eco-remediation using planted floating bed system on nutrients and heavy metals in urban river water and sediment: A field study in China D. Ning, Y. Huang, R. Pan, F. Wang and H. Wang (PR China) | 596 |
| Variations of trace metals in two estuarine environments with contrasting pollution histories N. Weng and W.-X. Wang (China, Hong Kong) | 604 |
| Natural vegetation restoration is more beneficial to soil surface organic and inorganic carbon sequestration than tree plantation on the Loess Plateau of China Z. Jin, Y. Dong, Y. Wang, X. Wei, Y. Wang, B. Cui and W. Zhou (China) | 615 |
| A comparison of the efficacy and ecosystem impact of residual-based and topsoil-based amendments for restoring historic mine tailings in the Tri-State mining district S. Brown, M. Mahoney and M. Sprenger (United States) | 624 |
| Pesticide residues in honeybees, honey and bee pollen by LC-MS/MS screening: Reported death incidents in honeybees K.M. Kasiotis, C. Anagnostopoulos, P. Anastasiadou and K. Machera (Greece) | 633 |
| Water quality laboratories in Colombia: A GIS-based study of urban and rural accessibility J. Wright, J. Liu, R. Bain, A. Perez, J. Crocker, J. Bartram and S. Gundry (UK, USA, Colombia) | 643 |
| Spatial and temporal variability of surface water pollution in the Mekong Delta, Vietnam G.-J. Wilbers, M. Becker, L.T. Nga, Z. Sebesvari and F.G. Renaud (Germany) | 653 |
| The impact of major earthquakes and subsequent sewage discharges on the microbial quality of water and sediments in an urban river M.L. Devane, E.M. Moriarty, D. Wood, J. Webster-Brown and B.J. Gilpin (New Zealand) | 666 |
| Chemistry and isotopic composition of precipitation and surface waters in Khumbu valley (Nepal Himalaya): N dynamics of high elevation basins R. Balestrini, S. Polesello and E. Sacchi (Italy) | 681 |
| Congener specific analysis, spatial distribution and screening-level risk assessment of polychlorinated naphthalenes in water and sediments from two tributaries of the River Chenab, Pakistan A. Mahmood, R.N. Malik, J. Li and G. Zhang (Pakistan, China) | 693 |

Special Section: Groundwater-Soil Systems and Water Resource Management Special Issue related to the AquaConSoil conference held in Barcelona April 2013

| | |
|---|-----|
| Trends in Soil, Sediment and Groundwater Quality Management H. Rijnaarts and H. Weiss (The Netherlands, Germany) | 701 |
|---|-----|

Innovations in remediation and monitoring of soil-water systems

| | |
|--|-----|
| Ethanol effects on the fate and transport of gasoline constituents in the UK S. Firth, B. Hildenbrand and P. Morgan (UK) | 705 |
| Removal of emerging micropollutants from water using cyclodextrin Z.M. Nagy, M. Molnár, I. Fekete-Kertész, I. Molnár-Perl, É. Fenyvesi and K. Gruiz (Hungary) | 711 |
| New device for time-averaged measurement of volatile organic compounds (VOCs) N. Santiago Sánchez, S. Tejada Alarcón, R. Tortajada Santonja and J. Llorca-Pórcel (Spain) | 720 |
| Pilot-scale ISCO treatment of a MtBE contaminated site using a Fenton-like process I. Innocenti, I. Verginelli, F. Massetti, D. Piscitelli, R. Gavasci and R. Baciocchi (Italy) | 726 |
| Nanoscale zero-valent iron application for in situ reduction of hexavalent chromium and its effects on indigenous microorganism populations J. Němeček, O. Lhotský and T. Cajthaml (Czech Republic) | 739 |
| Implementation of fluidized granulated iron reactors in a chromate remediation process P. Müller, K.E. Lorber, R. Mischitz and C. Weiß (Austria) | 748 |
| Evaluation of the kinetic oxidation of aqueous volatile organic compounds by permanganate M.G. Mahmoodlu, S.M. Hassanizadeh and N. Hartog (The Netherlands) | 755 |

| | |
|---|-----|
| Potential of activated carbon to recover randomly-methylated- β -cyclodextrin solution from washing water originating from in situ soil flushing K. Sniegowski, M. Vanhecke, P.-J. D'Huys and L. Braeken (Belgium) | 764 |
| <i>Integration of concepts and policies for sustainable management of soil-water systems and resource efficiency</i> | |
| Risk-based prioritization of ground water threatening point sources at catchment and regional scales N.D. Overheu, N. Tuxen, J. Flyvbjerg, J. Aabling, J.A. Andersen, J.K. Pedersen, T. Thyregod, P.J. Binning and P.L. Bjerg (Denmark) | 769 |
| The soil-water system as basis for a climate proof and healthy urban environment: Opportunities identified in a Dutch case-study J. Claessens, D. Schram-Bijkerk, L. Dirven-van Breemen, P. Otte and H. van Wijnen (The Netherlands) | 776 |
| Using soil function evaluation in multi-criteria decision analysis for sustainability appraisal of remediation alternatives Y. Volchko, J. Norrman, L. Rosén, M. Bergknut, S. Josefsson, T. Söderqvist, T. Norberg, K. Wiberg and M. Tysklind (Sweden) | 785 |
| Reuse and recycle – Considering the soil below constructions P. Suer, O. Wik and M. Erlandsson (Sweden). | 792 |
| Ecosystem services in sustainable groundwater management J. Tuinstra and J. van Wensem (The Netherlands) | 798 |
| Towards sustainable management of groundwater: Policy developments in The Netherlands J.P.A. Lijzen, P. Otte and M. van Dreumel (The Netherlands) | 804 |
| A technical investigation on tools and concepts for sustainable management of the subsurface in The Netherlands J. Griffioen, J. van Wensem, J.L.M. Oomes, F. Barends, J. Breunese, H. Bruining, T. Olsthoorn, A.J.M. Stams and A.E.C. van der Stoel (The Netherlands) | 810 |
| <i>Water resource management with a special focus on arid and semi-arid regions</i> | |
| Effects of storm runoff on the thermal regime and water quality of a deep, stratified reservoir in a temperate monsoon zone, in Northwest China T. Huang, X. Li, H. Rijnaarts, T. Grotenhuis, W. Ma, X. Sun and J. Xu (PR China, The Netherlands) | 820 |
| Challenges to estimate surface- and groundwater flow in arid regions: The Dead Sea catchment C. Siebert, T. Rödiger, U. Mallast, A. Gräbe, J. Guttman, J.B. Laronne, Y. Storz-Peretz, A. Greenman, E. Salameh, M. Al-Raggad, D. Vachtman, A.B. Zvi, D. Ionescu, A. Brenner, R. Merz and S. Geyer (Germany, Israel, Kingdom of Jordan, Norway) | 828 |