

774
S40/te


Published in 36 issues each year
Volumes 488-489 • 1 AUGUST 2014 • ISSN 0048-9697


Special Sections:

Aerosols and Air Quality

Towards sustainable solutions for arsenic- and fluoride-free drinking
water supply in low- and middle-income countries

Science OF THE Total Environment





Contents

Chemical inputs from a karstic submarine groundwater discharge (SGD) into an oligotrophic Mediterranean coastal area A. Pavlidou, V.P. Papadopoulos, I. Hatzianestis, N. Simboura, D. Patiris and C. Tsabaris (Greece)	1
Diagnosis of abnormal patterns in multivariate microclimate monitoring: A case study of an open-air archaeological site in Pompeii (Italy) P. Merello, F.-J. García-Diego and M. Zarzo (Spain)	14
Phthalates and alkylphenols in industrial and domestic effluents: Case of Paris conurbation (France) A. Bergé, J. Gasperi, V. Rocher, L. Gras, A. Coursimault and R. Moilleron (France)	26
Drought to flood: A comparative assessment of four parallel surface water treatments during the 2010–2012 inflows to the Murray–Darling Basin, South Australia K. Braun, R. Fabris, J. Morran, L. Ho and M. Drikas (Australia)	36
Tissue-specific bioconcentration of antidepressants in fish exposed to effluent from a municipal sewage treatment plant K. Grabicova, R.H. Lindberg, M. Östman, R. Grabic, T. Randak, D.G. Joakim Larsson and J. Fick (Czech Republic, Sweden)	46
Investigating sources and pathways of perfluoroalkyl acids (PFAAs) in aquifers in Tokyo using multiple tracers K. Kuroda, M. Murakami, K. Oguma, H. Takada and S. Takizawa (Japan)	51
Anthropogenic land uses elevate metal levels in stream water in an urbanizing watershed S. Yu, Q. Wu, Q. Li, J. Gao, Q. Lin, J. Ma, Q. Xu and S. Wu (China)	61
Characteristics of airborne bacteria in Mumbai urban environment S. Gangamma (India)	70
Variations in the structure of airborne bacterial communities in a downwind area during an Asian dust (Kosa) event T. Maki, F. Puspitasari, K. Hara, M. Yamada, F. Kobayashi, H. Hasegawa and Y. Iwasaka (Japan)	75
Human health and safety risks management in underground coal mines using fuzzy TOPSIS S. Mahdevari, K. Shahriar and A. Esfahanipour (Iran)	85
Sources and processes affecting the spatio-temporal distribution of pharmaceuticals and X-ray contrast media in the water resources of the Lower Jordan Valley, Jordan M. Zemann, L. Wolf, A. Pöschko, N. Schmidt, A. Sawarieh, N. Seder, A. Tiehm, H. Hötzl and N. Goldscheider (Germany, Jordan)	100
Persistent organic pollutant concentrations in blubber of 16 species of cetaceans stranded in the Pacific Islands from 1997 through 2011 M.J. Bachman, J.M. Keller, K.L. West and B.A. Jensen (USA)	115
Characterization of sorption processes for the development of low-cost pesticide decontamination techniques R. Rojas, E. Vanderlinden, J. Morillo, J. Usero and H. El Bakouri (Spain)	124
Spatiotemporal trends of terrestrial vegetation activity along the urban development intensity gradient in China's 32 major cities D. Zhou, S. Zhao, S. Liu and L. Zhang (China)	136
Deriving sulfamethoxazole dissipation endpoints in pasture soils using first order and biphasic kinetic models P. Srinivasan, A.K. Sarmah and M. Rohan (New Zealand)	146
Spatial variation of biogenic sulfur in the south Yellow Sea and the East China Sea during summer and its contribution to atmospheric sulfate aerosol S.-H. Zhang, G.-P. Yang, H.-H. Zhang and J. Yang (China)	157
Distribution of artificial sweeteners in dust and soil in China and their seasonal variations in the environment of Tianjin Z. Gan, H. Sun, Y. Yao, Y. Zhao, Y. Li, Y. Zhang, H. Hu and R. Wang (China)	168
Arsenic accumulation in maize crop (<i>Zea mays</i>): A review J.M. Rosas-Castor, J.L. Guzmán-Mar, A. Hernández-Ramírez, M.T. Garza-González and L. Hinojosa-Reyes (Mexico)	176
Polar organic chemical integrative samplers for pesticides monitoring: Impacts of field exposure conditions S. Lissalde, N. Mazzella and P. Mazellier (France)	188
Can artificial neural networks be used to predict the origin of ozone episodes? T. Fontes, L.M. Silva, M.P. Silva, N. Barros and A.C. Carvalho (Portugal)	197
Risk assessment of pesticides detected in surface water of the Alqueva reservoir (Guadiana basin, southern of Portugal) P. Palma, M. Köck-Schulmeyer, P. Alvarenga, L. Ledo, I.R. Barbosa, M. López de Alda and D. Barceló (Portugal, Spain)	208
Prevalence of antibiotic-resistant fecal bacteria in a river impacted by both an antibiotic production plant and urban treated discharges R. Sidrach-Cardona, M. Hijosa-Valsero, E. Martí, J.L. Balcázar and E. Becares (Spain)	220

Contribution of pharmaceuticals, fecal bacteria and endotoxin to the inflammatory responses to inland waters A. El Marghani, A. Pradhan, A. Seyoum, H. Khalaf, T. Ros, L.-H. Forsberg, T. Nermark, L. Osterman, U. Wiklund, P. Ivarsson, J. Jass and P.-E. Olsson (Sweden)	228
The responses of the taxa composition of particle-attached bacterial community to the decomposition of <i>Microcystis</i> blooms K. Shao, L. Zhang, Y. Wang, X. Yao, X. Tang, B. Qin and G. Gao (China)	236
Importance of nanoparticles and colloids from volcanic ash for riverine transport of trace elements to the ocean: Evidence from glacial-fed rivers after the 2010 eruption of Eyjafjallajökull Volcano, Iceland N. Tepe and M. Bau (Germany)	243
Levels and patterns of persistent organic pollutants (POPs) in tilapia (<i>Oreochromis</i> sp.) from four different lakes in Tanzania: Geographical differences and implications for human health A. Polder, M.B. Müller, J.L. Lyche, R.H. Mdegela, H.E. Nonga, F.P. Mabiki, T.J. Mbise, J.U. Skaare, M. Sandvik, E. Skjerve and E. Lie (Norway, Tanzania)	252
Occurrence of veterinary antibiotics and progesterone in broiler manure and agricultural soil in Malaysia Y.B. Ho, M.P. Zakaria, P.A. Latif and N. Saari (Malaysia)	261
Fate of ¹⁴ C-labeled dissolved organic matter in paddy and upland soils in responding to moisture X. Chen, A. Wang, Y. Li, L. Hu, H. Zheng, X. He, T. Ge, J. Wu, Y. Kuzyakov and Y. Su (China, Germany)	268
Prenatal pyrethroid insecticide exposure and thyroid hormone levels and birth sizes of neonates J. Zhang, J. Yoshinaga, A. Hisada, H. Shiraiishi, K. Shimodaira, T. Okai, M. Koyama, N. Watanabe, E. Suzuki, M. Shirakawa, Y. Noda, Y. Komine, N. Arika and N. Kato (Japan)	275
Long-term trends in alkalinity in large rivers of the conterminous US in relation to acidification, agriculture, and hydrologic modification E.G. Stets, V.J. Kelly and C.G. Crawford (United States, India/United States)	280
Relative abundance and treatment reduction of viruses during wastewater treatment processes – Identification of potential viral indicators M. Kitajima, B.C. Iker, I.L. Pepper and C.P. Gerba (USA)	290
Particulate matter and gaseous pollutants in the Mediterranean Basin: Results from the MED-PARTICLES project A. Karanasiou, X. Querol, A. Alastuey, N. Perez, J. Pey, C. Perrino, G. Berti, M. Gandini, V. Poluzzi, S. Ferrari, J. de la Rosa, M. Pascal, E. Samoli, A. Kelessis, J. Sunyer, E. Alessandrini, M. Stafoggia, F. Forastiere and the MED-PARTICLES Study Group (Spain, Italy, France/Maurice, Greece)	297
The effects of different coatings on zinc oxide nanoparticles and their influence on dissolution and bioaccumulation by the green alga, <i>C. reinhardtii</i> V. Merdzan, R.F. Domingos, C.E. Monteiro, M. Hadioui and K.J. Wilkinson (Canada, Portugal)	316
Formaldehyde formation from tertiary amine derivatives during chlorination K. Kosaka, M. Asami, T. Nakai, K. Ohkubo, S. Echigo and M. Akiba (Japan)	325
Environmental and socio-economic vulnerability of agricultural sector in Armenia A. Melkonyan (Germany)	333
Land use regression models to estimate the annual and seasonal spatial variability of sulfur dioxide and particulate matter in Tehran, Iran H. Amini, S.M. Taghavi-Shahri, S.B. Henderson, K. Naddafi, R. Nabizadeh and M. Yunesian (Iran, Canada)	343
Special Section: Aerosols and Air Quality	
Aerosols and air quality S. Incecik, A. Gertler and P. Kassomenos (Turkey, United States, Greece)	355
Migration of PAHs in food industry sludge to the air during removal by UV and TiO ₂ G. Karaca and Y. Tasdemir (Turkey)	356
Combining environment and health information systems for the assessment of atmospheric pollution on human health A.N. Skouloudis and P. Kassomenos (Italy, Greece)	362
Emission inventory of primary air pollutants in 2010 from industrial processes in Turkey U. Alyuz and K. Alp (Turkey)	369
Adaptive traffic management in cities – Comparing decision-making methods S. van den Elshout, R. Molenaar and B. Wester (The Netherlands)	382
Natural and anthropogenic aerosols in the Eastern Mediterranean and Middle East: Possible impacts G. Kallos, S. Solomos, J. Kushta, C. Mitsakou, C. Spyrou, N. Bartsotas and C. Kalogeri (Greece)	389
Comparison of ground based indices (API and AQI) with satellite based aerosol products S. Zheng, C.-X. Cao and R.P. Singh (PR China, USA)	398
The contribution of Saharan dust in PM ₁₀ concentration levels in Anatolian Peninsula of Turkey B. Kabatas, A. Unal, R.B. Pierce, T. Kindap and L. Pozzoli (Turkey, USA)	413
Chemical composition of Eastern Black Sea aerosol—Preliminary results İ. Balcılar, A. Zararsız, Y. Kalaycı, G. Doğan and G. Tuncel (Turkey)	422
Quantification of emissions from domestic heating in residential areas of Izmir, Turkey and assessment of the impact on local/regional air-quality D. Sari and A. Bayram (Turkey)	429
Toxicity evaluation and source apportionment of Polycyclic Aromatic Hydrocarbons (PAHs) at three stations in Istanbul, Turkey A. Hanedar, K. Alp, B. Kaynak and E. Aşar (Turkey)	437
Urban air pollution & its assessment in Lucknow City – The second largest city of North India A. Lawrence and N. Fatima (India)	447
Urban PM source apportionment mapping using microscopic chemical imaging A.W. Gertler, D. Moshe and Y. Rudich (United States, Israel)	456
CAQI Common Air Quality Index – Update with PM _{2.5} and sensitivity analysis S. van den Elshout, K. Léger and H. Heich (The Netherlands, France, Germany)	461

Investigation of temporal and spatial variations in atmospheric concentrations of PCDDs and PCDFs in Istanbul G. Gunes, A. Saral, H. Celikten, S.L. Kuzu, S. Demir and N. Uygur (Turkey)	469
Special Section: Towards sustainable solutions for arsenic- and fluoride-free drinking water supply in low- and middle-income countries	
Towards sustainable safe drinking water supply in low- and middle-income countries: The challenges of geogenic contaminants and mitigation measures	
C.A. Johnson, M. Berg and D. Sabatini (Switzerland, USA)	475
Enhancing arsenic mitigation in Bangladesh: Findings from institutional, psychological, and technical investigations	
R. Johnston, S.J. Hug, J. Inauen, N.I. Khan, H.-J. Mosler and H. Yang (Switzerland, Australia)	477
Comparison of two blanket surveys of arsenic in tubewells conducted 12 years apart in a 25 km ² area of Bangladesh	
A. van Geen, E.B. Ahmed, L. Pitcher, J.L.Mey, H. Ahsan, J.H. Graziano and K.M. Ahmed (USA, Bangladesh).	484
Arsenic mitigation in Bangladesh: An analysis of institutional stakeholders' opinions	
N.I. Khan and H. Yang (Switzerland, Australia)	493
A methodology for the sustainability assessment of arsenic mitigation technology for drinking water	
T.R. Etmanski and R.C. Darton (UK)	505
Business model innovation in the water sector in developing countries	
H. Gebauer and C.J. Saul (Switzerland, Sweden)	512
Water-supply options in arsenic-affected regions in Cambodia: Targeting the bottom income quintiles	
J.F. Chamberlain and D.A. Sabatini (United States).	521
Multi-criteria assessment of community-based fluoride-removal technologies for rural Ethiopia	
L. Osterwalder, C.A. Johnson, H. Yang and R.B. Johnston (Switzerland)	532
Electro-chemical arsenic remediation: Field trials in West Bengal	
S.E. Amrose, S.R.S. Bandaru, C. Delaire, C.M. van Genuchten, A. Dutta, A. DebSarkar, C. Orr, J. Roy, A. Das and A.J. Gadgil (USA, India). . .	539
Mitigating arsenic crisis in the developing world: Role of robust, reusable and selective hybrid anion exchanger (HAIX)	
M. German, H. Seingheng and A.K. SenGupta (United States, CambodiaRussian Federation)	547
Arsenate adsorption onto iron oxide amended rice husk char	
C.O. Cope, D.S. Webster and D.A. Sabatini (USA)	554
Human exposure to arsenic from drinking water in Vietnam	
T. Agusa, P.T.K. Trang, V.M. Lan, D.H. Anh, S. Tanabe, P.H. Viet and M. Berg (Japan, Switzerland)	562
Elevated arsenic and manganese in groundwaters of Murshidabad, West Bengal, India	
M.S. Sankar, M.A. Vega, P.P. Defoe, M.G. Kibria, S. Ford, K. Telfeyan, A. Neal, T.J. Mohajerin, G.M. Hettiarachchi, S. Barua, C. Hobson, K. Johannesson and S. Datta (USA)	570
Practical considerations, column studies and natural organic material competition for fluoride removal with bone char and aluminum amended materials in the Main Ethiopian Rift Valley	
L.R. Brunson and D.A. Sabatini (United States)	580
Design and development of sustainable remediation process for mitigation of fluoride contamination in ground water and field application for domestic use	
P. Gwala, S. Andey, P. Nagarnaik, S.P. Ghosh, P. Pal, P. Deshmukh and P. Labhasetwar (India)	588
The effect of non-fluoride factors on risk of dental fluorosis: Evidence from rural populations of the Main Ethiopian Rift	
J. Kravchenko, T. Rango, I. Akushevich, B. Atlaw, P.G. McCormick, R.B. Merola, C. Paul, E. Weinthal, C. Harrison, A. Vengosh and M. Jeuland (United States, Ethiopia, Sri Lanka)	595