




NU  
S40/te



Published in 36 issues each year  
Volume 490 • 15 AUGUST 2014 • ISSN 0048-9697

# Science OF THE Total Environment





## Contents

Comparative assessment of herbicide and fungicide runoff risk: A case study for peanut production in the Southern Atlantic Coastal Plain (USA) T.L. Potter, D.D. Bosch and T.C. Strickland (United States) . . . . .	1
Preferential interaction of Na <sup>+</sup> over K <sup>+</sup> with carboxylate-functionalized silver nanoparticles L.R. Pokhrel, C.P. Andersen, P.T. Rygielwicz and M.G. Johnson (USA) . . . . .	11
Potential enterovirulence and antimicrobial resistance in <i>Escherichia coli</i> isolates from aquatic environments in Rio de Janeiro, Brazil R.C.d.L. Rebello and A.H. Regua-Mangia (Brazil) . . . . .	19
Identifying the role of environmental drivers in organic carbon export from a forested peat catchment E. Ryder, E. de Eyto, M. Dillane, R. Poole and E. Jennings (Ireland) . . . . .	28
Impact of bicycle route type on exposure to traffic-related air pollution P. MacNaughton, S. Melly, J. Vallarino, G. Adamkiewicz and J.D. Spengler (USA). . . . .	37
Uncertainties associated with lacking data for predictions of solid-solution partitioning of metals in soil T.T.Y. Le and A.J. Hendriks (The Netherlands) . . . . .	44
Relationships between dibenzo- <i>p</i> -dioxins (PCDDs), dibenzofurans (PCDFs) and dioxin-like biphenyls (dl-PCBs) congener concentrations in aquatic organisms from Sydney Estuary, Australia and physiology, spatial, seasonality, trophodynamic and life history traits A.L. Sezmis, G. Birch and A. Covaci (Australia, Belgium) . . . . .	50
Input of pharmaceuticals through coastal surface watercourses into a Mediterranean lagoon (Mar Menor, SE Spain): Sources and seasonal variations R. Moreno-González, S. Rodríguez-Mozaz, M. Gros, E. Pérez-Cánovas, D. Barceló and V.M. León (Spain) . . . . .	59
Multimatrix measurement of persistent organic pollutants in Mar Chiquita, a continental saline shallow lake M.L. Ballesteros, K.S.B. Miglioranza, M. Gonzalez, G. Fillmann, D.A. Wunderlin and M.A. Bistoni (Argentina, Brazil) . . . . .	73
The potential benefits of herbicide regulation: A cautionary note for the Great Barrier Reef catchment area A.M. Davis, S.E. Lewis, J.E. Brodie and A. Benson (Australia) . . . . .	81
Validation of OMI HCHO data and its analysis over Asia K.H. Baek, J.H. Kim, R.J. Park, K. Chance and T.P. Kurosu (Republic of Korea, USA) . . . . .	93
Evidence for sensitivity of dune wetlands to groundwater nutrients J. Rhymes, H. Wallace, N. Fenner and L. Jones (UK) . . . . .	106
Snail consumption and breeding performance of pied flycatchers ( <i>Ficedula hypoleuca</i> ) along a pollution gradient in the Middle Urals, Russia E. Belskii and M. Grebennikov (Russia). . . . .	114
Redox proteomics as biomarker for assessing the biological effects of contaminants in crayfish from Doñana National Park R. Fernández-Cisnal, J. Alhama, N. Abril, C. Pueyo and J. López-Barea (Spain). . . . .	121
Composition of PM <sub>2.5</sub> and PM <sub>1</sub> on high and low pollution event days and its relation to indoor air quality in a home for the elderly A.J. Buczyńska, A. Krata, R. Van Grieken, A. Brown, G. Polezer, K. De Wael and S. Potgieter-Vermaak (Belgium, Poland, United Kingdom, South Africa) . . . . .	134
Short- and medium-chain chlorinated paraffins in urban soils of Shanghai: Spatial distribution, homologue group patterns and ecological risk assessment X-T. Wang, X-K. Wang, Y. Zhang, L. Chen, Y-F. Sun, M. Li and M-H. Wu (China). . . . .	144
Occurrence and source apportionment of PAHs in highly vulnerable karst system Y. Shao, Y. Wang, X. Xu, X. Wu, Z. Jiang, S. He and K. Qian (PR China) . . . . .	153
Soil nematode assemblages as bioindicators of radiation impact in the Chernobyl Exclusion Zone C. Lecomte-Pradines, J.-M. Bonzom, C. Della-Vedova, K. Beaugelin-Seiller, C. Villenave, S. Gaschak, F. Coppin, N. Dubourg, A. Maksimenko, C. Adam-Guillermin and J. Garnier-Laplace (France, Ukraine) . . . . .	161
Source apportionment of sulfate and nitrate particulate matter in the Eastern United States and effectiveness of emission control programs H. Zhang, J. Hu, M. Kleeman and Q. Ying (USA) . . . . .	171
Uncertainty quantification and integration of machine learning techniques for predicting acid rock drainage chemistry: A probability bounds approach G.D. Betrie, R. Sadiq, K.A. Morin and S. Tesfamariam (Canada) . . . . .	182

Monitoring of event-based mobilization of hydrophobic pollutants in rivers: Calibration of turbidity as a proxy for particle facilitated transport in field and laboratory H. Rügner, M. Schwientek, M. Egner and P. Grathwohl (Germany) . . . . .	191
Source contributions of PAHs and toxicity in reed wetland soils of Liaohe estuary using a CMB-TEQ method G. Li, Y. Lang, W. Yang, P. Peng and X. Wang (China) . . . . .	199
Biomonitoring of traffic-related nitrogen pollution using <i>Letharia vulpina</i> (L.) Hue in the Sierra Nevada, California R. Bermejo-Orduna, J.R. McBride, K. Shiraishi, D. Elustondo, E. Lasheras and J.M. Santamaría (Spain, United States) . . . . .	205
Tracing nitrate pollution sources and transformation in surface- and ground-waters using environmental isotopes Y. Zhang, F. Li, Q. Zhang, J. Li and Q. Liu (China) . . . . .	213
Photosonochemical degradation of butyl-paraben: Optimization, toxicity and kinetic studies R. Daghrir, A. Dimboukou-Mpira, B. Seyhi and P. Drogui (Canada, France) . . . . .	223
Analysis of organic contaminant desorption kinetic data for sediments and soils: Implications for the Tenax extraction time for the determination of bioavailable concentrations P.C.M. van Noort, A. Poot and A.A. Koelmans (The Netherlands) . . . . .	235
Biogenic volatile organic compound (BVO) emissions from forested areas in Turkey: Determination of specific emission rates for thirty-one tree species Y.M. Aydin, B. Yaman, H. Koca, O. Dasdemir, M. Kara, H. Altiok, Y. Dumanoglu, A. Bayram, D. Tolunay, M. Odabasi and T. Elbir (Turkey) . . . . .	239
Influence of household cleaning practices on the magnitude and variability of urinary monochlorinated bisphenol A H. Kalyvas, S.S. Andra, P. Charisiadis, C. Karaolis and K.C. Makris (Cyprus, USA) . . . . .	254
Monitoring land use/land cover transformations from 1945 to 2007 in two peri-urban mountainous areas of Athens metropolitan area, Greece G. Mallinis, N. Koutsias and M. Arianoutsou (Greece) . . . . .	262
A one-year follow-up analysis of antidepressants in Portuguese wastewaters: Occurrence and fate, seasonal influence, and risk assessment L.J.G. Silva, A.M.P.T. Pereira, L.M. Meisel, C.M. Lino and A. Pena (Portugal) . . . . .	279
Occurrence and removal of estrogens in Brazilian wastewater treatment plants G.P. Pessoa, N.C. de Souza, C.B. Vidal, J.A.C. Alves, P.I.M. Firmino, R.F. Nascimento and A.B. dos Santos (Brazil) . . . . .	288
Pharmaceuticals and personal care products in chicken meat and other food animal products: A market-basket pilot study P.A. Baron, D.C. Love and K.E. Nachman (USA) . . . . .	296
Examining the influence of urban definition when assessing relative safety of drinking-water in Nigeria E. Christenson, R. Bain, J. Wright, S. Aondoakaa, R. Hossain and J. Bartram (USA, UK, Nigeria, Switzerland) . . . . .	301
Pathways of human exposure to cobalt in Katanga, a mining area of the D.R. Congo K. Cheyns, C. Banza Lubaba Nkulu, L.K. Ngombe, J.N. Asosa, V. Haufroid, T. De Putter, T. Nawrot, C.M. Kimpanga, O.L. Numbi, B.K. Ilunga, B. Nemery and E. Smolders (Belgium, People's Republic of Congo) . . . . .	313
Analysis of particle-borne odorants emitted from concentrated animal feeding operations X. Yang, Y. Lorjaroenphon, K.R. Cadwallader, X. Wang, Y. Zhang and J. Lee (USA) . . . . .	322
Genotoxic assessment in tobacco farmers at different crop times F.R. Da Silva, K. Kvitko, P. Rohr, M.B. Abreu, F.V. Thiesen and J. Da Silva (Brazil) . . . . .	334
An uncertainty and sensitivity analysis applied to the prioritisation of pharmaceuticals as surface water contaminants from wastewater treatment plant direct emissions S.A. Morais, C. Delerue-Matos and X. Gabarrell (Spain, Portugal) . . . . .	342
Concentration profiles and spatial distribution of perfluoroalkyl substances in an industrial center with condensed fluorochemical facilities G. Shan, M. Wei, L. Zhu, Z. Liu and Y. Zhang (PR China) . . . . .	351
Impact of activated sludge configuration and operating conditions on in vitro and in vivo responses and trace organic compound removal W.J. Parker, V. Pileggi, P. Seto, X. Chen, M. Ogunlaja, G. Van Der Kraak and J. Parrott (Canada) . . . . .	360
Occurrence of multi-antibiotic resistant <i>Pseudomonas</i> spp. in drinking water produced from karstic hydrosystems A. Flores Ribeiro, J. Bodilis, L. Alonso, S. Buquet, M. Feuilloley, J.-P. Dupont and B. Pawlak (France) . . . . .	370
Long-term (1930–2010) trends in groundwater levels in Texas: Influences of soils, landcover and water use S. Chaudhuri and S. Ale (United States) . . . . .	379
The pollution levels of BTEX and carbonyls under haze and non-haze days in Beijing, China Y. Zhang, Y. Mu, F. Meng, H. Li, X. Wang, W. Zhang, A. Mellouki, J. Gao, X. Zhang, S. Wang and F. Chai (China, France) . . . . .	391
Soil microbial properties after long-term swine slurry application to conventional and no-tillage systems in Brazil E.L. Balota, O. Machineski, K.I.A. Hamid, I.F.U. Yada, G.M.C. Barbosa, A.S. Nakatani and M.S. Coyne (Brazil, USA) . . . . .	397
Evaluating the critical source area concept of phosphorus loss from soils to water-bodies in agricultural catchments M. Shore, P. Jordan, P.-E. Mellander, M. Kelly-Quinn, D.P. Wall, D.P. Wall, P.N.C. Murphy and A.R. Melland (Ireland, United Kingdom, Australia) . . . . .	405
Application of TaqMan fluorescent probe-based quantitative real-time PCR assay for the environmental survey of <i>Legionella</i> spp. and <i>Legionella pneumophila</i> in drinking water reservoirs in Taiwan P.-M. Kao, B.-M. Hsu, T.-K. Hsu, W.-T. Ji, P.-H. Huang, C.-J. Hsueh, C.-S. Chiang, S.-W. Huang and Y.-L. Huang (Taiwan, ROC) . . . . .	416
Applications of stochastic models and geostatistical analyses to study sources and spatial patterns of soil heavy metals in a metalliferous industrial district of China B. Zhong, T. Liang, L. Wang and K. Li (China) . . . . .	422
The role of litterfall in transferring Fukushima-derived radiocesium to a coniferous forest floor M.T. Teramage, Y. Onda, H. Kato and T. Gomi (Japan) . . . . .	435
Pilot study of seasonal occurrence and distribution of antibiotics and drug resistant bacteria in wastewater treatment plants in Slovakia L. Birošová, T. Mackuľák, I. Bodík, J. Ryba, J. Škubák and R. Grabic (Slovakia, Czech Republic) . . . . .	440
Integrated biomarker analysis of chlorpyrifos metabolism and toxicity in the earthworm <i>Aporrectodea caliginosa</i> J.C. Sanchez-Hernandez, C. Narvaez, P. Sabat and S. Martínez Mocillo (Spain, Chile) . . . . .	445

Sources and fates of heavy metals in a mining-impacted stream: Temporal variability and the role of iron oxides L.A. Schaider, D.B. Senn, E.R. Estes, D.J. Brabander and J.P. Shine (USA) . . . . .	456
Green roofs for a drier world: Effects of hydrogel amendment on substrate and plant water status T. Savi, M. Marin, D. Boldrin, G. Incerti, S. Andri and A. Nardini (Italy) . . . . .	467
Polychlorinated biphenyls still pose significant health risks to northwest Atlantic harbor seals S.D. Shaw, M.L. Berger, L. Weijs, O. Pöpke and A. Covaci (USA, Belgium, Germany) . . . . .	477
Receptor modelling of airborne particulate matter in the vicinity of a major steelworks site A.M. Taiwo, D.C.S. Beddows, G. Calzolari, R.M. Harrison, F. Lucarelli, S. Nava, Z. Shi, G. Valli and R. Vecchi (United Kingdom, Italy) . . . . .	488
Mechanism for the formation and microphysical characteristics of submicron aerosol during heavy haze pollution episode in the Yangtze River Delta, China H. Wang, J. An, L. Shen, B. Zhu, C. Pan, Z. Liu, X. Liu, Q. Duan, X. Liu and Y. Wang (China) . . . . .	501
Rural:urban inequalities in post 2015 targets and indicators for drinking-water R.E.S. Bain, J.A. Wright, E. Christenson and J.K. Bartram (USA, UK) . . . . .	509
Elemental concentrations in deposited dust on leaves along an urbanization gradient E. Simon, E. Baranyai, M. Braund, C. Cserhádi, I. Fábrián and B. Tóthmérész (Hungary) . . . . .	514
PAH exposure biomarkers are associated with clinico-chemical changes in the brick kiln workers in Pakistan A. Kamal, R.N. Malik, T. Martellini and A. Cincinelli (Pakistan, Italy) . . . . .	521
Chemical characterization and source apportionment of indoor and outdoor fine particulate matter (PM <sub>2.5</sub> ) in retirement communities of the Los Angeles Basin S. Hasheminassab, N. Daher, M.M. Shafer, J.J. Schauer, R.J. Delfino and C. Sioutas (USA) . . . . .	528
Challenges associated with projecting urbanization-induced heat-related mortality D.M. Hondula, M. Georgescu and R.C. Balling Jr. (USA) . . . . .	538
Chronic exposure to odorous chemicals in residential areas and effects on human psychosocial health: Dose-response relationships V. Blanes-Vidal, J. Bælum, E.S. Nadimi, P. Løfstrøm and L.P. Christensen (Denmark) . . . . .	545
Polychlorinated naphthalenes in sewage sludge from wastewater treatment plants in China H. Zhang, K. Xiao, J. Liu, T. Wang, G. Liu, Y. Wang and G. Jiang (China) . . . . .	555
The effect of organohalogen contaminants on western Steller sea lion survival and movement in the Russian Far East A. Zaleski, S. Atkinson, V. Burkanov and T. Quinn II (USA, Russia) . . . . .	561
Influence of monsoons on atmospheric CO <sub>2</sub> spatial variability and ground-based monitoring over India Y.K. Tiwari, R.K. Veilore, K. Ravi Kumar, M. van der Schoot and C.-H. Cho (India, Australia, Korea) . . . . .	570
Developing resilient green roofs in a dry climate M. Razzaghmanesh, S. Beecham and C.J. Brien (Australia) . . . . .	579
Arsenic mobilization in aquifers of the southwest Songnen basin, P.R. China: Evidences from chemical and isotopic characteristics H. Guo, D. Zhang, D. Wen, Y. Wu, P. Ni, Y. Jiang, Q. Guo, F. Li, H. Zheng and Y. Zhou (PR China) . . . . .	590
Association between serum organochlorines and global methylation level of leukocyte DNA among Japanese women: a cross-sectional study H. Itoh, M. Iwasaki, Y. Kasuga, S. Yokoyama, H. Onuma, H. Nishimura, R. Kusama, T. Yoshida, K. Yokoyama and S. Tsugane (Japan) . . . . .	603
Toxicity of PHOS-CHEK LC-95A and 259F fire retardants to ocean- and stream-type Chinook salmon and their potential to recover before seawater entry J.P. Dietrich, A.L. Van Gaest, S.A. Strickland, G.P. Hutchinson, A.B. Krupkin and M.R. Arkoosh (USA) . . . . .	610
C and N accumulations in soil aggregates determine nitrous oxide emissions from cover crop treated rice paddy soils during fallow season P. Pramanik, Md.M. Haque, S.Y. Kim and P.J. Kim (South Korea) . . . . .	622
Fate and transport of monensin in the presence of nonionic surfactant Brij35 in soil E.M. ElSayed and S.O. Prasher (Canada) . . . . .	629
Mechanistic and kinetic studies on the OH-initiated atmospheric oxidation of fluoranthene J. Dang, X. Shi, Q. Zhang, J. Hu, J. Chen and W. Wang (PR China) . . . . .	639
The influence of governmental mitigation measures on contamination characteristics of PM <sub>2.5</sub> in Beijing Y. Chen, N. Schleicher, Y. Chen, F. Chai and S. Norra (Germany, China) . . . . .	647
Recent history of sediment metal contamination in Lake Macquarie, Australia, and an assessment of ash handling procedure effectiveness in mitigating metal contamination from coal-fired power stations L. Schneider, W. Maher, J. Potts, B. Gruber, G. Batley, A. Taylor, A. Chariton, F. Krikowa, A. Zawadzki and H. Hejnis (Australia) . . . . .	659
Partitioning of alcohol ethoxylates and polyethylene glycols in the marine environment: Field samplings vs laboratory experiments J.M. Traverso-Soto, B.J. Brownawell, E. González-Mazo and P.A. Lara-Martín (Spain, United States) . . . . .	671
Agents of earthy-musty taste and odor in water: Evaluation of cytotoxicity, genotoxicity and toxicogenomics L. Burgos, M. Lehmann, D. Simon, H.H.R. de Andrade, B.R.R. de Abreu, D.D. Nabinger, I. Grivicich, V.B. Juliano and R.R. Dohl (Brazil) . . . . .	679
Predicting indoor heat exposure risk during extreme heat events A. Quinn, J.D. Tamerius, M. Perzanowski, J.S. Jacobson, I. Goldstein, L. Acosta, J. Shaman (USA) . . . . .	686
On the history of a reoccurring concept: Phosphorus scarcity A.E. Ulrich and E. Frossard (Switzerland) . . . . .	694
Contamination profiles of antibiotic resistance genes in the sediments at a catchment scale H.-C. Su, C.-G. Pan, G.-G. Ying, J.-L. Zhao, L.-J. Zhou, Y.-S. Liu, R. Tao, R.-Q. Zhang and L.-Y. He (China) . . . . .	708
Agro-forest landscape and the 'fringe' city: A multivariate assessment of land-use changes in a sprawling region and implications for planning L. Salvati (Italy) . . . . .	715
Estimation of amphetamine and methamphetamine uses in Beijing through sewage-based analysis J. Li, L. Hou, P. Du, J. Yang, K. Li, Z. Xu, C. Wang, H. Zhang and X. Li (PR China, Canada) . . . . .	724
The legal framework to manage chemical pollution in India and the lesson from the Persistent Organic Pollutants (POPs) B.M. Sharma, G.K. Bharat, S. Tayal, L. Nizzetto and T. Larssen (India, Norway, Czech Republic) . . . . .	733

A new approach to assessing the water footprint of wine: An Italian case study L. Lamastra, N.A. Suciù, E. Novelli and M. Trevisan (Italy) . . . . .	748
Sources of indoor and outdoor PM <sub>2.5</sub> concentrations in primary schools F. Amato, I. Rivas, M. Viana, T. Moreno, L. Bouso, C. Reche, M. Álvarez-Pedrerol, A. Alastuey, J. Sunyer and X. Querol (Spain) . . . . .	757
Use of lipid biomarkers for identification of regional sources and dechlorination characteristics of polychlorinated biphenyls in the East China Sea Y. Fan, J. Lan, H. Li, Y. Cao, Z. Zhao, J. Wang, M. Zhao and G. Jiang (China) . . . . .	766
Assessment of air pollutant sources in the deposit on monuments by multivariate analysis I. Ozga, N. Ghedini, C. Giosuè, C. Sabbioni, F. Tittarelli and A. Bonazza (Italy) . . . . .	776
Assessment of personal exposure to particulate air pollution during commuting in European cities—Recommendations and policy implications A. Karanasiou, M. Viana, X. Querol, T. Moreno and F. de Leeuw (Spain, The Netherlands) . . . . .	785
Development of a probabilistic multi-zone multi-source computational model and demonstration of its applications in predicting PM concentrations indoors J.A. McGrath, M.A. Byrne, M.R. Ashmore, A.C. Terry and C. Dimitroulopoulou (Ireland, UK) . . . . .	798
Comparative evaluation of acute and chronic toxicities of CuO nanoparticles and bulk using <i>Daphnia magna</i> and <i>Vibrio fischeri</i> A.L.d.O.F. Rossetto, S.P. Melegari, L.C. Ouriques and W.G. Matias (Brazil) . . . . .	807
PCBs and DDTs in light-vented bulbuls from Guangdong Province, South China: Levels, geographical pattern and risk assessment Y.-X. Sun, Q. Hao, X.-B. Zheng, X.-J. Luo, Z.-W. Zhang, Q. Zhang, X.-R. Xu, F.-S. Zou and B.-X. Mai (China) . . . . .	815
Persistence of <i>Escherichia coli</i> O157 and non-O157 strains in agricultural soils J. Ma, A. Mark Ibekwe, D.E. Crowley and C.-H. Yang (United States) . . . . .	822
Implications of effluent organic matter and its hydrophilic fraction on zinc(II) complexation in rivers under strong urban pressure: Aromaticity as an inaccurate indicator of DOM–metal binding Y. Louis, B. Pernet-Coudrier and G. Varrault (France) . . . . .	830
Temperature, hospital admissions and emergency room visits in Lhasa, Tibet: A time-series analysis L. Bai, Cirendunzhu, A. Woodward, Dawa, Zhaxisangmu, B. Chen and Q. Liu (PR China) . . . . .	838
Human and bovine viruses in the Milwaukee River watershed: Hydrologically relevant representation and relations with environmental variables S.R. Corsi, M.A. Borchardt, S.K. Spencer, P.E. Hughes and A.K. Baldwin (United States) . . . . .	849
The Pb isotopic record of historical to modern human lead exposure G.D. Kamenov and B.L. Gulson (USA, Australia) . . . . .	861
Life cycle assessment of nutrient removal technologies for the treatment of anaerobic digestion supernatant and its integration in a wastewater treatment plant G. Rodriguez-Garcia, N. Frison, J.R. Vázquez-Padín, A. Hospido, J.M. Garrido, F. Fatone, D. Bolzonella, M.T. Moreira and G. Feijoo (Spain, Italy) . . . . .	871
Management of irrigation frequency and nitrogen fertilization to mitigate GHG and NO emissions from drip-fertilized crops D. Abalos, L. Sanchez-Martin, L. Garcia-Torres, J.W. van Groenigen and A. Vallejo (Spain, The Netherlands) . . . . .	880
Occurrence and ecological potential of pharmaceuticals and personal care products in groundwater and reservoirs in the vicinity of municipal landfills in China X. Peng, W. Ou, C. Wang, Z. Wang, Q. Huang, J. Jin and J. Tan (China) . . . . .	889
Sequential discriminant classification of environments with different levels of exposure to tobacco smoke E. Besalú, M. Castellanos and J.M. Sanchez (Spain) . . . . .	899
The adoption of sustainable remediation behaviour in the US and UK: A cross country comparison and determinant analysis D. Hou, A. Al-Tabbaa and P. Guthrie (UK) . . . . .	905
Tissue distribution, bioconcentration, metabolism, and effects of erythromycin in crucian carp ( <i>Carassius auratus</i> ) J. Liu, G. Lu, J. Ding, Z. Zhang and Y. Wang (PR China) . . . . .	914
Impact of management strategies on the global warming potential at the cropping system level P. Goglio, B.B. Grant, W.N. Smith, R.L. Desjardins, D.E. Worth, R. Zentner and S.S. Malhi (Canada) . . . . .	921
Long-term exposure to traffic-related air pollution and cardiovascular health in a Greek cohort study M. Katsoulis, K. Dimakopoulou, X. Pedeli, D. Trichopoulos, A. Gryparis, A. Trichopoulou and K. Katsouyanni (Greece, USA, UK) . . . . .	934
Dissolved organic carbon ameliorates the effects of UV radiation on a freshwater fish A.K. Manek, M.C.O. Ferrari, D.P. Chivers and S. Niyogi (Canada) . . . . .	941
Impact of catchment geophysical characteristics and climate on the regional variability of dissolved organic carbon (DOC) in surface water G. Cool, A. Lebel, R. Sadiq and M.J. Rodriguez (Canada) . . . . .	947
2001–2012 trends on air quality in Spain X. Querol, A. Alastuey, M. Pandolfi, C. Reche, N. Pérez, M.C. Minguillón, T. Moreno, M. Viana, M. Escudero, A. Orío, M. Pallarés and F. Reina (Spain) . . . . .	957
First evaluation of illicit and licit drug consumption based on wastewater analysis in Fort de France urban area (Martinique, Caribbean), a transit area for drug smuggling D.A. Damien, N. Thomas, P. Hélène, K. Sara and L. Yves (France) . . . . .	970
Distribution coefficients ( $K_d$ ) of strontium and significance of oxides and organic matter in controlling its partitioning in coastal regions of Japan H. Takata, K. Tagami, T. Aono and S. Uchida (Japan) . . . . .	979
Occurrence and human health risk of wastewater-derived pharmaceuticals in a drinking water source for Shanghai, East China Z.-H. Wen, L. Chen, X.-Z. Meng, Y.-P. Duan, Z.-S. Zhang and E.Y. Zeng (China) . . . . .	987
Concentrations of halogenated natural products versus PCB 153 in bivalves from the North and Baltic Seas C. Hauler, G. Rimkus, C. Risacher, H.-J. Knölker and W. Vetter (Germany) . . . . .	994

Assessing effects of the fungicide tebuconazole to heterotrophic microbes in aquatic microcosms M.R. Dimitrov, S. Kosol, H. Smidt, L. Buijse, P.J. Van den Brink, R.P.A. Van Wijngaarden, T.C.M. Brock and L. Maltby (the Netherlands, Thailand, UK) . . . . .	1002
Socioeconomic influences on biodiversity, ecosystem services and human well-being: A quantitative application of the DPSIR model in Jiangsu, China Y. Hou, S. Zhou, B. Burkhard and F. Müller (Germany, China). . . . .	1012
The relationship between anammox and denitrification in the sediment of an inland river S. Zhou, S. Borjigin, S. Riya, A. Terada and M. Hosomi (China, Japan). . . . .	1029
Organochlorine pesticide levels in maternal serum and risk of neural tube defects in offspring in Shanxi Province, China: A case-control study B. Wang, D. Yi, L. Jin, Z. Li, J. Liu, Y. Zhang, X. Qiu, W. Liu, S. Tao and A. Ren (PR China). . . . .	1037
Effect of home food processing on chlordecone (organochlorine) content in vegetables F. Clostre, P. Letourmy, L. Thuriès and M. Lesueur-Jannoyer (France). . . . .	1044
Associations between land cover categories, soil concentrations of arsenic, lead and barium, and population race/ethnicity and socioeconomic status H.T. Davis, C.M. Aelion, A.B. Lawson, B. Cai and S. McDermott (USA). . . . .	1051
Residues of chromium, nickel, cadmium and lead in Rook <i>Corvus frugilegus</i> eggshells from urban and rural areas of Poland G. Orłowski, Z. Kasprzykowski, W. Dobicki, P. Pokorny, A. Wuczyński, R. Polechoński and T.D. Mazgajski (Poland) . . . . .	1057
Chemical disinfection of combined sewer overflow waters using performic acid or peracetic acids R.K. Chhetri, D. Thornberg, J. Berner, R. Gramstad, U. Öjstedt, A.K. Sharma and H.R. Andersen (Denmark, Sweden). . . . .	1065
Development and assessment of a novel <i>Arxula adenivorans</i> androgen screen (A-YAS) assay and its application in analysis of cattle urine T. Gerlach, J. Knaust, C. Kaiser, M. Körner, K. Hettwer, S., Uhlig, K., Simon, K. Baronian and G. Kunze (Germany, New Zealand) . . .	1073
Tracing fecal pollution sources in karst groundwater by <i>Bacteroidales</i> genetic biomarkers, bacterial indicators, and environmental variables Y. Zhang, W.R. Kelly, S.V. Panno and W.-T. Liu (United States) . . . . .	1082
Nitrogen and phosphorus discharge of animal origin in the Baixo Vouga: A spatial data analysis C. Clemêncio, M. Viegas and H. Nadais (Portugal) . . . . .	1091