



TW  
S40/££




Published in 36 issues each year  
Volume 496 • 15 OCTOBER 2014 • ISSN 0048-9697

Special Section:  
Mercury Biogeochemical Cycling and Processes:  
Implications for Human and Ecosystem Health

# Science OF THE Total Environment





## Contents

|   |     |
|---|-----|
| Mercury bioaccumulation factors and spurious correlations<br>C.D. Pollman and D.M. Axelrad (USA) . . . . .  | vi  |
| Air pollutant emissions from on-road vehicles in China, 1999–2011<br>J. Lang, S. Cheng, Y. Zhou, Y. Zhang and G. Wang (China) . . . . .   | 1   |
| Relating metal exposure and chemical speciation to trace metal accumulation in aquatic insects under natural field conditions<br>M. De Jonge, S. Lofts, L. Bervoets and R. Blust (Belgium, United Kingdom) . . . . .  | 11  |
| Air quality in developing world disaster and conflict zones – The case of post-earthquake Haiti<br>M.E. Davis and A. Rappaport (USA) . . . . .  | 22  |
| Water exposure assessment of aryl hydrocarbon receptor agonists in Three Gorges Reservoir, China using SPMD-based virtual organisms<br>J. Wang, S. Bernhöft, G. Pfister and K.-W. Schramm (Germany, PR China) . . . . .   | 26  |
| Ecotoxicity effects triggered in aquatic organisms by invasive <i>Acer negundo</i> and native <i>Alnus glutinosa</i> leaf leachates obtained in the process of aerobic decomposition<br>L. Manusadžianas, J. Darginavičienė, B. Gylytė, S. Jurkonienė, A. Krevš, A. Kučinskienė, R. Mačkinaitė, R. Pakalnis, K. Sadauskas, J. Sendžikaitė and R. Vitkus (Lithuania) . . . . . | 35  |
| Possible future effects of large-scale algae cultivation for biofuels on coastal eutrophication in Europe<br>H. Blaas and C. Kroeze (the Netherlands) . . . . .   | 45  |
| Human health risk assessment of the mixture of pharmaceuticals in Dutch drinking water and its sources based on frequent monitoring data<br>C.J. Houtman, J. Kroesbergen, K. Lekkerkerker-Teunissen and J.P. van der Hoek (The Netherlands) . . . . .   | 54  |
| The option to abandon: Stimulating innovative groundwater remediation technologies characterized by technological uncertainty<br>T. Compennolle, S. Van Passel, K. Huisman and P. Kort (Belgium, The Netherlands) . . . . .   | 63  |
| Dust episodes in Beirut and their effect on the chemical composition of coarse and fine particulate matter<br>M. Jaafar, R. Baalbaki, R. Mrad, N. Daher, A. Shihadeh, C. Sioutas and N.A. Saliba (Lebanon, France, USA) . . . . .   | 75  |
| PAH metabolites in European eels ( <i>Anguilla anguilla</i> ) as indicators of PAH exposure: Different methodological approaches<br>J. Szlinder-Richert, T. Nermer and U. Szatkowska (Poland) . . . . .   | 84  |
| Wet deposition of particulate carbon to the Central North Atlantic Ocean<br>D. Custódio, M. Cerqueira, P. Fialho, T. Nunes, C. Pio and D. Henriques (Portugal) . . . . .  | 92  |
| Impact of bioethanol fuel implementation in transport based on modelled acetaldehyde concentration in the urban environment<br>I. Sundvor and S. López-Aparicio (Norway) . . . . .  | 100 |
| Pleistocene paleo-groundwater as a pristine fresh water resource in southern Germany – evidence from stable and radiogenic isotopes<br>R. van Geldern, A. Baier, H.L. Subert, S. Kowol, L. Balk and J.A.C. Barth (Germany) . . . . .  | 107 |
| Evaluation of five antibiotic resistance genes in wastewater treatment systems of swine farms by real-time PCR<br>C.-W. Tao, B.-M. Hsu, W.-T. Ji, T.-K. Hsu, P.-M. Kao, C.-P. Hsu, S.-M. Shen, T.-Y. Shen, T.-J. Wan and Y.-L. Huang (Taiwan) . . . . .   | 116 |
| Combining life cycle assessment and qualitative risk assessment: The case study of alumina nanofluid production<br>G. Barberio, S. Scalbi, P. Buttol, P. Masoni and S. Righi (Italy) . . . . .  | 122 |
| Establishing a tracer-based sediment budget to preserve wetlands in Mediterranean mountain agroecosystems (NE Spain)<br>A. Navas, M. López-Vicente, L. Gaspar, L. Palazón and L. Quijano (Spain, UK) . . . . .  | 132 |
| Effect of contact time and the use of hydroxypropyl- $\beta$ -cyclodextrin in the removal of fluorene and fluoranthene from contaminated soils<br>E. Morillo, M.A. Sánchez-Trujillo, J. Villaverde, F. Madrid and T. Undabeytia (Spain) . . . . .   | 144 |
| The influence of humic acid and clay content on the transport of polymer-coated iron nanoparticles through sand<br>B. Jung, D. O'Carroll and B. Sleep (Qatar, Canada) . . . . .   | 155 |
| Micro-organic pollutants and biological response of mussels in marinas and ship building/breaking yards in Turkey<br>O.S. Okay, B. Karacık, A. Güngördü, M. Ozmen, A. Yılmaz, N.C. Koyunbaba, S.D. Yakan, V. Korkmaz, B. Henkelmann and K.-W. Schramm (Turkey, Germany) . . . . .   | 165 |
| Experimental approaches to test pesticide-treated seed avoidance by birds under a simulated diversification of food sources<br>A. Lopez-Antia, M.E. Ortiz-Santaliestra and R. Mateo (Spain) . . . . .   | 179 |
| Fluoride exposure from groundwater as reflected by urinary fluoride and children's dental fluorosis in the Main Ethiopian Rift Valley<br>T. Rango, A. Vengosh, M. Jeuland, R. Tekle-Haimanot, E. Weinthal, J. Kravchenko, C. Paul and P. McCornick (USA, Ethiopia, Sri Lanka, Singapore) . . . . .  | 188 |

|  |     |
|--|-----|
| How do microlocal environmental variations affect microbial activities of a <i>Pinus halepensis</i> litter in a Mediterranean coastal area?<br>L. Qasemian, D. Guiral and A.-M. Farnet (France) . . . . .  | 198 |
| Supporting decision-making for improving longitudinal connectivity for diadromous and potamodromous fishes in complex catchments<br>N.W.P. Brevé, A.D. Buijse, M.J. Kroes, H. Wannings and F.T. Vriese (The Netherlands) . . . . .   | 206 |
| Prospective associations between persistent organic pollutants and metabolic syndrome: A nested case-control study<br>Y.-M. Lee, K.-S. Kim, S.-A. Kim, N.-S. Hong, S.-J. Lee and D.-H. Lee (Republic of Korea) . . . . .   | 219 |
| Stable isotope composition of human fingernails from Slovakia<br>Z. Grolmusová, A. Rapčanová, J. Michalko, P. Čech and P. Veis (Slovakia) . . . . .  | 226 |
| Utilization of food industry wastes for the production of zero-valent iron nanoparticles<br>S. Machado, J.P. Grosso, H.P.A. Nouws, J.T. Albergaria and C. Delerue-Matos (Portugal) . . . . .   | 233 |
| Linking trace metals and agricultural land use in volcanic soils – A multivariate approach<br>C. Parelho, A.S. Rodrigues, J.V. Cruz and P. Garcia (Portugal) . . . . .   | 241 |
| Stakeholder engagement in dredged material management decisions<br>Z.A. Collier, M.E. Bates, M.D. Wood and I. Linkov (United States) . . . . .   | 248 |
| Fish oil disrupts seabird feather microstructure and waterproofing<br>L.A. Morandin and P.D. O'Hara (Canada) . . . . .   | 257 |
| A hybrid model for PM <sub>2.5</sub> forecasting based on ensemble empirical mode decomposition and a general regression neural network<br>Q. Zhou, H. Jiang, J. Wang and J. Zhou (China) . . . . .  | 264 |
| Genotypic and environmental variation in cadmium, chromium, lead and copper in rice and approaches for reducing the accumulation<br>F. Cao, R. Wang, W. Cheng, F. Zeng, I.M. Ahmed, X. Hu, G. Zhang and F. Wu (PR China) . . . . .   | 275 |
| Perfluoroalkyl acid contamination of follicular fluid and its consequence for <i>in vitro</i> oocyte developmental competence<br>E.M.L. Petro, W. D'Hollander, A. Covaci, L. Bervoets, E. Franssen, D. De Neubourg, I. De Pauw, J.L.M.R. Leroy, E.P.A. Jorssen and P.E.J. Bols (Belgium) . . . . . | 282 |
| Zooming into temperature conditions in the city of Leipzig: How do urban built and green structures influence earth surface temperatures in the city?<br>N. Weber, D. Haase and U. Franck (Germany) . . . . .  | 289 |
| A comprehensive evaluation of inorganic arsenic in food and considerations for dietary intake analyses<br>H.N. Lynch, G.I. Greenberg, M.C. Pollock and A.S. Lewis (USA) . . . . .  | 299 |
| Electrosmog and species conservation<br>A. Balmori (Spain) . . . . .   | 314 |
| Genetic diversity in Scots pine populations along a radiation exposure gradient<br>S.A. Geras'kin and P.Yu. Volkova (Russia) . . . . .   | 317 |
| Spatial and temporal exposure patterns in non-target small mammals during brodifacoum rat control<br>A. Geduhn, A. Esther, D. Schenke, H. Mattes and J. Jacob (Germany) . . . . .  | 328 |
| Lead exposure from aluminum cookware in Cameroon<br>J.D. Weidenhamer, P.A. Kobunski, G. Kuepou, R.W. Corbin and P. Gottesfeld (USA, Cameroon) . . . . .  | 339 |
| Metal fate and partitioning in soils under bark beetle-killed trees<br>L.A. Bearup, K.M. Mikkelsen, J.F. Wiley, A.K. Navarre-Sitchler, R.M. Maxwell, J.O. Sharp and J.E. McCray (USA) . . . . .  | 348 |
| Increased levels of oxidative DNA damage in pesticide sprayers in Thessaly Region (Greece). Implications of pesticide exposure<br>M. Koureas, A. Tsezou, A. Tsakalof, T. Orfanidou and C. Hadjichristodoulou (Greece) . . . . .  | 358 |
| Ptaquiloside in <i>Pteridium aquilinum</i> subsp. <i>aquilinum</i> and corresponding soils from the South of Italy: Influence of physical and chemical features of soils on its occurrence<br>C. Zaccone, I. Cavoski, R. Costi, G. Sarais, P. Caboni, A. Traversa and T.M. Miano (Italy) . . . . . | 365 |
| Carbon sequestration by <i>Miscanthus</i> energy crops plantations in a broad range semi-arid marginal land in China<br>J. Mi, W. Liu, W. Yang, J. Yan, J. Li and T. Sang (China) . . . . .  | 373 |
| Cellular target recognition of perfluoroalkyl acids: <i>In vitro</i> evaluation of inhibitory effects on lysine decarboxylase<br>S. Wang, Q. Lv, Y. Yang, L.-H. Guo, B. Wan and L. Zhao (China) . . . . .  | 381 |
| A simple method for routine monitoring of glyphosate and its main metabolite in surface waters using lyophilization and LC-FLD + MS/MS. Case study: canals with influence on Biscayne National Park<br>C.E. Ramirez, S. Bellmund and P.R. Gardinali (USA) . . . . .                                | 389 |
| Reach specificity in sediment <i>E. coli</i> population turnover and interaction with waterborne populations<br>G. Piorkowski, R. Jamieson, G. Bezanson, L. Truelstrup Hansen and C. Yost (Canada) . . . . .   | 402 |
| Distribution, partitioning and sources of polycyclic aromatic hydrocarbons in the water-SPM-sediment system of Lake Chaohu, China<br>N. Qin, W. He, X.-Z. Kong, W.-X. Liu, Q.-S. He, B. Yang, Q.-M. Wang, C. Yang, Y.-J. Jiang, S.E. Jorgensen, F.-L. Xu and X.-L. Zhao (China, Denmark) . . . . . | 414 |
| Impact of atmospheric boundary layer depth variability and wind reversal on the diurnal variability of aerosol concentration at a valley site<br>S. Pal, T.R. Lee, S. Phelps and S.F.J. De Wekker (USA) . . . . .  | 424 |
| Individual and cumulative effects of agriculture, forestry and metal mining activities on the metal and phosphorus content of fluvial fine-grained sediment; Quesnel River Basin, British Columbia, Canada<br>T.B. Smith and P.N. Owens (Canada) . . . . .   | 435 |
| Characteristics and chemical compositions of particulate matter collected at the selected metro stations of Shanghai, China<br>L. Guo, Y. Hu, Q. Hu, J. Lin, C. Li, J. Chen, L. Li and H. Fu (China) . . . . .   | 443 |
| The effect of nC <sub>60</sub> on tissue distribution of ibuprofen in <i>Cyprinus carpio</i><br>Q. Chen, D. Yin, X. Hu, R. Wang and C. Zhang (China) . . . . .   | 453 |
| The effects of the psychiatric drug carbamazepine on freshwater invertebrate communities and ecosystem dynamics<br>A.L. Jarvis, M.J. Bernot and R.J. Bernot (USA) . . . . .  | 461 |

|  |     |
|--|-----|
| Occurrence, distribution, sources and toxic potential of polycyclic aromatic hydrocarbons (PAHs) in surface soils from the Kumasi Metropolis, Ghana<br>N. Bortey-Sam, Y. Ikenaka, S.M.M. Nakayama, O. Akoto, Y.B. Yohannes, E. Baidoo, H. Mizukawa and M. Ishizuka (Japan, Ghana) . . . . .  | 471 |
| Arsenic contamination of the soil-wheat system irrigated with high arsenic groundwater in the Hetao Basin, Inner Mongolia, China<br>J. Tong, H. Guo and C. Wei (PR China) . . . . .  | 479 |
| DNA damage, EROD activity, condition indices, and their linkages with contaminants in female flounder ( <i>Platichthys flesus</i> ) from the southern Baltic Sea<br>H. Dabrowska, O. Kopko, A. Góra, I. Waszak and J. Walkusz-Miotk (Poland) . . . . .   | 488 |
| Relationships between the psychiatric drug carbamazepine and freshwater macroinvertebrate community structure<br>A.L. Jarvis, M.J. Bernot and R.J. Bernot (USA) . . . . .  | 499 |
| Selecting chemical and ecotoxicological test batteries for risk assessment of trace element-contaminated soils (phyto)managed by gentle remediation options (GRO)<br>J. Kumpiene, V. Bert, I. Dimitriou, J. Eriksson, W. Friesl-Hanl, R. Galazka, R. Herzig, J. Janssen, P. Kidd, M. Mench, I. Müller, S. Neu, N. Oustriere, M. Puschenreiter, G. Renella, P.-H. Roumier, G. Siebielec, J. Vangronsveld and N. Manier (Sweden, France, Austria, Poland, Switzerland, Belgium, Spain, Germany, Italy) . . . . . | 510 |
| Size and age-concentration relationships for perfluoroalkyl substances in stingray livers from eastern Australia<br>C. Baduel, F.Y. Lai, K. Townsend and J.F. Mueller (Australia) . . . . .  | 523 |
| Groundwater flow in a relatively old oceanic volcanic island: The Betancuria area, Fuerteventura Island, Canary Islands, Spain<br>C. Herrera and E. Custodio (Chile, Spain) . . . . .  | 531 |
| Restoration of eutrophic freshwater by managing internal nutrient loads. A review<br>M. Zamparas and I. Zacharias (Greece) . . . . .   | 551 |
| Phosphate oxygen isotopes within aquatic ecosystems: Global data synthesis and future research priorities<br>C.L. Davies, B.W.J. Surridge and D.C. Gooddy (UK) . . . . .   | 563 |
| Bioavailability and fate of sediment-associated trenbolone and estradiol in aquatic systems<br>J.L. Sangster, Y. Zhang, R. Hernandez, Y.A. Garcia, J.C. Sivils, M.B. Cox, D.D. Snow, A.S. Kolok and S.L. Bartelt-Hunt (USA) . . . . .  | 576 |
| Combined effects of water temperature and chemistry on the environmental fate and behavior of nanosized zinc oxide<br>S.M. Majedi, B.C. Kelly and H.K. Lee (Singapore) . . . . .   | 585 |
| Water quality variation in the highly disturbed Huai River Basin, China from 1994 to 2005 by multi-statistical analyses<br>X. Zhai, J. Xia and Y. Zhang (China) . . . . .  | 594 |
| Risk-based decision-making framework for the selection of sediment dredging option<br>N. Manap and N. Voulvoulis (Malaysia, United Kingdom) . . . . .  | 607 |
| Predictors of serum polychlorinated biphenyl concentrations in Anniston residents<br>M. Pavuk, J.R. Olson, W.A. Wattigney, N.D. Dutton, A. Sjödin, C. Shelton, W.E. Turner, S.M. Bartell and for the Anniston Environmental Health Research Consortium (USA) . . . . .   | 624 |
| <b>Special Section on Mercury biogeochemical cycling and processes: implications for human and ecosystem health, edited by "Chad R. Hammerschmidt and Mae Sexauer Gustin"</b>  |     |
| Mercury biogeochemical cycling and processes: implications for human and ecosystem health<br>C.R. Hammerschmidt, M.S. Gustin and J. Bennett (USA) . . . . .  | 635 |
| Mercury-nutrient signatures in seafood and in the blood of avid seafood consumers<br>R. Karimi, N.S. Fisher and J.R. Meliker (USA) . . . . .   | 636 |
| Methylmercury in dried shark fins and shark fin soup from American restaurants<br>D. Nalluri, Z. Baumann, D.L. Abercrombie, D.D. Chapman, C.R. Hammerschmidt and N.S. Fisher (United States) . . . . .   | 644 |
| Oral bioaccessibility and human exposure to anthropogenic and geogenic mercury in urban, industrial and mining areas<br>S.M. Rodrigues, C. Coelho, N. Cruz, R.J.R. Monteiro, B. Henriques, A.C. Duarte, P.F.A.M. Römkens and E. Pereira (Portugal, The Netherlands) . . . . .  | 649 |
| An estimation of the artisanal small-scale production of gold in the world<br>J. Seccatore, M. Veiga, C. Origliasso, T. Marin and G. De Tomi (Brazil, Canada) . . . . .  | 662 |
| Spatial distribution and accumulation of Hg in soil surrounding a Zn/Pb smelter<br>Q. Wu, S. Wang, L. Wang, F. Liu, C.-J. Lin, L. Zhang and F. Wang (China, USA) . . . . .   | 668 |
| Gaseous mercury fluxes from forest soils in response to forest harvesting intensity: A field manipulation experiment<br>M. Mazur, C.P.J. Mitchell, C.S. Eckley, S.L. Eggert, R.K. Kolka, S.D. Sebestyen and E.B. Swain (Canada, United States) . . . . .   | 678 |
| Effects of hypolimnetic oxygen addition on mercury bioaccumulation in Twin Lakes, Washington, USA<br>M. Beutel, S. Dent, B. Reed, P. Marshall, S. Gebremariam, B. Moore, B. Cross, P. Gantzer and E. Shallenberger (USA) . . . . .   | 688 |
| Fate of mercury species in the coastal plume of the Adour River estuary (Bay of Biscay, SW France)<br>A. Sharif, M. Monperrus, E. Tessier, S. Bouchet, H. Pinaly, P. Rodriguez-Gonzalez, P. Maron and D. Amouroux (France) . . . . .   | 701 |
| Mercury concentrations in forest soils and stream waters in northeast and south China<br>Y. Luo, L. Duan, L. Wang, G. Xu, S. Wang and J. Hao (China) . . . . .   | 714 |