


TU  
S 41/m




Volume 82, 1 July 2014

ISSN 1359-6462

# Scripta MATERIALIA

A LETTERS JOURNAL



# Scripta MATERIALIA

Volume 82  
(Published 23 April 2014)

## CONTENTS

S.M. Ueland & C.A. Schuh	1	Surface roughness-controlled superelastic hysteresis in shape memory micro-wires
Y. Zhang, J. Gao, H. Yasuda, M. Kolbe & G. Wilde	5	Particle size distribution and composition in phase-separated Cu <sub>75</sub> Co <sub>25</sub> alloys under various magnetic fields
V.R. Mudinepalli, S.H. Song & B.S. Murty	9	Enhanced magnetoelectric properties in lead-free Ni <sub>0.83</sub> Co <sub>0.15</sub> Cu <sub>0.02</sub> Fe <sub>1.9</sub> O <sub>4-δ</sub> -Na <sub>0.5</sub> Bi <sub>0.5</sub> TiO <sub>3</sub> composites by spark plasma sintering
D. Akama, N. Nakada, T. Tsuchiyama, S. Takaki & A. Hironaka	13	Discontinuous yielding induced by the addition of nickel to interstitial-free steel
Y. He, W. Jie, Y. Xu, Y. Wang, Y. Zhou, H. Liu, T. Wang & G. Zha	17	Dislocation-mediated coupling mechanism between the microstructural defects and Te inclusions in CdZnTe single crystals
A. Clair, M. Foucault, O. Calonne & E. Finot	21	Early-stage detection of surface stress corrosion cracking at the subgranular level
B.-W. Koo, Y.J. Chang, S.P. Hong, C.S. Kang, S.W. Jeong, W.-J. Nam, I.-J. Park, Y.-K. Lee, K.H. Oh & Y.-W. Kim	25	Experimental measurement of Young's modulus from a single crystalline cementite
H. Liu, M. Niinomi, M. Nakai, J. Hieda & K. Cho	29	Changeable Young's modulus with large elongation-to-failure in β-type titanium alloys for spinal fixation applications
A. Kosinova, L. Klinger, O. Kovalenko & E. Rabkin	33	The role of grain boundary sliding in solid-state dewetting of thin polycrystalline films
M. Zhao, K. Yoshimi, J. Nakamura, K. Yubuta & T. Sugawara	37	High-temperature elastic anisotropy of B2-type FeAl
H.Y. Um, H.J. Jeong, H.Y. Kim, L.J. Park, S. Lee & H.S. Kim	41	Circumferential shear strain in torsion-based severe plastic deformation
S. Zhang, X. Wang, J. Zhu, C. Jin, H. Gong & L. Li	45	The microstructure and ferroelectricity of BiScO <sub>3</sub> -PbTiO <sub>3</sub> nanoceramics at morphotropic phase boundaries
S.-H. Jung & S.-J.L. Kang	49	An explanation for the formation of polyhedral abnormal grains in single-phase systems
K. Hagihara, T. Fushiki & T. Nakano	53	Control of microstructure and fracture toughness improvement of NbSi <sub>2</sub> /MoSi <sub>2</sub> duplex lamellar silicides by TaC particles dispersion

(Continued on inside back cover)

INDEXED IN Current Contents, BIOSIS/CAS Selects, Camb. Sci. Abstr., Eng. Ind. Monthly and Author Ind., IBZ, Energy Res. Abstr., Energy Data Base, Metals Abstr., World Alum. Abstr., and the MSCI. Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®

Printed by Henry Ling Ltd., Dorchester, United Kingdom

ISSN 1359-6462

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

ScienceDirect



1359-6462(20140701)82:C;1-0

# *Scripta MATERIALIA*

(Contents continued from outside back cover)

- |   |    |  |
|---|----|--|
| R. Marder, C. Estournès, G. Chevallier &<br>R. Chaim                                      | 57 | Plasma in spark plasma sintering of ceramic particle compacts  |
| D. Batalu, G. Aldica, S. Popa, L. Miu,<br>M. Enculescu, R.F. Negrea, I. Pasuk & P. Badica | 61 | High magnetic field enhancement of the critical current density by Ge, GeO <sub>2</sub><br>and Ge <sub>2</sub> C <sub>6</sub> H <sub>10</sub> O <sub>7</sub> additions to MgB <sub>2</sub> |