



Scripta MATERIALIA

A LETTERS JOURNAL



Scripta MATERIALIA

Volume 68, Issue 9
(Published 22 February 2013)

CONTENTS

- S. Bouhtiyaa, R. Lucio Porto, B. Laïk, P. Boulet, F. Capon, J.P. Pereira-Ramos, T. Brousse & J.F. Pierson 659 Application of sputtered ruthenium nitride thin films as electrode material for energy-storage devices
- Y. Zhu, Z. Li & M. Huang 663 Coupled effect of sample size and grain size in polycrystalline Al nanowires
- Y. Idell, G. Facco, A. Kulovits, M.R. Shankar & J.M.K. Wiezorek 667 Strengthening of austenitic stainless steel by formation of nanocrystalline γ -phase through severe plastic deformation during two-dimensional linear plane-strain machining
- R. Chulist, L. Straka, A. Sozinov, T. Lippmann & W. Skrotzki 671 Modulation reorientation in 10M Ni–Mn–Ga martensite
- J. Zhang, L. Zhang, Z. Leng, S. Liu, R. Wu & M. Zhang 675 Experimental study on strengthening of Mg–Li alloy by introducing long-period stacking ordered structure
- J. Sui, X. Zhang, X. Zheng, Z. Yang, W. Cai & X. Tian 679 Two-way shape memory effect of polycrystalline Ni–Mn–Ga–Gd high-temperature shape memory alloys
- F.A. Harraz & A.M. Salem 683 Enhancement of porous silicon photoluminescence by chemical and electrochemical infiltration of conducting polymers
- Q. Liu, F. Xu, J. Wang, X. Dong, L. Zhang & J. Yang 687 An investigation of the microstructure in the grain boundary region of Nd–Fe–B sintered magnet during post-sintering annealing
- G. Han, Z. Han, A.A. Luo, A.K. Sachdev & B. Liu 691 A phase field model for simulating the precipitation of multi-variant β -Mg₁₇Al₁₂ in Mg–Al-based alloys
- G. Martin, C.W. Sinclair & J.-H. Schmitt 695 Plastic strain heterogeneities in an Mg–1Zn–0.5Nd alloy
- H. Kato, S.-G. Yu, A.D. Setyawan, K. Yubuta & T. Wada 699 Surface-activated supercooled liquid brazing
- Z. Yu, Q. Wu, J.M. Rickman, H.M. Chan & M.P. Harmer 703 Atomic-resolution observation of Hf-doped alumina grain boundaries
- M. Zheng, Y. Hou, H. Ge, M. Zhu & H. Yan 707 The formation of (Zn,Ni)TiO₃ secondary phase in NiO-modified Pb(Zn_{1/3}Nb_{2/3})O₃–PbZrO₃–PbTiO₃ ceramics
- S.J. Yoo, S.H. Han & W.J. Kim 711 Strength and strain hardening of aluminum matrix composites with randomly dispersed nanometer-length fragmented carbon nanotubes

(Continued on inside back cover)

INDEXED IN Current Contents, BIOSIS/CAS Selects, Camb. Sci. Abstr., Eng. Ind. Monthly and Author Ind., IBZ, Energy Res. Abstr., Energy Data Base, Metals Abstr., World Alum. Abstr., and the MSCI. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®

Printed by Polestar Wheatons Ltd, Exeter, UK

ISSN 1359-6462

Available online at www.sciencedirect.com

SciVerse ScienceDirect



1359-6462(201305)68:9;1-F