


NU
S 70/52


VOLUME 263, 1 October 2014

ISSN 0167-2738



SOLID STATE IONICS

DIFFUSION & REACTIONS



Principal Editor

Joachim Maier, Stuttgart, Germany

Regional Editor Europe

John Kilner, London, UK

Regional Editor Asia

Koichi Eguchi, Kyoto, Japan

Hong Li, Beijing, China

Regional Editor USA

Arumugam Manthiram, Austin, TX, USA

Editors

Klaus Funke, Münster, Germany

Truls Norby, Oslo, Norway

Josh Thomas, Uppsala, Sweden

Founding Editor

M. Stanley Whittingham, Binghamton, NY, USA

Editorial Assistant

Rotraut Merkle, Stuttgart, Germany

Abstracted / Indexed in: Chemical Abstracts / Aluminium Industry Abstracts / ISMEC / METADEX / PASCAL / PIRA / Engineered Materials Abstracts / Analytical Abstracts / Chemical Engineering and Biotechnology Abstracts / CAB Abstracts / GeoRef / Energy Science and Technology. Also covered in the abstract and citation database Scopus®.

Full text available on ScienceDirect®.

CONTENTS

Sodium extraction from sodium iron phosphate with a Maricite structure P.P. Prosini, C. Cento, A. Masci and M. Carewska	1
Molecular dynamics simulations of Mg-doped beta"-alumina with potential models fitted for accurate structural response to thermal vibrations B. Wang and A.N. Cormack	9
Selection and study of basic layered cobaltites as mixed ionic–electronic conductors for proton conducting fuel cells G. Goupil, T. Delahaye, B. Sala, F. Lefebvre Joud and G. Gauthier	15
Nanocrystalline silicon carbide thin film electrodes for lithium-ion batteries H. Zhang and H. Xu	23
Water-stable lithium ion conducting solid electrolyte of iron and aluminum doped NASICON-type LiTi ₂ (PO ₄) ₃ P. Zhang, M. Matsui, Y. Takeda, O. Yamamoto and N. Imanishi	27
Dependence of the conductivity of polycrystalline Li _{0.33} Ba _x La _{0.56–2/3x} TiO ₃ on Ba loading T. Teranishi, A. Kouchi, H. Hayashi and A. Kishimoto	33
Water chemisorption on a sputter deposited uranium dioxide film — Effect of defects S. Cohen, M.H. Mintz, S. Zalkind, A. Seibert, T. Gouder and N. Shamir	39
Strain tuned Li diffusion in LiCoO ₂ material for Li ion batteries: A first principles study F. Ning, S. Li, B. Xu and C. Ouyang	46
Nebulized spray pyrolysis of Al-doped Li ₇ La ₃ Zr ₂ O ₁₂ solid electrolyte for battery applications R. Djenadic, M. Botros, C. Benel, O. Clemens, S. Indris, A. Choudhary, T. Bergfeldt and H. Hahn	49
Conductivity of 70Li ₂ S·30P ₂ S ₅ glasses and glass–ceramics added with lithium halides S. Ujiie, T. Inagaki, A. Hayashi and M. Tatsumisago	57
Synthesis and characterisation of a new sulphonated hydrocarbon polymer for application as a solid proton-conducting electrolyte F.J.B. Brum, F.G. Zanatta, E.S. Marczynski, M.M.C. Forte and B. Pollet	62
Electrical conduction of CeP ₂ O ₇ and Ce _{0.95} Yb _{0.05} P ₂ O ₇ at intermediate temperatures H. Wang, J. Chen, C. Luo and R. Qiao	71
Electronic and ionic conductivity of Eu _{0.2} Ce _{0.8} O _{2–δ} L. Zhao, N.H. Perry, K. Sasaki and S.R. Bishop	75

Contents continued on last page of this issue



Microstructural changes due to anodic polarisation of palladium and silver films on YSZ G. Beck and C. Bachmann	80
Investigating polypropylene-poly(ethylene oxide)-polypropylene triblock copolymers as solid polymer electrolytes for lithium batteries N.P. Young, D. Devaux, R. Khurana, G.W. Coates and N.P. Balsara	87
Alkali diffusivity in alkaline earth sodium boroaluminosilicate glasses M. Potuzak and M.M. Smedskjaer	95
Electrochemical impedance spectroscopy study of C/Li ₂ MnSiO ₄ composite cathode material at different states of charge M. Świątosławski, M. Molenda, M. Grabowska, A. Wach, P. Kuśtrowski and R. Dziembaj	99
Synthesis, sintering and conductivity behavior of ceria-doped Scandia-stabilized zirconia H.P. Dasari, J.S. Ahn, K. Ahn, S.-Y. Park, J. Hong, H. Kim, K.J. Yoon, J.-W. Son, H.-W. Lee and J.-H. Lee	103
The nature of the nonmetal–metal transition in Li _x CoO ₂ oxide A. Milewska, K. Świerczek, J. Tobola, F. Boudoire, Y. Hu, D.K. Bora, B.S. Mun, A. Braun and J. Molenda	110
Effect of conditional glass former variation on electrical transport in Li ₂ O–P ₂ O ₅ glassy and glass-ceramic ionic system M. Rathore and A. Dalvi	119
Increase in grain boundary ionic conductivity of Li _{1.5} Al _{0.5} Ge _{1.5} (PO ₄) ₃ by adding excess lithium H. Chung and B. Kang	125
New ceramic materials derived from pyrolyzed poly(1,2-dimethylsilazane) and starch as a potential anode for Li-ion batteries A.P. Nowak, B. Wicikowska and A. Lisowska-Oleksiak	131
Improvement of the sealing performance for sodium anode based battery by interface optimization of alpha-Al ₂ O ₃ /glass sealant G. Zhang, Z. Wen, J. Yang, X. Wu and J. Zhang	140
Enhancement of high voltage cycling performance and thermal stability of LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ cathode by use of boron-based additives L. Zhang, Y. Ma, X. Cheng, P. Zuo, Y. Cui, T. Guan, C. Du, Y. Gao and G. Yin	146
Deuterium diffusion in proton conductors La _{0.9} Sr _{0.1} ScO _{3-δ} and BaZr _{0.9} Y _{0.1} O _{3-δ} at room temperature V.B. Vykhodets, T.E. Kurenykh, O.A. Nefedova, V.P. Gorelov, A. Yu. Stroeva, V.B. Balakireva, E.V. Vykhodets and S.I. Obukhov	152
High temperature electrochemical performance of hydrothermally prepared LiMn _{1-x} M _x PO ₄ (M=Fe, Mg) J. Nava-Avendaño, M.R. Palacín, J. Oró-Solé, A. Ponrouch, J.-M. Tarascon and N. Rechem	157
High proton conductivity ZSM-5/sulfonated poly(ether ketone ether sulfone) (S-PEKES) composite proton exchange membrane for using in direct methanol fuel cell S. Changkhamchom and A. Sirivat	161
Synthesis, crystal structure and electrochemical properties of Li _{0.55} Co _{0.5} Mn _{0.5} O ₂ with the O6-type layered structure J. Akimoto, A. Takashima, K. Kataoka, N. Ishida and Y. Idemoto	167
Ceramic–carbonate dual-phase membrane with improved chemical stability for carbon dioxide separation at high temperature T.T. Norton and Y.S. Lin	172
On the conductivity degradation and phase stability of solid oxide fuel cell (SOFC) zirconia electrolytes analysed via XRD M.R. Ternner, J.A. Schuler, A. Mai and D. Penner	180
Ionic Conduction Behavior in Sm _x Nd _{0.15-x} Ce _{0.85} O _{2-δ} A. Rai, P. Mehta and S. Omar	190