


TU  
S70/5i




VOLUME 268, Part A 15 December 2014

ISSN 0167-2738

# SOLID STATE IONICS

## DIFFUSION & REACTIONS



*Principal Editor*

Joachim Maier, Stuttgart, Germany

*Regional Editor Europe*

John Kilner, London, UK

*Regional Editor Asia*

Koichi Eguchi, Kyoto, Japan

Hong Li, Beijing, China

*Regional Editor USA*

Arumugam Manthiram, Austin, TX, USA

*Editors*

Klaus Funke, Münster, Germany

Truls Norby, Oslo, Norway

Josh Thomas, Uppsala, Sweden

*Founding Editor*

M. Stanley Whittingham, Binghamton, NY, USA

*Editorial Assistant*

Rotraut Merkle, Stuttgart, Germany

# SOLID STATE IONICS

VOLUME 268, Part A 15 December 2014

*Abstracted / Indexed in: Chemical Abstracts / Aluminium Industry Abstracts / ISMEC / METADEX / PASCAL / PIRA / Engineered Materials Abstracts / Analytical Abstracts / Chemical Engineering and Biotechnology Abstracts / CAB Abstracts / GeoRef / Energy Science and Technology. Also covered in the abstract and citation database Scopus®.*

*Full text available on ScienceDirect®.*

## CONTENTS

Strontium surface segregation in $\text{La}_{0.58}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$ annealed under compression W. Araki, T. Yamaguchi, Y. Arai and J. Malzbender	1
Approximate analytic solution to electrical potential and space charge distribution in two carrier conductors under equilibrium D. Kalaev	7
The direct carbon solid oxide fuel cell with $\text{H}_2$ and $\text{H}_2\text{O}$ feeds A. Modjtahedi, N. Hedayat and S.S.C. Chuang	15
A comparative structural, thermal and electrical study of $\text{Ca}^{2+}$ , $\text{Sr}^{2+}$ substituted $\text{BiMnO}_3$ S. Thakur, O.P. Pandey and K. Singh	23
Synergy of Nyquist and Bode electrochemical impedance spectroscopy studies to commercial type lithium ion batteries F.-M. Wang and J. Rick	31
Fabrication and electrochemical properties of surface modified sulfonated poly(vinylidene fluoride-co-hexafluoropropylene) membranes for DMFC application S. Neelakandan, D. Rana, T. Matsuura, A. Muthumeenal, P. Kanagaraj and A. Nagendran	35
Practical microwave-assisted solid-state synthesis of the spinel $\text{LiMn}_2\text{O}_4$ J.P. Silva, S.R. Biaggio, N. Bocchi and R.C. Rocha-Filho	42
Effects of grain-boundary diffusions and modifications on the electrical conductivities of YSZ coatings with columnar microstructure B. Meng, M. Kong, Q.Q. Yang, H. Zhang, Y.J. Zhu and Z.L. Lin	48
Physicochemical properties of poly(vinylidene fluoride-trifluoroethylene)/poly(ethylene oxide) blend membranes for lithium ion battery applications: Influence of poly(ethylene oxide) molecular weight D.M. Correia, C.M. Costa, J. Nunes-Pereira, M.M. Silva, G. Botelho, J.L.G. Ribelles and S. Lanceros-Méndez	54
Growth, structure and properties of $(\text{K}_{1-x}(\text{NH}_4)_x)_9\text{H}_7(\text{SO}_4)_8 \cdot \text{H}_2\text{O}$ crystals E.V. Dmitricheva, I.P. Makarova, V.V. Grebenev, V.V. Dolbinina and I.A. Verin	68
Visualization of conduction pathways in a lanthanum lithium titanate superionic conductor synthesized by rapid cooling K. Mori, S. Tomihira, K. Iwase and T. Fukunaga	76
Temperature gradients in microelectrode measurements: Relevance and solutions for studies of SOFC electrode materials T.M. Huber, A.K. Opitz, M. Kubicek, H. Hutter and J. Fleig	82
The influence of GPTMS on the performance of silica-ionic liquid hybrid membrane W.-h. Luo and L.-h. Zhao	94

*Contents continued on last page of this issue*



0167-2738(20141215)268PA;1-J

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**ScienceDirect**

Oxygen tracer diffusion and surface exchange kinetics in $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ A. Berenov, A. Atkinson, J. Kilner, M. Ananyev, V. Eremin, N. Porotnikova, A. Farlenkov, E. Kurumchin, H.J.M. Bouwmeester, E. Bucher and W. Sitte	102
Identifying $\text{Li}^+$ ion transport properties of aluminum doped lithium titanium phosphate solid electrolyte at wide temperature range S. Wang, L. Ben, H. Li and L. Chen	110
Highly oriented $\text{LiFePO}_4$ thin film electrodes via chemical solution deposition Q. Li, S.-L. Chou, J.-Z. Wang, D. Shi and H.-K. Liu	117
The $\text{La}_{0.6}\text{Sr}_{0.4}\text{CoO}_3$ perovskite catalyst for $\text{Li}-\text{O}_2$ battery N. Sun, H. Liu, Z. Yu, Z. Zheng and C. Shao	125
Facile solution-based synthesis of spinel $\text{Li}_4\text{Ti}_5\text{O}_{12}$ nanosheets and the application in lithium ion Batteries J. Wang, B. Wang, J. Cao and Y. Tang	131
Crystal structure, migration mechanism and electrochemical performance of Cr-stabilized garnet S. Song, B. Yan, F. Zheng, H.M. Duong and L. Lu	135
Sr-doped $\text{Sm}_2\text{CuO}_4$ cathode for intermediate temperature solid oxide fuel cells V.N. Chaudhari, A.P. Khandale and S.S. Bhoga	140
Structural characterization of Tb- and Pr-doped ceria M. Coduri, M. Scavini, M. Brunelli, E. Pedrazzin and P. Masala	150
Atomistic investigation of the nanoparticle size and shape effects on ionic conductivity of solid polymer electrolytes Q. Li and H. Ardebili	156
Investigating the physicochemical and transport properties of LiTFA ionic liquids by molecular dynamics simulation N. Farhadian and K. Malek	162
Long-life and high-rate $\text{LiVPO}_4\text{F}/\text{C}$ nanocrystals modified with graphene as cathode material for lithium-ion batteries Y. Wang, H. Zhao, Y. Ji, L. Wang and Z. Wei	169
Polyethylene oxide electrolyte added by silane-functionalized $\text{TiO}_2$ filler for lithium battery B.W. Zewde, G.A. Elia, S. Admassie, J. Zimmermann, M. Hagemann, C.S. Isfort, B. Scrosati and J. Hassoun	174
Correlation between electronic and electrochemical properties of $\text{Na}_x\text{CoO}_{2-y}$ J. Molenda, D. Baster, A. Stokłosa, M.U. Gutowska, A. Szewczyk, R. Puźniak, K. Dybko, M. Szot and J. Tobola	179
Conductivity scaling and near-constant loss behavior in ion conducting polymer blend A. Das, A.K. Thakur and K. Kumar	185
Preparation of polymer electrolyte membrane with nanomatrix channel through sulfonation of natural rubber grafted with polystyrene L. Fukuhara, N. Kado, K. Kosugi, P. Suksawad, Y. Yamamoto, H. Ishii and S. Kawahara	191
Equilibrium and transient conductivity for gadolinium-doped ceria under large perturbations: II. Modeling H. Zhu, S. Ricote, W.G. Coors, C. Chatzichristodoulou and R.J. Kee	198