


Vol. 69 • Issue 51 • 23 December 2013 • ISSN 0040-4020




Tetrahedron

THE INTERNATIONAL JOURNAL FOR THE RAPID PUBLICATION OF FULL
ORIGINAL RESEARCH PAPERS AND CRITICAL REVIEWS IN ORGANIC CHEMISTRY

Available online at www.sciencedirect.com

ScienceDirect



Tetrahedron Vol. 69, Issue 51, 2013


Contents

REPORT

Stereodynamic properties of medium-ring benzo-fused nitrogenous heterocycles: benzodiazepines, benzazepines, benzazocines, and benzazonines

pp 10783–10795

Keith Ramig




ARTICLES

Euryjanicins E–G, poly-phenylalanine, and poly-proline cyclic heptapeptides from the Caribbean sponge *Prosüberites laughlini*

pp 10797–10804


Edward Avilés, Abimael D. Rodríguez*



Dual pyrene-labeled pyrrolidinyl peptide nucleic acid as an excimer-to-monomer switching probe for DNA sequence detection

pp 10805–10810


Nattapon Maneelun, Tirayut Vilaivan*



Novel sulfonylpolystyrene-supported prolinamides as catalysts for enantioselective aldol reaction in water

pp 10811–10819


Rafael Pedrosa*, José M. Andrés*, Ana Gamarra, Rubén Manzano, César Pérez-López



Synthesis of 2,2-difluoro-2*H*-chromenes through the tandem reaction of ethyl 3-bromo-3,3-difluoropropionate with salicylaldehyde derivatives

pp 10820–10825

Song Ou, Min Jiang, Jin-Tao Liu*




Ethyl 3-bromo-3,3-difluoropropionate underwent the reaction with salicylaldehyde derivatives in the presence of base at 110 °C in DMF to give the corresponding 2,2-difluoro-2*H*-chromenes in moderate to good yields.



Oxidative ring opening of 3-hydroxyquinoline-2,4(1*H*,3*H*)-diones into *N*-(α -ketoacyl)anthranilic acids

pp 10826–10835


Stanislav Kafka*, Karel Proisl, Věra Kašpáriková, Damijana Urankar, Roman Kimmel, Janez Košmrlj*



Chemoselective synthesis of 3*H*-pyrrolo[2,3-*c*]quinolin-4(5*H*)-one derivatives from 3-phenacylideneoxindoles and substituted tosylmethyl isocyanide (TosMIC)

Rong Wang, Shun-Yi Wang*, Shun-Jun Ji*


pp 10836–10841



Synthesis and evaluation of 3-acyltetronic acid-containing metal complexing agents


Julien Rouleau, Alexandre Korovitch, Claude Lion, Miryana Hémadi, Nguyêt-Thanh Ha-Duong, Jean-Michel El Hage Chahine, Thierry Le Gall*

pp 10842–10848



Studies of the regioselective ring-opening–closing mode of functionally different thiazolidine type enaminones: en route to the synthesis of trithiaazapentalene derivatives


Aleksandar Rašović*, Andreas Koch, Erich Kleinpeter, Rade Marković



pp 10849–10857

Unconventional stereoselective one-pot synthesis of Knoevenagel-type indoles via in situ condensation of iminium salts with active methylene reagents

Angelo Ranise, Francesco Lucchesini, Matteo Caviglia, Silvana Alfei, Andrea Spallarossa*, Chiara Caneva




pp 10858–10868

Voacalginines A–E, new indole alkaloids from *Voacanga grandifolia*


Yusuke Hirasawa, Hiroko Arai, Abdul Rahman, Idha Kusumawati, Noor Cholies Zaini, Osamu Shirota, Hiroshi Morita*

pp 10869–10875

**A concise diastereoselective approach to (+)-dexoxadrol, (-)-epi-dexoxadrol, (-)-conhydrine and (+)-lentiginosine from (–)-pipecolinic acid**


Chinmay Bhat, Santosh G. Tilve*

pp 10876–10883

**Synthesis of novel 4'-C-methyl-1',3'-dioxolane pyrimidine nucleosides and evaluation of its anti-HIV-1 activity**


Yutaka Kubota, Yuri Kaneda, Kazuhiro Haraguchi*, Mirei Mizuno, Hiroshi Abe, Satoshi Shuto, Takayuki Hamasaki, Masanori Baba, Hiromichi Tanaka

pp 10884–10892

**Rearrangement of azoxybenzcrowns into chromophoric hydroxyazobenzocrowns and the use of hydroxyazobenzocrowns for the synthesis of ionophoric biscrown compounds**

Miroslaw Szarmach, Ewa Wagner-Wysiecka, Elzbieta Luboch*


pp 10893–10905



A simple, efficient, regioselective and one-pot preparation of *N*-hydroxy- and *N*–O-protected hydroxyindoles via cycloaddition of nitrosoarenes with alkynes. Synthetic scope, applications and novel by-products

pp 10906–10920


Gabriella Ieronimo, Alessandro Mondelli, Francesco Tibiletti, Angelo Maspero, Giovanni Palmisano, Simona Galli, Stefano Tollari, Norberto Masciocchi, Kenneth M. Nicholas, Silvia Tagliapietra, Giancarlo Cravotto, Andrea Penoni*



A rapid and diverse construction of 6-substituted-5,6-dihydro-4-hydroxy-2-pyrones through double Reformatsky reaction

pp 10921–10926


Masahiro Mineno*, Yasuhiro Sawai, Kazuaki Kanno, Naotaka Sawada, Hideya Mizufune



Synthesis of porphyrinylamide and observation of *N*-methylation-induced trans–cis amide conformational alteration

pp 10927–10932


Mio Matsumura, Aya Tanatani*, Tomoyo Kaneko, Isao Azumaya, Hyuma Masu, Daisuke Hashizume, Hiroyuki Kagechika, Atsuya Muranaka*, Masanobu Uchiyama*



A one-pot synthesis of isoindolin-1-imine derivatives

pp 10933–10939


Khangvan Pham, Zhongguo Zhang, Sida Shen, Lei Ma*, Lihong Hu*



Heck cross-coupling of vinyl heteroaromatic compounds with aryl and heteroaryl halides using Pd(II) complex under phosphine-free conditions

Manne Annapurna, P. Vishnuvardhan Reddy, Surya Prakash Singh, Mannepli Lakshmi Kantam*


pp 10940–10945



Total synthesis of PDE-I and -II by copper-mediated double aryl amination

Kentaro Okano, Nakako Mitsuhashi, Hidetoshi Tokuyama*


pp 10946–10954



Bi-functional fluoroalkylation reagents: an introduction to halo-substituted 3-oxa-perfluoroalkanesulfonyl fluorides

Cheng-Pan Zhang, Qing-Yun Chen, Yong Guo*, Ji-Chang Xiao*


pp 10955–10989



Synthesis of trisubstituted thiazoles by ligand-free palladium-catalyzed direct 5-arylation of 2,4-disubstituted thiazoles under conventional and microwave-assisted heating

Su Kang Kim, Ji-Hyun Kim, Young Chul Park, Jae Won Kim, Eul Kgun Yum*


pp 10990–10995



Palladium-catalyzed highly regioselective 2-arylation of 2,6-dibromopyridines and its application in the efficient synthesis of a 17 β -HSD1 inhibitor

Qizhong Zhou*, Bin Zhang, Liangjun Su, Tiansheng Jiang, Rener Chen*, Tieqi Du, Yuyuan Ye, Jianfen Shen, Guoliang Dai, Deman Han, Huaijiang Jiang*


pp 10996–11003



Homogeneous catalysis, heterogeneous recycling: a new family of branched molecules with hydrocarbon or fluorocarbon chains for the Friedländer synthesis of quinoline under solvent-free conditions

Lei Fang, Jianjun Yu*, Ying Liu, Anyin Wang, Limin Wang*


pp 11004–11009



Studies on the synthesis of a hindered analogue of the antitumour agent CC-1065

Ana G. Neo, Carmen López, Antonio López, Luis Castedo, Gabriel Tojo*


pp 11010–11016



Stereoselective synthesis of contiguous THF–THF and THF–THP units via Pd^{II}-catalyzed tandem reaction with 1,3-chirality transfer


Nobuyuki Kawai*, Yuhei Fujikura, Jun Takita, Jun'ichi Uenishi

pp 11017–11024



Biomimetically inspired total synthesis of (12S)-12-hydroxymonocerin and (12R)-12-hydroxymonocerin
 Bowen Fang, Xingang Xie, Peng Jing, Changgui Zhao, Huilin Li, Haichen Ma, Xuegong She*

pp 11025–11030



*Corresponding author

i⁺ Supplementary data available via ScienceDirectAvailable online at www.sciencedirect.com

Full text of this journal is available, on-line from **ScienceDirect**. Visit www.sciencedirect.com for more information.

Abstracted/indexed in: AGRICOLA, Beilstein, BIOSIS Previews, CAB Abstracts, Chemical Abstracts, Current Contents: Life Sciences, Current Contents: Physical, Chemical and Earth Sciences, Current Contents Search, Derwent Drug File, Ei Compendex, EMBASE/Excerpta Medline, PASCAL, Research Alert, Science Citation Index, SciSearch. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®



ISSN 0040-4020