

Volume 70 January 2014

ISSN 0924-2031



ELSEVIER

VIBRATIONAL SPECTROSCOPY

An International Journal devoted to Applications of
Infrared and Raman Spectroscopy

Editors


G. KERESZTURY (Budapest, Hungary)

H.M. HEISE (Iserlohn, Germany)

D. MCNAUGHTON (Melbourne, Australia)

Available online at www.sciencedirect.com

ScienceDirect



Contents

Influence of crystal polymorphism on crystallinity calculation of poly(L-lactic acid) by infrared spectroscopy X. Chen, L. Han, T. Zhang and J. Zhang (Qingdao City, People's Republic of China)	1
Raman spectra of $\text{Sr}_3(\text{PO}_4)_2$ and $\text{Ba}_3(\text{PO}_4)_2$ orthophosphates at various temperatures S. Zhai (Beijing, China), C.-C. Lin (Taipei, Taiwan) and W. Xue (Beijing, China)	6
Identification of the early postmortem metabolic state of porcine <i>M. semimembranosus</i> using Raman spectroscopy R. Scheier (Kulmbach, Germany), J. Köhler (Bayreuth, Germany) and H. Schmidt (Kulmbach, Germany)	12
Magnetic phase diagram of multiferroic $\text{Eu}_{1-x}\text{Lu}_x\text{MnO}_3$ investigated by infrared spectroscopy J.L. Ribeiro, L.G. Vieira (Braga, Portugal), O. Santo (Braga, Portugal and Vila Real, Portugal) and P.B. Tavares (Vila Real, Portugal)	18
Matrix isolation studies of carbonyl selenide, OCSe: Evidence of the formation of dimeric species, $(\text{OCSe})_2$ J.A. Gómez Castaño and R.M. Romano (La Plata, Argentina)	28
Thermostimulated molecular alteration in sol-gel derived $\text{TiO}_2\text{:MoO}_3$ composite materials N.E. Boboriko and D.I. Mychko (Minsk, Belarus)	36
Near-infrared spectroscopic measurements of volume expansion and composition of CO_2 -expanded ethyl acetate, acetone, tetrahydrofuran, acetonitrile, methanol-OD, and dimethyl sulfoxide Y. Takebayashi, K. Sue, T. Furuya, Y. Hakuta and S. Yoda (Tsukuba, Japan)	42
Fabrication of Au hybrid protein chips and its application to SERS-based bioassay H. Wang, B. Zhao, S. Shen, J. Yang, Z. Li, Z. Mao, T. Zhou, X. Wang, W. Song, W. Ruan (Changchun, PR China) and J.R. Lombardi (New York, NY, USA)	49
Rheo-optical near-infrared (NIR) spectroscopy study of low-density polyethylene (LDPE) in conjunction with projection two-dimensional (2D) correlation analysis H. Shinzawa, W. Kanematsu (Nagoya, Japan) and I. Noda (Newark, DE, USA)	53
Femtosecond degenerate four-wave-mixing measurements of coherent intramolecular vibrations in an ultrafast electron transfer system Y. Nagasawa (Osaka, Japan and Saitama, Japan), Y. Yoneda, S. Nambu, M. Muramatsu, E. Takeuchi, H. Tsumori and H. Miyasaka (Osaka, Japan)	58
Vibrational spectroscopy of acid treated vermiculites M. Ritz, J. Zdrávková and M. Valášková (Ostrava-Poruba, Czech Republic)	63
Effect of MnO_2 and $\alpha\text{-Fe}_2\text{O}_3$ on organic binders degradation investigated by Raman spectroscopy N.D. Bernardino, T.S. Puglieri and D.L.A. de Faria (São Paulo, Brazil)	70
Comparative DFT study of Raman spectra of phosphorus-containing dendrimers built from thiophosphoryl, cyclotriphosphazene and phthalocyanine cores V.L. Furer, A.E. Vandyukov (Kazan, Russia), J.P. Majoral, A.M. Caminade (Toulouse, France) and V.I. Kovalenko (Kazan, Russia)	78
Stability of hydrogen bonds upon polymerization and color transition of diacetylenes: An FTIR spectroscopy study S. Spagnoli (Grenoble, France), M. Rei Vilar and M. Schott (Paris, France)	89
Vibrational study of caffeic acid phenethyl ester, a potential anticancer agent, by infrared, Raman, and NMR spectroscopy A.B. Raschi, E. Romano, M.V. Castillo (San Miguel de Tucumán, Argentina), P. Leyton, C. Paipa (Valparaíso, Chile), L.M. Maldonado (Famaillá, Argentina) and S.A. Brandán (San Miguel de Tucumán, Argentina)	100
Determining the pure component spectra of trace organometallic intermediates by combined application of in situ Raman spectroscopy and band-target entropy minimization analysis S. Cheng, C. Li, L. Guo and M. Garland (Jurong Island, Singapore)	110
Two-dimensional correlation infrared spectroscopy studies on the thermal-induced mesophase of 4-nitrobenzohydrazide derivative B. Bai (Changchun, PR China and Sanda, Japan), J. Wei (Changchun, PR China), N. Spegazzini (Sanda, Japan), Y. Wu, H. Wang, M. Li (Changchun, PR China) and Y. Ozaki (Sanda, Japan)	115
Surface-enhanced Raman scattering characteristics of 4-nitrobenzenethiol adsorbed on palladium and silver thin films K.S. Shin, Y.K. Cho and K. Kim (Seoul, Republic of Korea)	120

Vibrational spectroscopy of 5-amino-3-methyl-4-isoxazolecarbohydrazide and its <i>N</i> -deuterated isotopologue A. Regiec, P. Płoszaj, S. Ryng and P. Wojciechowski (Wrocław, Poland).....	125
An insight into the sequential order in 2D correlation spectroscopy using polymer transitions: Boltzmann Sigmoid, Gaussian Cumulative, Lorentz Cumulative, and Asymmetric Sigmoid. Findings in experiments and simulations T. Zhou, L. Peng, Y. Liu, Y. Zhan, F. Liu and A. Zhang (Chengdu, China).....	137
Direct visual evidence for chemical mechanism of SERRS of pyrazine adsorbed on Ag nanoparticle via charge transfer J. Luo, P. Wang and Y. Fang (Beijing, China).....	162
The effects of conformation and intermolecular hydrogen bonding on the structural and vibrational spectral data of <i>naproxen</i> molecule K. Balci (Istanbul, Turkey)	168
Multiwavelength Raman spectroscopy analysis of a large sampling of disordered carbons extracted from the Tore Supra tokamak C. Pardanaud, C. Martin and P. Roubin (Marseille, France).....	187
Phase progression via phonon modes in lanthanide dioxides under pressure S. Dogra, J. Singh, N.D. Sharma, K. Samanta (New Delhi, India), H.K. Poswal, S.M. Sharma (Mumbai, India) and A.K. Bandyopadhyay (New Delhi, India) ...	193
A Raman spectroscopy study of cerium oxide in a cerium–5 wt.% lanthanum alloy D.W. Wheeler and I. Khan (Berkshire, UK)	200